

Manual Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

JUNE 2024 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Küschall Champion One Solution

Standard Features

- Max User Weight 120kg (19 Stone)
- Lightweight Folding Fully Hydroformed Aluminium Wheelchair
- Multiple adjustments, Front, Rear Seat Heights and Centre of Gravity
- Aluminium Front Frame with 75° or 90° Front Frame Angles
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims
- and Pneumatic Tyres
- Choice of 7 Seat Widths 360mm to 480mm (14" 19")
- Choice of 8 Seat Depths 340mm to 480mm (13" 19")
- Choice of 5 Standard Frame Colours
- Range of Front Seat Heights 450mm to 540mm (17" -21")
- Range of Rear Seat Heights 390mm to 480mm (15" -19")
- Folding Backrest, Angle Adjustable and Soft Lock Feature with Matrx backrest
- Angle and Height Adjustable Rigid Footrest, with Calf Strap
- Without Push Handles, Flip up Carbon Clothesguards
- Unfolding Help Cord. Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit



Please make your selection with a cross in the box	O Free of charge ♦ standard feature POA special request	
--	---	--

Customer weight = KG

Code	Description		
BASE PRODUC	CT*		
DHA0031	Küschall Champion 2.0		0
DHA0000	MYKÜSCHALL Special Request - Please include quotation reference in special description at the end of the form where applicable		0
FRAME*			
DHA1150	Frame Angle 75° Aluminium	(NC 1350)	£2,683
DHA1160	Frame Angle 90° Aluminium	(NC 1350)	£2,683
DHA1170	Frame Angle 75° Aluminium - Tapered Front Frame	(NC 1320, 1325, 7010)	£2,683
DHA1180	Frame Angle 90° Aluminium - Tapered Front Frame	(NC 1320, 1325, 7010)	£2.683

SEAT WIDTH*			
DHA1320	360 mm	(NC 2364, 2366, 2368, 2370, 2372, 2710, 2748, 7000)	0
DHA1325	380 mm	(NC 2366, 2368, 2370, 2372, 7000)	O
DHA1330	400 mm	(NC 2360, 2366, 2368, 2370, 2372)	O
DHA1335	420 mm	(NC 2360, 2362, 2368, 2370, 2372)	O
DHA1340	440 mm	(NC 2360, 2362, 2364, 2370, 2372)	O
DHA1345	460 mm	(NC 2360, 2362, 2364, 2370, 2372)	O
DHA1350	480 mm	(NC 2300, 2305, 2310, 2315, 2345, 2360, 2362, 2364, 2366)	O
SEAT DEPTH*			
DHA1405	340 mm	(NC 2710, 2720, 2748, 2750, 2860, 7810, 7820, 7830)	O
DHA1415	360 mm	(NC 2710, 2720, 2748, 2860, 7810, 7820, 7830)	O
DHA1425	380 mm	(NC 2720)	O
DHA1435	400 mm		O
DHA1445	420 mm		O
DHA1460	440 mm		O
DHA1470	460 mm		O
DHA1480	480 mm	(NC 2710, 2748)	O
BACK HEIGHT	•		
DHA1615	300 mm	(NC 2325, 2330, 2331, 2345, 2350, 2355, 2357, 2400)	O
DHA1620	315 mm	(NC 2325, 2330, 2331, 2350, 2355, 2357, 2400)	O
DHA1625	330 mm	(NC 2325, 2330, 2331, 2350, 2355, 2357)	O
DHA1630	345 mm	(NC 2330, 2331, 2355, 2357)	O
DHA1635	360 mm		O
DHA1640	375 mm		O
DHA1645	390 mm		O
DHA1650	405 mm		O
DHA1655	420 mm		O
DHA1660	435 mm		O
DHA1665	450 mm		O
DHA1670	465 mm		O
FRONT SEAT H	IEIGHT*		
DHA1740	450 mm	(NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)	O
DHA1745	460 mm	(NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)	0
DHA1750	470 mm	(NC 1950, 1952, 1954, 1956, 1958, 1960)	0
DHA1755	480 mm	(NC 1952, 1954, 1956, 1958, 1960)	0
DHA1760	490 mm	(NC 1954, 1956, 1958, 1960)	O
DHA1765	500 mm	(NC 1956, 1958, 1960)	O
DHA1770	510 mm	(NC 1958, 1960)	O
DHA1775	520 mm	(NC 1960)	O
DHA1780	530 mm	(NC 5000)	O
DHA1785	540 mm	(NC 5000, 5050, 5100, 5150, 5200, 5250)	O

REAR SEAT HE lower*	IGHT. On 75° frame, Rear Seat Heig	ht can be 0mm - 70mm lower then front seat height and 90° ca	an be 30mm to 100mm
DHA1815	390 mm	(NC 6420, 6430)	O
DHA1820	400 mm	(NC 6420, 6430)	O
DHA1825	410 mm	(NC 6430)	O
DHA1830	420 mm	(NC 6430)	0
DHA1835	430 mm		O
DHA1840	440 mm		O
DHA1845	450 mm		0
DHA1850	460 mm		O
DHA1855	470 mm	(NC 6410)	O
DHA1860	480 mm	(NC 6410)	O
LOWER LEG LE	ENGTH Seat canvas to footplate mea	asurement, cushion height must be deducted.*	
DHA1924	320 mm		O
DHA1926	330 mm		O
DHA1928	340 mm		O
DHA1930	350 mm		O
DHA1932	360 mm		0
DHA1934	370 mm		O
DHA1936	380 mm		O
DHA1938	390 mm		0
DHA1940	400 mm		O
DHA1942	410 mm		O
DHA1944	420 mm		
DHA1946	430 mm		
DHA1948	440 mm		
DHA1950	450 mm		0
DHA1952	460 mm		0
			0
DHA1954	470 mm		
DHA1956	480 mm		O
DHA1958	490 mm		0
DHA1960	500 mm		O
BACKREST*			
DHA2140	Angle Adjustable, Forward Foldi Backrest remains locked for trar	ing with Soft Lock. nsportation	•
BACKREST UP	HOLSTERY*		
DHA2240	Without Backrest Upholstery Se Matrx/Fixed backrest, no uphols	lect if fitting a	0

MATRX BACKE	REST*		
DHA2300	Matrx MX2, Height 150 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2305	Matrx MX2, Height 230 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2310	Matrx MX2, Height 305 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2315	Matrx MX2, Height 405 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2316	Matrx Elite Deep E2, Height 160 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2317	Matrx Elite Deep E2, Height 210 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2318	Matrx Elite Deep E2, Height 260 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2320	Matrx Elite Deep E2, Height 310 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2325	Matrx Elite Deep E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2330	Matrx Elite Deep E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2331	Matrx Elite Deep E2, Height 510 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2332	Matrx Elite E2, Height 160 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2334	Matrx Elite E2, Height 210 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2335	Matrx Elite E2, Height 260 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2340	Matrx Elite E2, Height 310 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2345	Matrx Elite E2, Height 360 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2350	Matrx Elite E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2355	Matrx Elite E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2357	Matrx Elite E2, Height 510 mm with Easy-Set Hardware.Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494

MATRX BACKE	REST WIDTH CHOICE*	
DCA2360	360mm Backrest width, to fit chest width 265mm	C
DCA2362	380mm Backrest width, to fit chest width 290mm	O
DCA2364	410mm Backrest width, to fit chest width 315mm	O
DCA2366	430mm Backrest width, to fit chest width 340mm	O
DCA2368	460mm Backrest width, to fit chest width 370mm	O
DCA2370	480mm Backrest width, to fit chest width 390mm	O
DCA2372	510mm Backrest width, to fit chest width 420mm	O
PUSH HANDLE	S*	
DHA2400	Without Push Handles	•
DHA2410	Push Handles Fixed Short/Mini Grip	£133
DHA2420	Push Handles Fixed Long Grip	O
DHA2440	Push Handles Height Adjustable, Integrated in backrest	£219
DHA2450	Push Handles Foldable	£198
BACKREST AN	GLE*	
DHA2510	76° angle from the seat	O
DHA2530	80.5° angle from the seat	0
DHA2550	85° angle from the seat	♦
DHA2570	89.5° angle from the seat	O
DHA2590	94° angle from the seat	O
SEAT UPHOLS	TERY*	
DHA2600	Standard Seat Upholstery	•
SEAT CUSHION	N Company of the comp	
DHA2700	Standard Seat Cushion, 60mm high Double Foam with (NC 2810, 2820, 2830, 2840, 2850) Visco Top Layer - Comfort/Low Risk	£66
DHA2710	Flo-Tech Lite Cushion 78mm high- Comfort/Low Risk (NC 2810, 2820, 2830, 2840, 2850)	£121
DHA2720	Matrx Libra Cushion 70mm high, Black Smooth Cover - Very High Risk	£410
DHA2748	Contour Visco NG Cushion 120mm high - High Risk (NC 2810, 2820, 2830, 2840, 2850)	£169
DCA2750	Vicair Active O2 lightweight cushion 60mm high - High (NC 2810, 2820, 2830, 2840, 2850, 2860) risk	£521
SEAT BAG		
DHA2800	Seat Bag, Click in and removable, includes the fixation (NC 7010)	£74
MATRX LIBRA	CUSHION ACCESSORIES	
DHA2810	Fluid supplement sac (Pair)	£44
DHA2820	Tapered wedge (Pair)	£30
DHA2830	Abductor	£23
DHA2840	Lateral side wedge	£20
DHA2850	Anterior front wedge	£27
SEAT RIGIDIZE	R	
DHA2860	Seat rigidizer	£39
FOOTREST*		
DHA3240	Rigid, Plastic Footplate, Set to front, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage	•
DHA3250	Rigid, Plastic Footplate, Set to rear, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage	O
L	1	

CALF STRAP*			
DHA3320	Calf Strap Mounted on Supporter		•
DHA3330	Calf Strap Mounted on Frame		O
CLOTHESGUAF	RDS/MUDGUARDS*		
DHA3405	Composite Clothesguards, Flip Back - (only possible with 24" and 25" rear wheels)	(NC 6430)	O
DHA3420	Carbon Clothesguards, Flip Up		♦
DHA3425	Composite Mudguards, Fixed (only possible with 24" and 25" rear wheels)	(NC 3490, 6430)	£65
DHA3430	Carbon Mudguards, Fixed	(NC 3490)	£247
DHA3440	Carbon Mudguards, Removable	(NC 3490)	£307
DHA3450	Composite Mudguards, Removable (only possible with 24" & 25" rear wheels)	(NC 3490, 6430)	£65
ARMREST			
DHA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included		£106
FRAME COLOU	R*		
DHA4000	Space Black (RAL 9005)		O
DHA4010	Anthracite Grey (RAL 7016)		O
DHA4020	Pure White (RAL 9016)	(NC 4220)	O
DHA4030	Carmine Red (RAL 3002)		0
DHA4040	Azure Blue (RAL 5017)		O
DHA4060	Flashy Yellow (RAL 1516) (Additional 15 day lead time)		£31
DHA4100	Black Glossy (RAL 9005) (Additional 15 day lead time)		£31
DHA4130	Silver Grey (RAL 9006) (Additional 15 day lead time)		£31
DHA4145	Pearl Night Blue (Additional 15 day lead time)		£31
DHA4150	Ruby Red (RAL 1503) (Additional 15 day lead time)		£31
DHA4170	Dynamite Orange (Additional 15 day lead time)		£31
DHA4180	Forest Green (RAL 6029) (Additional 15 day lead time)		£31
FRAME DECAL	TYPE*		
DHA4190	Bold Decal (Full coloured transfer on frame)	(NC 4300, 4310, 1111)	£31
DHA4195	Tag (Small Küschall brand transfer on front of frame)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 2222)	♦
DHA4197	Without Tag (Kuschall branding only)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310)	O
BOLD DECAL C			
DHA4200	Black		0
DHA4210	Dark Grey		0
DHA4220	Light Grey		0
DHA4230	Red		O
DHA4240	Blue		0
DHA4250	Gold		O
DHA1111	No bold colour, select only with Option DHA4195 Tag or DHA4197 Without Tag	(NC 4190)	0
TAG COLOUR*			
DHA4300	Black		O
DHA4310	Red		O
DHA2222	No tag colour, select only with Option DHA4190 Bold Decal or DHA4197 Without Tag	(NC 4195)	O

FRONT CASTO	RS*		
DHA5000	75mm x 25mm (3" x 1") Supersport		O
DHA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre		O
DHA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre		0
DHA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre		£83
DHA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)		£93
DHA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)		£93
DHA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre		O
DHA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre		♦
DHA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre		£83
DHA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)		£93
DHA5500	125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)		£93
REAR WHEEL I	POSITION (CENTRE OF GRAVITY)*		
DHA6100	1st from front Most Active Position		O
DHA6110	2nd from front		O
DHA6120	3rd from front		O
DHA6130	4th from front		0
DHA6140	5th from front		•
DHA6150	6th from front		O
DHA6160	7th from front		O
DHA6170	8th from front		O
DHA6180	9th from front		O
QUAD QUICK F	RELEASE AXLE		
DHA6300	Quad Quick Release/Tetra Clip	(NC 6550)	£85
REAR WHEEL	SIZE*		
DHA6410	24"		•
DHA6420	25"	(NC 6510, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900)	O
DHA6430	26"	(NC 6520, 6550, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770)	0
REAR WHEEL			
DHA6510	24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub.		•
DHA6520	24", 25" High Performance Wheel Black hub and rim	(NC 6660)	£182
DHA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black	(NC 6660)	£611
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall	(NC 6660)	£486
SWO0909	24", 25" Spinergy LX, Chrome hub and 12 spokes in Black. Coloured spokes are available via MyKüschall	(NC 6660)	£735
REAR WHEEL			
DHA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection		•
DHA6625	24", 25", 26" x 1" Maxxis Alpha Protect. Lightweight, Pneumatic and highly puncture resistant.		£100
DHA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)		£97
DHA6660	24" x 1 3/8" Solid Profile Black Tyre	(NC 7230)	£66

HANDRIM*			
DHA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance		£223
DHA6710	26" Steel, short tab with 1 hole, mounted at 3 cm distance		£62
DHA6720	24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance		£192
DHA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip		£320
DHA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands		£320
DHA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion		£284
DHA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim		£356
DHA6780	24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance		*
DHA6790	24", 25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting		£42
REAR WHEEL	CAMBER*		
DHA6820	0° Camber		•
DHA6830	1° Camber		O
DHA6840	3° Camber	(NC 7230)	0
SPOKEGUARD			
DHA6900	24", 26" Transparent Spokeguards		£126
FIXATION CLIP	*		
DHA7000	Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function)		0
DHA7010	Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation)		•
DHA3333	No fixation clip, select with Tapered frame options 1170, 1180		O
UNFOLDING HE	ELP*		
DHA7100	Unfolding Help (Cord to help open the folding mechanism from the front of the chair)		*
BRAKES*			
DHA7200	Pull Brakes		£78
DHA7210	Standard Push to Lock Brakes, Lever Bent		•
DHA7220	Standard Push to Lock Brakes, Lever Straight		O
DHA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre	(NC 7300, 7810, 7820, 7830)	£78
DHA7240	Active/Scissor Brakes	(NC 7300)	£78
DHA7250	Light/Compact Active, Aluminium Brakes	(NC 7300)	£136
BRAKE LEVER	EXTENSION		
DHA7300	Brake Lever Extension		£49

SAFETY OPTIO	DNS	
DHA7500	Anti-Tipper Right	£122
DHA7510	Anti-Tipper Left	£122
DHA7520	Anti-Tipper Both sides	£244
DHA7800	Standard Pelvic belt	£74
BODYPOINT BI	ELTS	
DHA7810	Bodypoint Posture Belt Evoflex Small	£81
DHA7820	Bodypoint Posture Belt Evoflex Medium	£81
DHA7830	Bodypoint Posture Belt Evoflex Large	£81
OTHER OPTION	NS	
DHA8010	Front Frame Protectors	£37
DHA8100	Tipper-Aid, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and Cane holder)	£46
DHA8200	Cane Holder, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and cane holder)	£75
DHA8500	Air Pump	£13
DHA8550	Tool Kit	*
DHA8680	24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included	£320
DHA8700	Travel bag for Champion, Wheels can remain on the wheelchair	£254
BODYPOINT A	CCESSORIES	
DHA8800	Bodypoint Calf Strap	£57
DHA8850	Bodypoint Mobility Bag	£55

Customer Ref:
Order Number:

TOTAL PRICE

Non Conforming C	Options:
DHA1320	360 mm
DHA1325	380 mm
DHA1350	480 mm
DHA1946	430 mm
DHA1948	440 mm
DHA1950	450 mm
DHA1952	460 mm
DHA1954	470 mm
DHA1956	480 mm
DHA1958	490 mm
DHA1960	500 mm
DHA2300	Matrx MX2, Height 150 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2305	Matrx MX2, Height 230 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2310	Matrx MX2, Height 305 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2315	Matrx MX2, Height 405 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2325	Matrx Elite Deep E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2330	Matrx Elite Deep E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2331	Matrx Elite Deep E2, Height 510 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2345	Matrx Elite E2, Height 360 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2350	Matrx Elite E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2355	Matrx Elite E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2357	Matrx Elite E2, Height 510 mm with Easy-Set Hardware.Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DCA2360	360mm Backrest width, to fit chest width 265mm
DCA2362	380mm Backrest width, to fit chest width 290mm
DCA2364	410mm Backrest width, to fit chest width 315mm
DCA2366	430mm Backrest width, to fit chest width 340mm
DCA2368	460mm Backrest width, to fit chest width 370mm
DCA2370	480mm Backrest width, to fit chest width 390mm
DCA2372	510mm Backrest width, to fit chest width 420mm
DHA2400	Without Push Handles
DHA2710	Flo-Tech Lite Cushion 78mm high- Comfort/Low Risk
DHA2720	Matrx Libra Cushion 70mm high, Black Smooth Cover - Very High Risk
DHA2748	Contour Visco NG Cushion 120mm high - High Risk
DCA2750	Vicair Active O2 lightweight cushion 60mm high - High risk
DHA2810	Fluid supplement sac (Pair)
DHA2820	Tapered wedge (Pair)
DHA2830	Abductor
DHA2840	Lateral side wedge
DHA2850	Anterior front wedge

DHA2860	Seat rigidizer
DHA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included
DHA4190	Bold Decal (Full coloured transfer on frame)
DHA4195	Tag (Small Küschall brand transfer on front of frame)
DHA4200	Black
DHA4210	Dark Grey
DHA4220	Light Grey
DHA4230	Red
DHA4240	Blue
DHA4250	Gold
DHA1111	No bold colour, select only with Option DHA4195 Tag or DHA4197 Without Tag
DHA4300	Black
DHA4310	Red
DHA2222	No tag colour, select only with Option DHA4190 Bold Decal or DHA4197 Without Tag
DHA5000	75mm x 25mm (3" x 1") Supersport
DHA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre
DHA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre
DHA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre
DHA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)
DHA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)
DHA6410	24"
DHA6420	25"
DHA6430	26"
DHA6510	24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub.
DHA6520	24", 25" High Performance Wheel Black hub and rim
DHA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black
DHA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection
DHA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)
DHA6660	24" x 1 3/8" Solid Profile Black Tyre
DHA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
DHA6710	26" Steel, short tab with 1 hole, mounted at 3 cm distance
DHA6720	24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance
DHA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip
DHA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands
DHA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion
DHA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim
DHA6900	24", 26" Transparent Spokeguards
DHA7000	Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function)
DHA7010	Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation)
DHA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre
DHA7300	Brake Lever Extension
DHA7810	Bodypoint Posture Belt Evoflex Small

DHA7820	Bodypoint Posture Belt Evoflex Medium
DHA7830	Bodypoint Posture Belt Evoflex Large



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:			
Name:	Email:		
Phone:	Fax:		
Description of special request (please include relavent option code or part number):			