

Manual Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

JUNE 2024 Customer Ref:

| Customer Ref* | Account No* |
|-------------------|-------------|
| Contact No* | Order No* |
| Delivery Address* | Order Qty* |
| | Order date* |

Küschall Champion SK One Solution

Standard Features

- Max User Weight 120kg (19 Stone)
- Active, Lightweight Folding Fully Hydroformed Aluminium Wheelchair
- Multiple adjustments, Front and Rear Seat Heights and Centre of Gravity
- Aluminium Folding Front Frame with 75° or 90° Front Frame Angles
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims and Pneumatic Tyres
- Choice of 6 Seat Widths 360mm to 460mm (14" 18")
- Choice of 8 Seat Depths 340mm to 480mm (13" 19")
- Choice of 5 Standard Frame Colours
- Range of Front Seat Heights 450mm to 540mm (17" -21")
- Range of Rear Seat Heights 390mm to 480mm (15" -19")
- Folding Backrest, Angle Adjustable and Soft Lock Feature with Matrx backrest
- Angle and Height Adjustable Rigid Footrest, with Calf Strap
- Without Push Handles
- Flip up Carbon Clothesguards
- Unfolding Help Cord
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

Standard Base price: £3,134



| Please make your selection with a cross in the box | 0 | Free of charge | • | standard feature POA special request | |
|--|---|----------------|---|--------------------------------------|--|
|--|---|----------------|---|--------------------------------------|--|

Customer weight = KG

| Code | Description | |
|------------|----------------------------|--------|
| BASE PRODU | UCT* | |
| DHA0031 | Küschall Champion SK 2.0 | O |
| DHA0000 | MYKÜSCHALL Special Request | O |
| FRAME* | | |
| DHA1150 | Frame Angle 75° Aluminium | O |
| DHA1160 | Frame Angle 90° Aluminium | O |
| SK FOLDING | FRONT* | |
| DHA1250 | SK Folding Front Frame | £3,134 |

| SEAT WIDTH* | | | |
|--------------|---------|---|----------|
| DHA1320 | 360 mm | (NC 2364, 2366, 2368, 2370, 2372, 2710, 2748, 7000) | 0 |
| DHA1325 | 380 mm | (NC 2366, 2368, 2370, 2372, 7000) | 0 |
| DHA1330 | 400 mm | (NC 2360, 2366, 2368, 2370, 2372) | O |
| DHA1335 | 420 mm | (NC 2360, 2362, 2368, 2370, 2372) | O |
| DHA1340 | 440 mm | (NC 2360, 2362, 2364, 2370, 2372) | O |
| DHA1345 | 460 mm | (NC 2360, 2362, 2364, 2370, 2372) | 0 |
| SEAT DEPTH* | | | |
| DHA1405 | 340 mm | (NC 2710, 2720, 2748, 2860, 7810, 7820, 7830) | O |
| DHA1415 | 360 mm | (NC 2710, 2720, 2748, 2860, 7810, 7820, 7830) | 0 |
| DHA1425 | 380 mm | (NC 2720) | 0 |
| DHA1435 | 400 mm | | O |
| DHA1445 | 420 mm | | O |
| DHA1460 | 440 mm | | O |
| DHA1470 | 460 mm | | 0 |
| DHA1480 | 480 mm | (NC 2710, 2748) | · |
| BACK HEIGHT | | (0.0.1.0) | |
| DHA1615 | 300 mm | (NC 2325, 2330, 2331, 2345, 2350, 2355, 2357, 2400) | 0 |
| DHA1620 | 315 mm | (NC 2325, 2330, 2331, 2350, 2355, 2357, 2400) | 0 |
| DHA1625 | 330 mm | (NC 2325, 2330, 2331, 2350, 2355, 2357) | 0 |
| DHA1630 | 345 mm | (NC 2330, 2331, 2355, 2357) | O |
| DHA1635 | 360 mm | | O |
| DHA1640 | 375 mm | | 0 |
| DHA1645 | 390 mm | | · |
| DHA1650 | 405 mm | | O |
| | | | |
| DHA1655 | 420 mm | | <u> </u> |
| DHA1660 | 435 mm | | 0 |
| DHA1665 | 450 mm | | 0 |
| DHA1670 | 465 mm | | 0 |
| FRONT SEAT H | IEIGHT* | | |
| DHA1740 | 450 mm | (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960) | O |
| DHA1745 | 460 mm | (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960) | O |
| DHA1750 | 470 mm | (NC 1950, 1952, 1954, 1956, 1958, 1960) | 0 |
| DHA1755 | 480 mm | (NC 1952, 1954, 1956, 1958, 1960) | 0 |
| DHA1760 | 490 mm | (NC 1954, 1956, 1958, 1960) | 0 |
| DHA1765 | 500 mm | (NC 1956, 1958, 1960) | O |
| DHA1770 | 510 mm | (NC 1958, 1960) | O |
| DHA1775 | 520 mm | (NC 1960) | O |
| DHA1780 | 530 mm | (NC 5000) | O |
| DHA1785 | 540 mm | (NC 5000, 5050, 5100, 5150, 5200, 5250) | O |

| lower* | 200 mm | (NC 6420, 6430) | ^ |
|-------------|--|---|----------|
| DHA1815 | 390 mm | | 0 |
| DHA1820 | 400 mm | (NC 6420, 6430) | O |
| DHA1825 | 410 mm | (NC 6430) | O |
| DHA1830 | 420 mm | (NC 6430) | O |
| DHA1835 | 430 mm | | O |
| DHA1840 | 440 mm | | O |
| DHA1845 | 450 mm | | 0 |
| DHA1850 | 460 mm | | O |
| DHA1855 | 470 mm | (NC 6410) | O |
| DHA1860 | 480 mm | (NC 6410) | O |
| LOWER LEG L | ENGTH Seat canvas to footplate mea | surement, cushion height must be deducted.* | |
| DHA1936 | 380 mm | | O |
| DHA1938 | 390 mm | | O |
| DHA1940 | 400 mm | | O |
| DHA1942 | 410 mm | | O |
| DHA1944 | 420 mm | | O |
| DHA1946 | 430 mm | | O |
| DHA1948 | 440 mm | | O |
| DHA1950 | 450 mm | | O |
| DHA1952 | 460 mm | | O |
| DHA1954 | 470 mm | | O |
| DHA1956 | 480 mm | | O |
| DHA1958 | 490 mm | | O |
| DHA1960 | 500 mm | | O |
| BACKREST* | | | |
| DHA2140 | Angle Adustable, Forward Foldin Backrest remains locked for trans | | * |
| BACKREST UP | PHOLSTERY* | | |
| DHA2240 | Without Backrest Upholstery Sel- Matrx/Fixed backrest, no upholst | | • |
| L | | | |

| MATRX BACKE | REST* | | |
|-------------|--|-----------------|------|
| DHA2300 | Matrx MX2, Height 150 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | (NC 2370, 2372) | £751 |
| DHA2305 | Matrx MX2, Height 230 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | (NC 2370, 2372) | £751 |
| DHA2310 | Matrx MX2, Height 305 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | (NC 2370, 2372) | £751 |
| DHA2315 | Matrx MX2, Height 405 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | (NC 2370, 2372) | £751 |
| DHA2316 | Matrx Elite Deep E2, Height 160 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £546 |
| DHA2317 | Matrx Elite Deep E2, Height 210 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £546 |
| DHA2318 | Matrx Elite Deep E2, Height 260 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £546 |
| DHA2320 | Matrx Elite Deep E2, Height 310 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £546 |
| DHA2325 | Matrx Elite Deep E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £546 |
| DHA2330 | Matrx Elite Deep E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £546 |
| DHA2331 | Matrx Elite Deep E2, Height 510 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £546 |
| DHA2332 | Matrx Elite E2, Height 160 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £494 |
| DHA2334 | Matrx Elite E2, Height 210 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £494 |
| DHA2335 | Matrx Elite E2, Height 260 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £494 |
| DHA2340 | Matrx Elite E2, Height 310 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £494 |
| DHA2345 | Matrx Elite E2, Height 360 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £494 |
| DHA2350 | Matrx Elite E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £494 |
| DHA2355 | Matrx Elite E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £494 |
| DHA2357 | Matrx Elite E2, Height 510 mm with Easy-Set Hardware.Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. | | £494 |

| MATRX BACKE | REST WIDTH CHOICE* | |
|---------------|--|----------|
| DCA2360 | 360mm Backrest width, to fit chest width 265mm | C |
| DCA2362 | 380mm Backrest width, to fit chest width 290mm | O |
| DCA2364 | 410mm Backrest width, to fit chest width 315mm | O |
| DCA2366 | 430mm Backrest width, to fit chest width 340mm | O |
| DCA2368 | 460mm Backrest width, to fit chest width 370mm | O |
| DCA2370 | 480mm Backrest width, to fit chest width 390mm | O |
| DCA2372 | 510mm Backrest width, to fit chest width 420mm | O |
| PUSH HANDLE | S* | |
| DHA2400 | Without Push Handles | • |
| DHA2410 | Push Handles Fixed Short/Mini Grip | £133 |
| DHA2420 | Push Handles Fixed Long Grip | O |
| DHA2440 | Push Handles Height Adjustable, Integrated in backrest | £219 |
| DHA2450 | Push Handles Foldable | £198 |
| BACKREST AN | GLE* | |
| DHA2510 | 76° angle from the seat | O |
| DHA2530 | 80.5° angle from the seat | 0 |
| DHA2550 | 85° angle from the seat | ♦ |
| DHA2570 | 89.5° angle from the seat | O |
| DHA2590 | 94° angle from the seat | O |
| SEAT UPHOLS | TERY* | |
| DHA2600 | Standard Seat Upholstery | • |
| SEAT CUSHION | N Company of the comp | |
| DHA2700 | Standard Seat Cushion, 60mm High Double Foam with (NC 2810, 2820, 2830, 2840, 2850) Visco Top Layer - Comfort/Low Risk | £66 |
| DHA2710 | Flo-Tech Lite Cushion 78mm High - Comfort/Low Risk (NC 2810, 2820, 2830, 2840, 2850) | £121 |
| DHA2720 | Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk | £410 |
| DHA2748 | Contour Visco NG Cushion 100mm High - High Risk (NC 2810, 2820, 2830, 2840, 2850) | £169 |
| DCA2750 | Vicair Active O2 lightweight cushion 60mm High - High (NC 2810, 2820, 2830, 2840, 2850, 2860) risk | £521 |
| SEAT BAG | | |
| DHA2800 | Seat Bag, Click in and removable, includes the fixation (NC 7010) | £74 |
| MATRX LIBRA | CUSHION ACCESSORIES | |
| DHA2810 | Fluid supplement sac (Pair) | £44 |
| DHA2820 | Tapered wedge (Pair) | £30 |
| DHA2830 | Abductor | £23 |
| DHA2840 | Lateral side wedge | £20 |
| DHA2850 | Anterior front wedge | £27 |
| SEAT RIGIDIZE | R | |
| DHA2860 | Seat rigidizer | £39 |
| FOOTREST* | | |
| DHA3240 | Rigid, Plastic Footplate, Set to front, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage | • |
| DHA3250 | Rigid, Plastic Footplate, Set to rear, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage | O |
| | 1 | |

| CALF STRAP* | | | |
|-------------|---|-----------------|----------|
| DHA3320 | Calf Strap Mounted on Supporter | | • |
| DHA3330 | Calf Strap Mounted on Frame | | O |
| CLOTHESGUA | RDS/MUDGUARDS* | | |
| DHA3405 | Composite Clothesguards, Flip Back - (only possible with 24" and 25" rear wheels) | (NC 6430) | • |
| DHA3420 | Carbon Clothesguards, Flip Up | | ♦ |
| DHA3425 | Composite Mudguards, Fixed (only possible with 24" and 25" rear wheels) | (NC 3490, 6430) | £65 |
| DHA3430 | Carbon Mudguards, Fixed | (NC 3490) | £247 |
| DHA3440 | Carbon Mudguards, Removable | (NC 3490) | £307 |
| DHA3450 | Composite Mudguards, Removable (only possible with 24" & 25" rear wheels) | (NC 3490, 6430) | £65 |
| ARMREST | | | |
| DHA3490 | Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included | | £106 |
| FRAME COLOL | JR* | | |
| DHA4000 | Space Black (RAL 9005) | | O |
| DHA4010 | Anthracite Grey (RAL 7016) | | O |
| DHA4020 | Pure White (RAL 9016) | | O |
| DHA4030 | Carmine Red (RAL 3002) | | O |
| DHA4040 | Azure Blue (RAL 5017) | | O |
| DHA4060 | Flashy Yellow (RAL 1516) (Additional 15 day lead time) | | £31 |
| DHA4100 | Black Glossy (RAL 9005) (Additional 15 day lead time) | | £31 |
| DHA4130 | Silver Grey (RAL 9006) (Additional 15 day lead time) | | £31 |
| DHA4145 | Pearl Night Blue (Additional 15 day lead time) | | £31 |
| DHA4150 | Ruby Red (RAL 1503) (Additional 15 day lead time) | | £31 |
| DHA4170 | Dynamite Orange (Additional 15 day lead time) | | £31 |
| DHA4180 | Forest Green (RAL 6029) (Additional 15 day lead time) | | £31 |
| FRAME DECAL | . TYPE* | | |
| DHA4195 | Tag (Small Küschall brand transfer on front of frame) | (NC 2222) | ♦ |
| DHA4197 | Without Tag (Kuschall branding only) | (NC 4300, 4310) | O |
| TAG COLOUR* | | | |
| DHA4300 | Black | | O |
| DHA4310 | Red | | O |
| DHA2222 | No tag colour, select only with Option DHA4197 Without Tag | (NC 4195) | O |
| | | | |

| FRONT CASTO | RS* | | |
|--------------|---|---|----------|
| DHA5000 | 75mm x 25mm (3" x 1") Supersport | | O |
| DHA5050 | 100mm x 30mm (4" x 1.2") Everyday Black hub and tyre | | O |
| DHA5100 | 100mm x 30mm (4" x 1.2") Comfort Black hub and tyre | | 0 |
| DHA5150 | 100mm x 25mm (4" x 1") Starec Black hub and tyre | | £83 |
| DHA5200 | 100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) | | £93 |
| DHA5250 | 100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs) | | £93 |
| DHA5300 | 125mm x 30mm (5" x 1.2") Everyday Black hub and tyre | | O |
| DHA5350 | 125mm x 30mm (5" x 1.2") Comfort Black hub and tyre | | ♦ |
| DHA5400 | 125mm x 25mm (5" x 1") Starec Black hub and tyre | | £83 |
| DHA5450 | 125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) | | £93 |
| DHA5500 | 125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs) | | £93 |
| REAR WHEEL I | POSITION (CENTRE OF GRAVITY)* | | |
| DHA6100 | 1st from front Most Active Position | | O |
| DHA6110 | 2nd from front | | O |
| DHA6120 | 3rd from front | | O |
| DHA6130 | 4th from front | | 0 |
| DHA6140 | 5th from front | | • |
| DHA6150 | 6th from front | | O |
| DHA6160 | 7th from front | | O |
| DHA6170 | 8th from front | | O |
| DHA6180 | 9th from front | | O |
| QUAD QUICK F | RELEASE AXLE | | |
| DHA6300 | Quad Quick Release/Tetra Clip | (NC 6550) | £85 |
| REAR WHEEL | SIZE* | | |
| DHA6410 | 24" | | • |
| DHA6420 | 25" | (NC 6510, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900) | O |
| DHA6430 | 26" | (NC 6520, 6550, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770) | 0 |
| REAR WHEEL | | | |
| DHA6510 | 24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub. | | • |
| DHA6520 | 24", 25" High Performance Wheel Black hub and rim | (NC 6660) | £182 |
| DHA6550 | 24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black | (NC 6660) | £611 |
| SWO0907 | 24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall | (NC 6660) | £486 |
| SWO0909 | 24", 25" Spinergy LX, Chrome hub and 12 spokes in Black. Coloured spokes are available via MyKüschall | (NC 6660) | £735 |
| REAR WHEEL | | | |
| DHA6600 | 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection | | • |
| DHA6625 | 24", 25", 26" x 1" Maxxis Alpha Protect. Lightweight, Pneumatic and highly puncture resistant. | | £100 |
| DHA6630 | 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) | | £97 |
| DHA6660 | 24" x 1 3/8" Solid Profile Black Tyre | (NC 7230) | £66 |

| HANDRIM* | | | |
|---------------|---|-----------------------------|----------|
| DHA6700 | 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance | | £223 |
| DHA6710 | 24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance | | £62 |
| DHA6720 | 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance | | £192 |
| DHA6740 | 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip | | £320 |
| DHA6750 | 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands | | £320 |
| DHA6760 | 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion | | £284 |
| DHA6770 | 24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim | | £356 |
| DHA6780 | 24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance | | • |
| DHA6790 | 24", 25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting | | £42 |
| REAR WHEEL | CAMBER* | | |
| DHA6820 | 0° Camber | | • |
| DHA6830 | 1° Camber | | 0 |
| DHA6840 | 3° Camber | (NC 7230) | 0 |
| SPOKEGUARD | | | |
| DHA6900 | 22", 24", 26" Transparent | | £120 |
| FIXATION CLIP | * | | |
| DHA7000 | Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function) | | • |
| DHA7010 | Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation) | | • |
| DHA3333 | No fixation clip, select with Tapered frame options 1170, 1180 | | O |
| UNFOLDING HE | ELP* | | |
| DHA7100 | Unfolding Help (Cord to help open the folding mechanism from the front of the chair) | | * |
| BRAKES* | | | |
| DHA7200 | Pull Brakes | | £78 |
| DHA7210 | Standard Push to Lock Brakes, Lever Bent | | * |
| DHA7220 | Standard Push to Lock Brakes, Lever Straight | | 0 |
| DHA7230 | Performance Brakes, Push to Lock. Brake barrel flips away from tyre | (NC 7300, 7810, 7820, 7830) | £78 |
| DHA7240 | Active/Scissor Brakes | (NC 7300) | £78 |
| DHA7250 | Light/Compact Active, Aluminium Brakes | (NC 7300) | £136 |
| BRAKE LEVER | EXTENSION | | |
| | | | |
| DHA7300 | Brake Lever Extension | | £49 |

| SAFETY OPTIO | DNS | |
|--------------|--|----------|
| DHA7500 | Anti-Tipper Right | £122 |
| DHA7510 | Anti-Tipper Left | £122 |
| DHA7520 | Anti-Tipper Both sides | £244 |
| DHA7800 | Standard Pelvic belt | £74 |
| BODYPOINT BE | ELTS | |
| DHA7810 | Bodypoint Posture Belt Evoflex Small | £81 |
| DHA7820 | Bodypoint Posture Belt Evoflex Medium | £81 |
| DHA7830 | Bodypoint Posture Belt Evoflex Large | £81 |
| OTHER OPTION | NS | |
| DHA8010 | Front Frame Protectors; 2 Piece. Removable with hook and loop | £37 |
| DHA8100 | Tipper-Aid, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and Cane holder) | £46 |
| DHA8200 | Cane Holder, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and cane holder) | £75 |
| DHA8500 | Air Pump | £13 |
| DHA8550 | Tool Kit | ♦ |
| DHA8680 | 24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included | £320 |
| DHA8750 | Travel bag for Champion SK, | £373 |
| BODYPOINT AG | CCESSORIES | |
| DHA8800 | Bodypoint Calf Strap | £57 |
| DHA8850 | Bodypoint Mobility Bag | £55 |

Customer Ref:
Order Number:

TOTAL PRICE

| Non Conforming | Options: |
|----------------|--|
| DHA1946 | 430 mm |
| DHA1948 | 440 mm |
| DHA1950 | 450 mm |
| DHA1952 | 460 mm |
| DHA1954 | 470 mm |
| DHA1956 | 480 mm |
| DHA1958 | 490 mm |
| DHA1960 | 500 mm |
| DHA2325 | Matrx Elite Deep E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. |
| DHA2330 | Matrx Elite Deep E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. |
| DHA2331 | Matrx Elite Deep E2, Height 510 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. |
| DHA2345 | Matrx Elite E2, Height 360 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. |
| DHA2350 | Matrx Elite E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. |
| DHA2355 | Matrx Elite E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. |
| DHA2357 | Matrx Elite E2, Height 510 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting. |
| DCA2360 | 360mm Backrest width, to fit chest width 265mm |
| DCA2362 | 380mm Backrest width, to fit chest width 290mm |
| DCA2364 | 410mm Backrest width, to fit chest width 315mm |
| DCA2366 | 430mm Backrest width, to fit chest width 340mm |
| DCA2368 | 460mm Backrest width, to fit chest width 370mm |
| DCA2370 | 480mm Backrest width, to fit chest width 390mm |
| DCA2372 | 510mm Backrest width, to fit chest width 420mm |
| DHA2400 | Without Push Handles |
| DHA2710 | Flo-Tech Lite Cushion 78mm High - Comfort/Low Risk |
| DHA2720 | Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk |
| DHA2748 | Contour Visco NG Cushion 100mm High - High Risk |
| DHA2810 | Fluid supplement sac (Pair) |
| DHA2820 | Tapered wedge (Pair) |
| DHA2830 | Abductor |
| DHA2840 | Lateral side wedge |
| DHA2850 | Anterior front wedge |
| DHA2860 | Seat rigidizer |
| DHA3490 | Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included |
| DHA4195 | Tag (Small Küschall brand transfer on front of frame) |
| DHA4300 | Black |
| DHA4310 | Red |
| DHA2222 | No tag colour, select only with Option DHA4197 Without Tag |
| DHA5000 | 75mm x 25mm (3" x 1") Supersport |
| DHA5050 | 100mm x 30mm (4" x 1.2") Everyday Black hub and tyre |
| DHA5100 | 100mm x 30mm (4" x 1.2") Comfort Black hub and tyre |

| DHA5150 | 100mm x 25mm (4" x 1") Starec Black hub and tyre |
|---------|--|
| DHA5200 | 100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) |
| DHA5250 | 100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs) |
| DHA6410 | 24" |
| DHA6420 | 25" |
| DHA6430 | 26" |
| DHA6510 | 24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub. |
| DHA6520 | 24", 25" High Performance Wheel Black hub and rim |
| DHA6550 | 24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black |
| DHA6600 | 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection |
| DHA6630 | 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) |
| DHA6660 | 24" x 1 3/8" Solid Profile Black Tyre |
| DHA6700 | 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance |
| DHA6710 | 24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance |
| DHA6720 | 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance |
| DHA6740 | 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip |
| DHA6750 | 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for loweffort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands |
| DHA6760 | 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion |
| DHA6770 | 24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim |
| DHA6900 | 22", 24", 26" Transparent |
| DHA7000 | Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function) |
| DHA7010 | Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation) |
| DHA7230 | Performance Brakes, Push to Lock. Brake barrel flips away from tyre |
| DHA7300 | Brake Lever Extension |
| DHA7810 | Bodypoint Posture Belt Evoflex Small |
| DHA7820 | Bodypoint Posture Belt Evoflex Medium |
| DHA7830 | Bodypoint Posture Belt Evoflex Large |
| | |



Special Instructions

For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

| Please supply the following information: | | | |
|--|--------|--|--|
| Name: | Email: | | |
| Phone: | Fax: | | |
| Description of special request (please include relavent option code or part number): | | | |