

Motability Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk OCTOBER 2024 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Storm4 X-Plore Modulite M36 1001119 -Weekly Price £61.81

Standard Features

- Max user weight 150Kg (23.5 stone)
- Crash tested ISO7176-Part 19
- Modulite seating system
- Flex3 Laguna Backrest
- Standard T-Armrests, detachable with Long Armpads
- Electrical Seat Riser with Manual settable seat Tilt 0° -20°
- Manual settable Recliner (0° 30° in 3.75° steps)
- VARI F hangers with Fixed Footplate
- LiNX control REM216 with swing away bracket
- Puncture proof castors
- Puncture proof Drive Wheels
- 12 km/h (8mph) Motors, LED light system with indicators
- 4 Point-tie down system
- Lapbelt with autolock (adjustable both sides)
- Anti-Tippers
- X-plore suspension 50mm all round

Standard Base price: £9,113



Please make your s	election with a cross in the box	0	Free of charge	•	standard feature	POA	special request	
Customer weight =	KG							
Code	Description							
CHAIR TYPE*								
ATE0017	Storm 4 X-plore						£9	9,113
SEATING TYPE*								
ATE2100	Invacare Modulite 'Flex3'							♦
SEAT FRAME*								
ATE2111	Telescopic Seat Frame with metal s	seat _l	olate					•

SEAT WIDTH*		
ATEXXXX	Seat width 330mm (13")	O
ATE2121	Set at 380mm	O
ATE2122	Set at 430mm	O
ATE2123	Set at 480mm	O
ATE2124	Set at 530mm	0
SEAT DEPTH*		
ATE2132	410mm (16") (NC 2196)	O
ATE2134	460mm (18")	O
ATE2136	510mm (20")	0
SEAT CUSHIO	N*	
ATE2142	Matrx Flo-tech Lite	•
BACKREST SU	JPPORT*	
ATE2162	Backposts 540mm (Tall)	O
PUSH HANDLE	ES FOR BACKPOSTS*	
ATE2107	Backposts WITH push handles	*
BACKREST UP	PHOLSTREY / CUSHION*	
ATE2173	Flex3 adjustable Backrest Plates with Laguna Backrest cushion	*
UPHOLSTERY	COLOUR*	
ATE2152	Black multi stretch PU coated fabric	0
ATE2155	Black Spacer fabric	O
ARMREST*		
ATE2191	T-Armrest Standard	♦
ARMPAD*		
ATE2196	Long Armpad (375mm)	♦
HEADREST / N	ECKREST - Adequate headrest option must be selected*	
ATE1350	Neckrest: height and depth Adjustable	♦
SEAT HEIGHT	SETTING & SEAT RISER*	
ATE1040	Electrical Seat Riser (440mm - 690mm)	♦
BACKREST RE		
ATE0975	Manual Settable Recliner (0° - 30°, in 3.75° steps) Foldable	•
FOOTREST HA	NGER TYPE (PAIR)*	
ATE0503	Vari F : Angle adjustable with tools 0° - 70°, length 290mm - 460mm	•
FOOTPLATE T		
ATE0512	Fixed Footplate	•
CONTROLS*		
ATE2204	REM216 Drive, Actuators & Lights	♦
CONTROL BRA		
ATE1707	Swing Away RH Bracket	O
ATE1708	Swing Away LH Bracket	O
SHROUD COLO		
ATE0202	Blue	O
ATE0228	Black	0
ATE0220	Champagne	O
ATE0204	Transparent Cherry Red	O

CASTOR WUI	ECI *					
CASTOR WHI						
ATE0853	3.00 - 6 Grey Puncture Proof (sealed)	3.00 - 6 Grey Puncture Proof (sealed)				
DRIVE WHEE	:L*					
ATE0773	3.00 - 8 Grey Puncture Proof (sealed)		♦			
MOTOR TYPE	E*					
ATE1909	12 km/h (8mph) includes LED light system with indicators					
BATTERY*						
ATE1364	73.5 Ah GEL		•			
REAR SUSPE	ENSION*					
ATE1233	Hitec spring X-plore		O			
FRONT SUSP	PENSION*					
ATE1238	Front suspension (suggested for up to 100kg)		O			
ATE1239	Front suspension (suggested for above 100kg)		O			
CHARGER*						
ATE1343	OptiCharge Charger 8A (200 - 250V)		•			
LIGHTS*						
ATZ1006	Lights Included with Motor Package 10 & 12kmh		*			
ANTI-TIPPER	S*					
ATE1205	Anti-tipper (standard version)		•			
TRANSPORT	ATION*					
ATE1494	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory).		*			
FIXATION BE	LT*					
ATE2113	Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion		•			
REAR VIEW	MIRROR					
ATE1415	Rear view Mirror RH - Must be selected with 10 km/h Motor		O			
ATE1339	Rear view Mirror LH - Must be selected with 10 km/h Motor		O			
		TOTAL PRICE				

Non	Conf	ormina	Options:
-----	------	--------	----------

ATE2196

Long Armpad (375mm)



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

Special Instructions Please supply the following information:				
Name:	Email:			
Phone:				
Description of special request (please include relevant option code or part number):				