

Motability Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk OCTOBER 2024 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

TDX SP2 HD M17 1001588 - Weekly Price £62.30

Standard Features

- Max user weight 160kg (28 stone)
- Crash tested ISO 7176 -Part 19
- Modulite Seating System
- Matrx Flo-tech Cushion
- Flex 3 adjustable Backrest plates with Laguna backrest cushion
- Standard T-armrests, detachable with long armpad
- Elan Headrest
- Seat lifter with electrical tilt (300 mm, 30°) with CoG shift
- Manual settable backrest Recline 0° 30° in 3.75° steps
- · Centre mounted Manual legrest
- LiNX control REM216 swing away bracket
- · Solid Black tyres

Customer weight =

- 12km/h (8mph) 4 pole motors
- 4-Point tie-down system (Q'Straint QLK-150 compatible)
- •indicators, LED headlights and Mirror
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £8,939

KG



Please make your selection with a cross in the box	<u> </u>	Free of charge	•	standard feature POA special request	
--	----------	----------------	---	--------------------------------------	--

Code	Description	
CHAIR TYPE*	*	
ARJ0000	TDX SP2 Heavy Duty	•
User Weight*	•	
ARJ1918	User weight less 100 kg	0
ARJ1919	User weight 101 to 125 kg	0
ARJ1921	User weight 126 to 136 kg	0
ARJ1922	User weight 137 to 150 kg	0
BASE TYPE*		
ARJ2100	Modulite Seating unit	£8,939

SEAT WIDTH*		
ARJ2121	Set at 380mm (15") (adjustable from 380mm to 430mm (15" - 17") with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)	C
ARJ2122	Set at 430mm (17") (adjustable from 430mm to 480mm (17" - 19) with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)	C
ARJ2123	Set at 480mm (19") (adjustable from 480mm to 530mm (19" - 21") with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)	
ARJ2124	Set at 530mm (21") (adjustable from 530mm to 580mm (21" - 23") with stepless adjustment on armrests, legrests and backrest)	
SEAT DEPTH R	AIL LENGTH*	
ARJ2129	Standard Depth Package (16" - 20", 410mm - 510mm simple stepless adjustment from the side)	(NC 2138, 2196)
ARJ2130	Extended Depth Package (20" - 22", 510mm - 560mm simple stepless adjustment from the side)	(NC 2132, 2134)
SEAT DEPTH S		
ARJ2132	410mm (16") (410mm - 510mm simple stepless adjustment from the side)	(NC 2196)
ARJ2134	460mm (18") (410mm - 510mm simple stepless adjustment from the side)	
ARJ2136	510mm (20") (410mm - 510mm simple stepless adjustment from the side)	
ARJ2138	560mm (22") (510mm - 560mm simple stepless adjustment from the side) (Cushion (option 2142) is only available with Seat Width (option 2124) 530mm)	
SEAT CUSHION	V*	
ARJ2142	Matrx Flo-tech Lite	•
BACKREST SU	PPORT*	
ARJ2162	Backposts 540mm (Tall) must be selected for Flex3 adjustable backrest plates	
PUSH HANDLE	S FOR BACKPOSTS*	
ARJ2107	Backposts WITH push handles	•
BACKREST UP	HOLSTERY / CUSHION*	
ARJ2173	Flex3 adjustable Backrest Plates with Laguna Backrest cushion	
UPHOLSTERY	COLOUR*	
ARJ2152	Black Black multi stretch PU coated fabric Upholstery	
ARJ2155	Black Spacer fabric	C
ARMREST*		
ARJ2191	T-Armrest Standard, Range of adjustment from seat plate 245mm to 315mm	
ARMPAD*		
ARJ2196	Long Armpad (375mm)	(NC 2132)
HEADREST / NI	ECKREST - Adequate headrest option must be selected*	
ARJ2324	Elan Standard Pad 355mm (10") wide with standard cover complete with Elan Headrest Hardware	
SEAT LIFTER /		
ARJ1094	Seat lifter with Electrical Tilt (300mm, 30°) with CoG shift Seat Height 450mm - 480mm (Also choose option 1265)	
SEAT HEIGHT	SETTING FOR 20 DEGREES SEAT TILT	
ARZ1003	Seat height set at 460mm (18") (from floor to front of seat plate at 0° tilt)	
BACKREST RE	CLINER*	
ARJ0975	Manual Settable Recliner (0° - 30°, in 3.75° steps) Foldable	

FOOTREST HANGER TYPE*			
ARJ0556	Centre Mounted: Manual : Hanger, centre mounted, angle settable (0° - 90°) : knee to heel length 390 - 510mm, (including calf pad and angle adjustable footplate)	•	
FOOTPLATE	TYPE*		
ARJ0559	Angle Adjustable Footplate for Centre Mounted Hanger	•	
CONTROLS*			
ARJ2204	REM216 Drive, Actuators & Lights	•	
CONTROL BE	RACKETRY*		
ARJ1707	Swing Away RH Bracket	0	
ARJ1708	Swing Away LH Bracket	0	
SHROUD COI	LOUR*		
ARJ2640	Obsidian Black Frame Shrouds	0	
ARJ2641	Ruby Red Frame Shrouds	0	
ARJ2642	Purple Passion Frame Shrouds	0	
ARJ2643	Peacock Blue Frame Shrouds	0	
ARJ2644	Arctic Blue Frame Shrouds	0	
RIM COLOUR	*		
ARJ2650	Obsidian Black Frame Shrouds	O	
ARJ2651	Ruby Red Frame Shrouds	0	
ARJ2652	Purple Passion Frame Shrouds	0	
ARJ2653	Peacock Blue Frame Shrouds	0	
ARJ2654	Arctic Blue Frame Shrouds	0	
FORKS*			
ARJ2632	Double sided fork	•	
CENTRE WH	EELS (DRIVING WHEELS)*		
ARJ0733	355mm x 76mm (14" x 3") Black Tyres with Gel Foam Inserts	•	
MOTOR TYPE	<u>:</u>		
ARJ1224	12 km/h (8mph) (includes light system and indicators) G-Trac recommended	*	
BATTERY*			
ARJ1260	73.5 Ah (Gel)		
CHARGER*	O-FOLOR OL 04 (000, 000)	•	
ARJ1343	OptiCharge Charger 8A (200 - 250V)		
TRANSPORT		•	
ARJ1494	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below)	•	
FIXATION BE	LT*		
ARJ2113	Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion	*	
REAR VIEW	MIRROR*		
ARJ1415	Rear view Mirror RH - Must be selected with 10 km/h Motor	·	
ARJ1339	Rear view Mirror LH - Must be selected with 10 km/h Motor	0	
		TOTAL PRICE	

Non Conforming	g Options:
ARJ2132	410mm (16") (410mm - 510mm simple stepless adjustment from the side)
ARJ2134	460mm (18") (410mm - 510mm simple stepless adjustment from the side)
ARJ2138	560mm (22") (510mm - 560mm simple stepless adjustment from the side) (Cushion (option 2142) is only available with Seat Width (option 2124) 530mm)
ARJ2196	Long Armpad (375mm)



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

Special Instructions Please supply the following inf	ormation:	
Name:	Email:	
Phone:		
Description of special request	(please include relevant option code or part number):	