

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk	JANUAR) Custome	
Customer Ref*	Account No*	
Contact No*	Order No*	
Delivery Address*	Order Qty*	
	Order date*	

TDX SP2 HD M17 1001588 - Weekly Price £62.30

Standard Features

- Max user weight 160kg (25 stone)
- Crash tested ISO 7176 -Part 19
- Modulite Seating System
- Matrx Flo-tech Cushion
- Flex 3 adjustable Backrest plates with Laguna backrest cushion
- Standard T-armrests, detachable with long armpad
- Elan Headrest
- Seat lifter with electrical tilt (300 mm, 30°) with CoG shift
- Manual settable backrest Recline 0° 30° in 3.75° steps
- Centre mounted Manual legrest
- LiNX control REM216 swing away bracket
- Solid Black tyres
- 12km/h (8mph) 4 pole motors
- 4-Point tie-down system (Q'Straint QLK-150 compatible)

Please make your selection with a cross in the box

- •indicators, LED headlights and Mirror
 - Lapbelt with autolock (adjustable both sides) Standard Base price: £8,939

User weight less 100 kg

User weight 101 to 125 kg

User weight 126 to 136 kg

User weight 137 to 150 kg

Modulite Seating unit



standard feature POA special request

Customer weig	ght = KG	
Code	Description	
CHAIR TYPE*		
ARJ0000	TDX SP2 Heavy Duty	♦
User Weight*		

٠

O Free of charge

Customer Ref: Order Number:

ARJ1918

ARJ1919

ARJ1921

ARJ1922

BASE TYPE* ARJ2100

TDX SP2 HD M17 1001588 - Weekly Price £62.30

Subject to Invacares standard terms and conditions. Invacare reserve the right to alter product specification without prior notice

0 0

0 0

£8,939

SEAT WIDTH*		
ARJ2121	Set at 380mm (15") (adjustable from 380mm to 430mm (15" - 17") with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)	O
ARJ2122	Set at 430mm (17") (adjustable from 430mm to 480mm (17" - 19) with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)	0
ARJ2123	Set at 480mm (19") (adjustable from 480mm to 530mm (19" - 21") with stepless adjustment on armrests, legrests and backrest) (NC 2138 + 2142)	O
ARJ2124	Set at 530mm (21") (adjustable from 530mm to 580mm (21" - 23") with stepless adjustment on armrests, legrests and backrest)	O
SEAT DEPTH R	AIL LENGTH*	
ARJ2129	Standard Depth Package (16" - 20", 410mm - 510mm simple stepless adjustment from the side)	(NC 2138, 2196) O
ARJ2130	Extended Depth Package (20" - 22", 510mm - 560mm simple stepless adjustment from the side)	(NC 2132, 2134) O
SEAT DEPTH S	ETTING*	
ARJ2132	410mm (16") (410mm - 510mm simple stepless adjustment from the side)	(NC 2196)
ARJ2134	460mm (18") (410mm - 510mm simple stepless adjustment from the side)	0
ARJ2136	510mm (20") (410mm - 510mm simple stepless adjustment from the side)	0
ARJ2138	560mm (22") (510mm - 560mm simple stepless adjustment from the side) (Cushion (option 2142) is only available with Seat Width (option 2124) 530mm)	0
SEAT CUSHION	 *	
ARJ2142	Matrx Flo-tech Lite	•
BACKREST SU	PPORT*	
ARJ2162	Backposts 540mm (Tall) must be selected for Flex3 adjustable backrest plates	•
PUSH HANDLE	S FOR BACKPOSTS*	
ARJ2107	Backposts WITH push handles	•
BACKREST UP	HOLSTERY / CUSHION*	
ARJ2173	Flex3 adjustable Backrest Plates with Laguna Backrest cushion	•
UPHOLSTERY	COLOUR*	
ARJ2152	Black Black multi stretch PU coated fabric Upholstery	0
ARJ2155	Black Spacer fabric	O
ARMREST*	L	
ARJ2191	T-Armrest Standard, Range of adjustment from seat plate 245mm to 315mm	•
ARMPAD*		
ARJ2196	Long Armpad (375mm)	(NC 2132)
HEADREST / NE	ECKREST - Adequate headrest option must be selected*	
ARJ2324	Elan Standard Pad 355mm (10") wide with standard cover complete with Elan Headrest Hardware	•
SEAT LIFTER /	SEAT TILT*	
ARJ1094	Seat lifter with Electrical Tilt (300mm, 30°) with CoG shift Seat Height 450mm - 480mm (Also choose option 1265)	*
SEAT HEIGHT S	SETTING FOR 20 DEGREES SEAT TILT	
ARZ1003	Seat height set at 460mm (18") (from floor to front of seat plate at 0° tilt)	•
BACKREST RE	CLINER*	
ARJ0975	Manual Settable Recliner (0° - 30°, in 3.75° steps) Foldable	*

FOOTREST HA	NGER TYPE*	
ARJ0556	Centre Mounted: Manual : Hanger, centre mounted, angle settable (0° - 90°) : knee to heel length 390 - 510mm, (including calf pad and angle adjustable	•
	footplate)	
FOOTPLATE TY	YPE*	
ARJ0559	Angle Adjustable Footplate for Centre Mounted Hanger	•
CONTROLS*		
ARJ2204	REM216 Drive, Actuators & Lights	•
CONTROL BRA		
ARJ1707	Swing Away RH Bracket	Q
ARJ1708	Swing Away LH Bracket	C
SHROUD COLC	DUR*	
ARJ2640	Obsidian Black Frame Shrouds	C
ARJ2641	Ruby Red Frame Shrouds	C
ARJ2642	Purple Passion Frame Shrouds	C
ARJ2643	Peacock Blue Frame Shrouds	Q
ARJ2644	Arctic Blue Frame Shrouds	C
RIM COLOUR*		
ARJ2650	Obsidian Black Frame Shrouds	Q
ARJ2651	Ruby Red Frame Shrouds	C
ARJ2652	Purple Passion Frame Shrouds	Q
ARJ2653	Peacock Blue Frame Shrouds	C
ARJ2654	Arctic Blue Frame Shrouds	C
FORKS*		
ARJ2632	Double sided fork	•
	ELS (DRIVING WHEELS)*	
ARJ0705	DW 14" (355 mm) x 3" (75 mm), Solid inlay, dual density foam insert	٠
MOTOR TYPE*		
ARJ1224	12 km/h (8mph) (includes light system and indicators) G-Trac recommended	•
BATTERY*		
ARJ1260	73.5 Ah (Gel)	•
CHARGER*		
ARJ1343	OptiCharge Charger 8A (200 - 250V)	•
TRANSPORTAT		
ARJ1494	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below)	•
FIXATION BELT	Γ*	
ARJ2113	Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion	•
REAR VIEW MI	RROR*	
ARJ1415	Rear view Mirror RH - Must be selected with 10 km/h Motor	Q
ARJ1339	Rear view Mirror LH - Must be selected with 10 km/h Motor	Q

TOTAL PRICE

Non Conforming Options:		
ARJ2132	410mm (16") (410mm - 510mm simple stepless adjustment from the side)	
ARJ2134	460mm (18") (410mm - 510mm simple stepless adjustment from the side)	
ARJ2138	560mm (22") (510mm - 560mm simple stepless adjustment from the side) (Cushion (option 2142) is only available with Seat Width (option 2124) 530mm)	
ARJ2196	Long Armpad (375mm)	



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

Special Instructions Please supply the following information:

Name:

Email:

Phone:

Description of special request (please include relevant option code or part number):