

## Motability Retail Prescription Form

## Yes, you can:

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk JANUARY 2025 Customer Ref:

| Customer Ref*     | Account No* |
|-------------------|-------------|
| Contact No*       | Order No*   |
| Delivery Address* | Order Qty*  |
|                   | Order date* |

## TDX SP2 NB M2 724002 - Weekly Price £52.56

## **Standard Features**

- Max User Weight 150kg (23.5 Stone)
- Crash test ISO7176 Part-19
- Modulite Seating
- Flo tech lite cushion
- Flex3 adjustable backrest plates with Laguna backrest cushion
- Flip-up armrests, (height, and depth adjustable) with standard armpad
- Elan Headrest Standard Pad
- Powered Tilt 0° 20°
- Manual centre mounted hanger, with angle adjustable footplates
- LiNX control REM211 with swing away bracket
- solid Black tyres
- 6km/h (4mph) 4 pole motors
- 4 Point tie-down system (Q'Straint QLK-150 compatible)
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £6,826



| Please make your selection with a cross in the box | O Free of charge ♦ standard feature POA special request |  |
|--|---|--|
|--|---|--|

Customer weight = KG

| Code       | Description                |        |
|------------|----------------------------|--------|
| BASE PROD  | DUCT*                      |        |
| ARM2100    | TDX SP2 NARROW BASE        | £6,826 |
| USER WEIGH | BHT*                       |        |
| ARM1920    | User weight up to 125kg    | O      |
| ARM1921    | User weight 126kg to 136kg | O      |
| ARM1922    | User weight 137kg to 150kg | O      |
| BASE MODE  | EL*                        |        |
| ARM0000    | TDX SP2 Narrow Base        | •      |

| SEATING TYPE  | *  |          |
|---------------|--|----------|
| ARM2100       | Modulite Seating Unit  | <b>*</b> |
| SEAT FRAME*   |  |          |
| ARM2111       | Telescopic Seat Frame  | •        |
| SEAT WIDTH*   |  |          |
| ARM2121       | 380mm (15")  | 0        |
| ARM2122       | 430mm (17")  | O        |
| ARM2123       | 480mm (19")  | O        |
| ARM2124       | 530mm (21")  | O        |
| SEAT DEPTH R  | AIL LENGTH*  |          |
| ARM2129       | Standard 410mm - 510mm (NC 2138)   | O        |
| ARM2190       | Extended 510mm - 560mm (NC 2132, 2134)   | O        |
| SEAT DEPTH*   |  |          |
| ARM2132       | 410mm (16") (NC 2196)  | 0        |
| ARM2134       | 460mm (18")  | •        |
| ARM2136       | 510mm (20")  | O        |
| ARM2138       | 560mm (22")  | O        |
| SEAT CUSHION  | J*   |          |
| ARM2142       | Matrx Flo-Tech Lite  | <b>*</b> |
| BACKREST SU   | PPORT*   |          |
| ARM2162       | Tall 540mm   | •        |
| BACKREST UP   | HOLSTERY / CUSHION*  |          |
| ARM2173       | Flex3 Backrest plates with Laguna cushion  | •        |
| UPHOLSTERY    | TYPE*  |          |
| ARM2152       | Black Black multi stretch PU coated fabric Upholstery  | 0        |
| ARM2155       | Black Spacer fabric  | O        |
| ARMREST*      |  |          |
| ARM2191       | T-Armrest standard   | •        |
| ARMPAD*       |  |          |
| ARM2196       | Long 375mm Armpad  | •        |
| HEADREST / NE | ECKREST - Adequate headrest option must be selected*   |          |
| ARM1350       | Neckrest height and depth adjustable   | •        |
| SEAT LIFTER / | SEAT TILT*   |          |
| ARM1092       | Power Tilt (max user weight 136kg)   | •        |
| SEAT HEIGHT S | SETTING FOR 20° SEAT TILT*   |          |
| ARM0354       | Seat height 450mm (17.75")   | O        |
| ARM0364       | Seat height 475mm (18.75")   | O        |
| BACKREST RE   | CLINER*  |          |
| ARM0975       | Manual settable Recliner   | •        |
| FOOTREST HAI  | NGER TYPE*   |          |
| ARM0556       | Centre mounted : Manual  | <b>♦</b> |
| FOOTPLATE TY  | <b>′</b> PE*   |          |
| ARM0559       | Angle Adjustable Footplate Medium 140mm x 240mm (5.5" x 9.5") for Centre Mounted Hanger only | •        |
| CONTROLS*     | (S.S. X S.S. ) (S. GS.M.S. MOG.MOG.MAGNING   |          |
| ARM2203       | REM211   | •        |
| L             |  |          |

| CONTROL BRA   | CKETRY*   |          |
|---------------|---|----------|
| ARM1707       | Swing away RH Bracket   | 0        |
| ARM1708       | Swing away LH Bracket   | O        |
| SHROUD COLO   | DUR*  |          |
| ARM2640       | Obsidian Black Frame Shrouds  | 0        |
| ARM2641       | Ruby Red Frame Shrouds  | 0        |
| ARM2642       | Purple Passion Frame Shrouds  | 0        |
| ARM2643       | Peacock Blue Frame Shrouds  | 0        |
| ARM2644       | Arctic Blue Frame Shrouds   | 0        |
| RIM COLOUR*   |   |          |
| ARM2650       | Obsidian Black Rim Inserts  | O        |
| ARM2651       | Ruby Red Rim Inserts  | 0        |
| ARM2652       | Purple Passion Rim Inserts  | O        |
| ARM2653       | Peacock Blue Rim Inserts  | 0        |
| ARM2654       | Arctic Blue Rim Inserts   | 0        |
| FORKS*        |   |          |
| ARM2632       | Double sided  | •        |
| CENTRE WHEE   | LS (DRIVING WHEELS)*  |          |
| ARM0705       | DW 14" (355 mm) x 3" (75 mm), Solid inlay, dual density foam insert | <b>*</b> |
| MOTOR TYPE*   |   |          |
| ARM1282       | 6 km/h (4mph)   | <b>*</b> |
| BATTERY*      |   |          |
| ARM1257       | 50 Ah Gel   | •        |
| CHARGER*      |   |          |
| ARM1343       | OptiCharge 8A (200 - 250V)  | •        |
| TRANSPORTA    | TION KIT*   |          |
| ARM1494       | 4-Point tie-down  | <b>*</b> |
| FIXATION BELT | T*  |          |
| ARM1329       | Lap Belt fitted to base of backrest                                 | 0        |
| ARM2113       | Lap Belt adjustable mounting on seat rail extrusion                 | <b>♦</b> |
|               | •   |          |
|               | TOTAL PRICE   |          |

| Non Conforming O | options:          |
|------------------|-------------------|
| ARM2132          | 410mm (16")       |
| ARM2134          | 460mm (18")       |
| ARM2138          | 560mm (22")       |
| ARM2196          | Long 375mm Armpad |



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

| Special Instructions Please supply the following information:                        |        |  |
|--|--------|--|
| Name:  | Email: |  |
| Phone:   |        |  |
| Description of special request (please include relevant option code or part number): |        |  |