

Motability Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk APRIL 2025 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Storm4 X-Plore Modulite M35 1001118 - Weekly Price £61.98

Standard Features

- Max user weight 150Kg (23.5 stone)
- Crash tested ISO7176-Part 19
- Modulite seating system
- Flex3 Laguna Backrest
- Standard T-Armrests, detachable with Long Armpads
- Electrical Tilt from 0° to 25°
- Manual settable Recliner (0° 30° in 3.75° steps)
- VARI F hangers with Fixed Footplate
- LiNX control REM216 with swing away bracket
- Puncture proof castors
- Puncture proof Drive Wheels
- 12 km/h (8mph) Motors, LED light system with indicators
- 4 Point-tie down system
- Lapbelt with autolock (adjustable both sides)
- Anti-Tippers
- X-plore suspension 50mm all round

Standard Base price: £8,497



Please make your s	election with a cross in the box	O Free of charge	◆ standard feature	POA special request	
Customer weight =	KG				
Code	Description				
CHAIR TYPE*					
ATE0017	Storm 4 X-plore				£8,497
SEATING TYPE*					
ATE2100	Invacare Modulite 'Flex3'				•
SEAT FRAME*					
ATE2111	Telescopic Seat Frame with metal	seat plate			•

SEAT WIDTH	 *		
ATEXXXX		Seat width 330mm (13")	0
ATE2121		Set at 380mm	0
ATE2122		Set at 430mm	0
ATE2123		Set at 480mm	0
ATE2124		Set at 530mm	0
SEAT DEPTH	l*		
ATE2132		410mm (16")	(NC 2196)
ATE2134		460mm (18")	0
ATE2136		510mm (20")	0
SEAT CUSHI	ON*		
ATE2142		Matrx Flo-tech Lite	•
BACKREST S	SUPPOF	₹Т*	
ATE2162		Backposts 540mm (Tall)	0
PUSH HANDI	LES FO	R BACKPOSTS*	
ATE2107		Backposts WITH push handles	♦
BACKREST (UPHOLS	STREY / CUSHION*	
ATE2173		Flex3 adjustable Backrest Plates with Laguna Backrest cushion	•
UPHOLSTER	Y COLC	DUR*	
ATE2152		Black multi stretch PU coated fabric	0
ATE2155		Black Spacer fabric	0
ARMREST*			
ATE2191		T-Armrest Standard	♦
ARMPAD*			
ATE2196		Long Armpad (375mm)	♦
HEADREST /	NECKR	REST (Adequate headrest option must be selected)*	
ATE1350		Neckrest: height and depth Adjustable	•
SEAT HEIGH	T SETT	NG & SEAT RISER*	
ATE1023		Fixed Seat Height 450mm	0
ATE1025		Fixed Seat Height 480mm	0
SEAT TILT*			
ATE1014		Electrical Tilt from 0° to 25°	◆
BACKREST F	RECLIN		
ATE0975		Manual Settable Recliner (0° - 30°, in 3.75° steps) Foldable	•
LEG REST TYPE*			
ATE0503		Vari F : Angle adjustable with tools 0° - 70°, length 290mm - 460mm	•
FOOTPLATE	TYPE*		
ATE0512		Fixed Footplate	◆
LINX CONTR	OLS*		
ATE2204		REM216 Drive, Actuators & Lights	◆
CONTROL BRACKETRY*			
	RACKE	TRY*	
ATE1707	RACKE	TRY* Swing Away RH Bracket	0

SHROUD COL	LOUR*		
ATE0202	Blue		O
ATE0228	Black		0
ATE0204	Transparent Cherry Red		0
CASTOR WHE	EEL*		
ATE0853	3.00 - 6 Grey Puncture Proof (sealed)		♦
DRIVE WHEE	L*		
ATE0773	3.00 - 8 Grey Puncture Proof (sealed)		♦
MOTOR TYPE	:*		
ATE1909	12 km/h (8mph) includes LED light system with indicators		•
BATTERY*			
ATE1364	73.5 Ah GEL		•
REAR SUSPE	NSION*		
ATE1233	Hitec spring X-plore		O
FRONT SUSP	ENSION*		
ATE1238	Front suspension (suggested for up to 100kg)		0
ATE1239	Front suspension (suggested for above 100kg)		0
CHARGER*			
ATE1343	OptiCharge Charger 8A (200 - 250V)		♦
LIGHTS*			
ATZ1006	Lights Included with Motor Package 10 & 12kmh		♦
ANTI-TIPPER	S*		
ATE1205	Anti-tipper (standard version)		♦
TRANSPORT	ATION*		
ATE1494	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory).		*
FIXATION BE	LT*		
ATE2113	Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion		•
REAR VIEW N	MIRROR		
ATE1415	Rear view Mirror RH - Must be selected with 10 km/h Motor		0
ATE1339	Rear view Mirror LH - Must be selected with 10 km/h Motor		O
		TOTAL PRICE	

Non	Conforming	Options:
-----	------------	----------

ATE2196

Long Armpad (375mm)



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

Special Instructions Please supply the following information:			
Name:	Email:		
Phone:			
Description of special request (please include relevant option code or part number):			