

Power Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk SEPTEMBER 2024 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Aviva RX20 Std Seating

Standard Features

- Max user weight 136kg
- Crash tested ISO 7176 -Part 19
- One piece seat plate width 380mm (15") or 430mm (17") with standard foam cushion (50mm, 2")
- seat depths 410mm 510mm (16" 20")
- Tension adjustable backrest
- Standard T-Armrests, detachable with short armpad Powered "fixed pivot" Tilt 20°
- Manual settable backrest Recline (0°- 30°, in 3.75°steps)
- 80° hangers with fixed footplate
- LiNX Control REM211 with standard Bracket
- Choices of 5 shroud Colours and 5 Rim colours
- 8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre
- 14" (355 mm) x 3" (75 mm), Solid inlay black drive wheels
- CTC Suspension Control Traction Comfort
- 6 km/h (4mph) 4 pole and 60Ah batteries
- 8A (200 250V) charger
- Anti tippers
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £3,949



Please make your selection with a cross in the box	O Free of charge ◆ standard feature POA special request
--	---

Customer weight = KG

Code	Description
BASE MODE	<u>_*</u>
JBB0000	AVIVA RX 20 Base Model Max user weight up to 136 £3,949 kg includes 75A Power Module + minimum 60Ah Batteries
JBX1300	Special Extended lead time: + 10 days POA
CHASSIS WIL	DTH*
JBL2810	Chassis Narrow (560 mm/22") ◆
SEATING TY	PE*
JBB2105	Modulite Standard Seat Standard Seat Plate and Backrest Frame in fixed Width

SEAT FRAME*		
JBB2110	One Piece Seat Plate	*
SEAT WIDTH*		
JBB2121	380 mm Seat Plate Can be reduced to 330 mm in combination with inrigged armrests	0
JBB2122	430 mm Seat Plate Can be reduced to 380 mm in combination with inrigged armrests	*
SEAT DEPTH*		
JBB2132	Seat Depth 410 mm (NC 2197)	O
JBB2134	Seat Depth 460 mm	0
JBB2136	Seat Depth 510 mm	O
SEAT CUSHIO	N*	
JBB2141	Standard Foam Cushion 50 mm height	•
JBB2142	Matrx Flo-tech Cushion Flo-tech Lite	£117
JBB2143	Matrx Flo-tech Contour Visco; (2-way stretch material)	£165
JBB2140	Without seat cushion	O
BACKREST SU	JPPORT*	
JBB2161	Backrest frame, detachable, height 480 mm For Tension Adjustable Upholstery/Matrx Backs	•
BACKREST UP	PHOLSTERY / CUSHION*	
JBB2171	Tension Adjustable Upholstery nylon overlay short = 480 mm / 7 straps measured from seat plate to top of upholstery 480 mm	•
JBB2170	Without Backrest Upholstery (Back Posts/Back Frame only)	0
UPHOLSTERY	TYPE*	
JBB2151	Black Fabric Upholstery (Nylon w 2141; 2-way-stretch material w 2142, 2143)	*
ARMREST (Pai	ir)*	
JBB2191	T-Arm detachable, Standard Adjustment range from seat plate: 245 - 315 mm	•
JBB2181	T-Arm detachable, Extended height Adjustment range from seat plate: 295 - 365 mm	£44
JBB2183	Inrigged Armrests Reduces SW by 25 mm each side	O
ARMPAD (Pair)*	
JBB2195	Short Armpad (325 mm)	•
JBB2196	Long Armpad (375 mm)	O
JBB2197	Long Ergonomic Armpad (397 mm)	O
JBB2199	Soft Armpad In combination with 10-way switch, the switch 2251 has to be mounted on the opposite side of the remote	0
HEADREST / N	IECKREST - Adequate headrest option must be selected*	
JBB1350	Neckrest depth adjustable	£81
JBB1495	Non Invacare Headrest - no mounting hardware With Backbrace/Pushbar dia. 22mm in conjunction with telescopic seat frame/backposts	0
SEAT LIFTER /	/ SEAT TILT*	
JBB1092	Powered "fixed pivot" Tilt 20°	•
SEAT T GROU	ND HEIGHT*	
JBB2857	Seat-to-Floor Height 435 mm	O
JBB2858	Seat-to-Floor Height 460 mm	O
JBB2859	Seat-to-Floor Height 485 mm	O
	-	

BACKREST RE			
JBB0975	Manual Settable Recliner (in 3.75° steps) 90° - 120°		♦
FOOTREST HA	NGER TYPE*		
JBB0526	Standard hanger 80° pair Lower leg length: 350 - 450 mm		•
FOOTPLATE T	YPE*		
JBB0512	Fixed Footplate pair		•
JBB0513	Angle and depth adjustable Footplate pair		£119
CONTROLS*			
JBB2203	Remote LiNX DLX-REM211 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators	(NC 1437, 1908)	•
JBB2204	Remote LiNX DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights		£151
CONTROL BRA	ACKETRY*		
JBB1207	Standard Bracket RH	(NC 1404)	O
JBB1208	Standard Bracket LH	(NC 1405)	O
JBB1707	Swing Away Bracket RH	(NC 1404)	£132
JBB1708	Swing Away Bracket LH	(NC 1405)	£132
JBB2227	Bracket RH, mounted for Attendant	(NC 2220, 2219, 1312)	£63
JBB2228	Bracket LH, mounted for Attendant	(NC 2220, 2219, 1363)	£63
JBX2239	Individual mounting option per request (Special) Requires additional information/specification		POA
DUAL CONTRO			
JBB2220	Dual Control LiNX (DLX-REM050 as secondary remote)	(NC 2273, 2227, 2228)	£395
JBB2219	Compact Dual Control LiNX (DLX-ACU200)	(NC 2227, 2228)	£395
	DL BRACKERTY	(NO 0004 4040)	
JBB2259	Bracket RH, Attendant	(NC 2291, 1312)	0
JBB2260	Bracket LH, Attendant	(NC 2292, 1363)	0
JBB2251	10-Way Switch DLX-SW10-A for direct Powered Seating Access		£505
LINX 10-WAY S	WITCH BRACKET		
JBB2217	Bracket RH, mounted for user	(NC 1404)	0
JBB2218	Bracket LH, mounted for user	(NC 1405)	O
JBB2291	Bracket RH, mounted for attendant	(NC 2259)	£63
JBB2292	Bracket LH, mounted for attendant	(NC 2260)	£63
LINX IN200 MO	DULE		
JBB2273	IN200 Module (Jack port for external power button)		£242
FURTHER LINX	COMPONENTS / ACCESSORIES		
JBB2300	To be enclosed only		0
JBX2301	To be connected and programmed (Special)		POA
BUDDY BUTTO	NS .		
JBB1685	Red Buddy Button		£88
JBB1686	Yellow Buddy Button		£88
JBB1687	Green Buddy Button		£88
JBB1690	Blue Buddy Button		£88.
EGG SWITCH			
JBB2254	Egg Switch, black		£88£
0DD5574	Lyy Owiton, Diack		LOO

PIKO BUTTON	S	
JBB1711	Red Piko Button	£158
JBB1712	Yellow Piko Button	£158
JBB1713	Green Piko Button	£158
JBB1714	Orange Piko Button	£158
JBB1715	Blue Piko Button	£158
JBB1716	Black Piko Button	£158
BODYPOINT J	OYSTICK KNOBS	
JBB2721	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	£63
JBB2722	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	£63
JBB2723	Domed Rubber, Joystick Handle, Bodypoint PC107A	£63
JBB2724	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	£63
SHROUD COL	OUR*	
JBB2871	Mid range - Black/Anthracite Shroud	O
JBB2872	Mid range - Silver Shroud	0
JBB2873	Mid range - Bengal Red Shroud	O
JBB2874	Mid range - Mercury Blue Shroud	O
JBB2875	Mid range - Midnight Purple Shroud	O
JBX0299	Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back) RAL number required Extended lead lime: + 15 days	£214
RIM COLOUR*		
JBB2882	Mid range - Black Rim Inserts	0
JBB2883	Mid range - Silver Rim Inserts	0
JBB2884	Mid range - Bengal Red Rim Inserts	O
JBB2885	Mid range - Mercury Blue Rim Inserts	O
JBB2886	Mid range - Midnight Purple Rim Inserts	O
FORKS*		
JBB2632	Double sided fork Without castor rim insert	O
FRONT WHEE	L*	
JBB0828	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	*
CASTOR LOCK		
JBB1490	Castor Lock	£197
DRIVE WHEEL		_
JBB0704	DW 14" (355 mm) x 3" (75 mm), Pneumatic	
JBB0705	DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert	· · · · · · · · · · · · · · · · · · ·
C.T.C SUSPEN		
JBB2870	CTC Suspension Control - Traction - Comfort	•
SUSPENSION :		A
JBB1910	Soft	\
JBB1912	Medium	0
JBB1911	Firm	0
JBB1915	Very firm	0

JBB1282	JBB1988	£543
10 km/h Package	JBB1908	£15 ⁻
Always combined with LED Light system with Indicators, 30 Lux headlights BATTERY TYPE- JBB1259	Always combined with LED Light system with Indicators, 30 Lux headlights BATTERY TYPE* JBB1259 60 Ah Gel CHARGER* JBB1343 Opti Charge Charger 8A (IP44) JBB1313 Opti Charge Charger 10A (IP44) ANTI-TIPPERS* JBB1205 Anti-tipper LIGHTS JBB1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) JBB1254 Without Light system KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1284) TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-lie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	£15 ⁻
Sep	JBB1349 60 Ah Gel CHARGER* JBB1343 Opti Charge Charger 8A (IP44) JBB1313 Opti Charge Charger 10A (IP44) ANTI-TIPPERS* JBB1205 Anti-tipper LIGHTS JBB1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) JBB1254 Without Light system KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 -Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4 - or 6- point-lie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	£480
CHARGER JBB1343	CHARGER* JBB1343 Opti Charge Charger 8A (IP44) JBB1313 Opti Charge Charger 10A (IP44) ANTI-TIPPERS* JBB1205 Anti-tipper LIGHTS LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) JBB1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) JBB1254 Without Light system KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	£480
Use 1343 Opti Charge Charger 8A (IP44) £1	UBB1343 Opti Charge Charger 8A (IP44) JBB1313 Opti Charge Charger 10A (IP44) ANTI-TIPPERS* JBB1205 Anti-tipper LIGHTS JBB1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) JBB1254 Without Light system KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4 - or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	£480
JBB1313 Opti Charge Charger 10A (IP44) £1 ANTI-TIPPERS* JBB1205 Anti-tipper LIGHTS JBB1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) £4 JBB1438 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) £4 JBB1244 Without Light system KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) £2 TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory? EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible font tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217) £2 JBB1312 Cane holder RH (NC 2227, 2259) £5 JBB1313 Cane holder RH (NC 2227, 2259) £6 JBB1363 Cane holder LH (NC 2228, 2250) £6 JBB1364 Fender for Castors £6 JBB14104 Tray, Swing Away RH (NC 1707, 2217) £1	JBB1313 Opti Charge Charger 10A (IP44) ANTI-TIPPERS* JBB1205 Anti-tipper LIGHTS JBB1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) JBB1254 Without Light system KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS Easily accessible front tie-down points, additionally mounted for 4 or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	£480
ANTI-TIPPERS* JBB1205 Anti-tipper LIGHTS JBB1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) £4 JBB1254 Without Light system KERB RIDER JBB1241 Kerb Rider With park position feature (NC 1794) £2 TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for air implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217) £2 JBB1339 Rear view mirror LH (NC 22218) £5 OTHER OTH	ANTI-TIPPERS* JBB1205 Anti-tipper LIGHTS JBB1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) JBB1254 Without Light system KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	£480
DBB 1205 Anti-lipper DIBB 1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) £4 24 24 24 24 24 24 24 24 24 24 24 24 24	LIGHTS JBB1437	
LIGHTS JBB1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) £4 JBB1254 Without Light system KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) £2 TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217) £ JBB1312 Cane holder RH (NC 2217) £ JBB1312 Cane holder RH (NC 2227, 2259) £ JBB1363 Cane holder LH (NC 2228, 2290) £ JBB1416 Fender for Castors £ JBB1417 Fender for Drive wheels £1 JBB1417 Fender for Drive wheels £1 JBB1417 Tay, Swing Away RH (NC 1707, 2217) £1	LIGHTS JBB1437	
LED Light system with Indicators 30 Lux headlights (NC 2203, 1908)	JBB1437 LED Light system with Indicators 30 Lux headlights (NC 2203, 1908) JBB1254 Without Light system KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	
Without Light system	JBB1254 Without Light system KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	
KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) £2 TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering £5 JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory £8 EASY ACCESS FRONT TIE DOWNS Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only £ LAP BELT* JBB1393 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1319 Rear view mirror RH (NC 2217) £ JBB1339 Rear view mirror LH (NC 2218) £ OTHER OPTIONS JBB1312 Cane holder RH (NC 2227, 2259) £ JBB1363 Cane holder LH (NC 2228, 2280) £ JBB1416 Fender for Castors £ JBB1417 Fender for Drive wheels £1 JBB1404 Tray, Swing Away RH (NC 1707, 2217) £1	KERB RIDER JBB1244 Kerb Rider With park position feature (NC 1294) TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	C
JBB1244 Kerb Rider With park position feature (NC 1294) £2 TRANSPORTATION KIT* Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering £5 JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory *** EASY ACCESS FRONT TIE DOWNS Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only £ LAP BELT* Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR (NC 2217) £ JBB1339 Rear view mirror RH (NC 2217) £ JBB1312 Cane holder RH (NC 2227, 2259) £ OTHER OPTIONS £ JBB1363 Cane holder LH (NC 2227, 2259) £ JBB1416 Fender for Castors £ JBB1417 Fender for Drive wheels £ JBB1404 Tray, Swing Away RH (NC 1707, 2217) £ JBB1404 Tray, Swing Away RH (NC 1707, 2217) £	JBB1244 Kerb Rider With park position feature (NC 1294) TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	
TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217) £ JBB1339 Rear view mirror LH (NC 2218) £ OTHER OPTIONS JBB1312 Cane holder RH (NC 2227, 2259) £ JBB1363 Cane holder LH (NC 2227, 2259) £ JBB1364 Fender for Castors £ JBB1416 Fender for Castors £ JBB1417 Fender for Drive wheels £1 JBB1404 Tray, Swing Away RH (NC 1707, 2217) £1	TRANSPORTATION KIT* JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	
JBB1450 Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR Rear view mirror RH (NC 2217) £ (NC 2218) £ (NC 2218) JBB1312 Cane holder RH (NC 2227, 2259) £ (JBB1312 Cane holder RH (NC 2227, 2259) £ (JBB1312 Cane holder LH (NC 2228, 2260) £ (JBB1416 Fender for Castors £ (JBB1417 Fender for Drive wheels £ (JE 1707, 2217) £ (JE 1707, 2217) £ (JBB1417 Fender for Drive wheels £ (JE 1707, 2217) £ (JE 1707, 2217	Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	£212
Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494	(Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering JBB1494 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	
Crested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory	(Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory EASY ACCESS FRONT TIE DOWNS JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	£586
JBB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only £ LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217) £ JBB1339 Rear view mirror LH (NC 2218) £ OTHER OPTIONS JBB1312 Cane holder RH (NC 2227, 2259) £ JBB1363 Cane holder LH (NC 2228, 2260) £ JBB1416 Fender for Castors £ JBB1417 Fender for Drive wheels £1 JBB1404 Tray, Swing Away RH (NC 1707, 2217) £1	BB2894 Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	•
mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329	mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only LAP BELT* JBB1329	
JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217) £. JBB1339 Rear view mirror LH (NC 2218) £. OTHER OPTIONS JBB1312 Cane holder RH (NC 2227, 2259) £. JBB1363 Cane holder LH (NC 2228, 2260) £. JBB1416 Fender for Castors £. JBB1417 Fender for Drive wheels £. JBB1404 Tray, Swing Away RH (NC 1707, 2217) £.	JBB1329 Lap belt with Auto Lock Standard mount on backrest REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	£49
REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217) £ JBB1339 Rear view mirror LH (NC 2218) £ OTHER OPTIONS JBB1312 Cane holder RH (NC 2227, 2259) £ JBB1363 Cane holder LH (NC 2228, 2260) £ JBB1416 Fender for Castors £ JBB1417 Fender for Drive wheels £1 JBB1404 Tray, Swing Away RH (NC 1707, 2217) £1	REAR VIEW MIRROR JBB1415 Rear view mirror RH (NC 2217)	
JBB1415 Rear view mirror RH (NC 2217) £. JBB1339 Rear view mirror LH (NC 2218) £. OTHER OPTIONS JBB1312 Cane holder RH (NC 2227, 2259) £. JBB1363 Cane holder LH (NC 2228, 2260) £. JBB1416 Fender for Castors £. JBB1417 Fender for Drive wheels £. JBB1404 Tray, Swing Away RH (NC 1707, 2217) £.	JBB1415 Rear view mirror RH (NC 2217)	4
JBB1339 Rear view mirror LH (NC 2218) £ OTHER OPTIONS JBB1312 Cane holder RH (NC 2227, 2259) £ JBB1363 Cane holder LH (NC 2228, 2260) £ JBB1416 Fender for Castors £ JBB1417 Fender for Drive wheels £1 JBB1404 Tray, Swing Away RH (NC 1707, 2217) £1		
OTHER OPTIONS JBB1312 Cane holder RH (NC 2227, 2259) £. JBB1363 Cane holder LH (NC 2228, 2260) £. JBB1416 Fender for Castors £. JBB1417 Fender for Drive wheels £. JBB1404 Tray, Swing Away RH (NC 1707, 2217) £.1	IDD4000 D	£44
JBB1312 Cane holder RH (NC 2227, 2259) £. JBB1363 Cane holder LH (NC 2228, 2260) £. JBB1416 Fender for Castors £. JBB1417 Fender for Drive wheels £. JBB1404 Tray, Swing Away RH (NC 1707, 2217) £.1	JBB1339 Rear View mirror LH (NC 2216)	£44
JBB1363 Cane holder LH (NC 2228, 2260) £. JBB1416 Fender for Castors £. JBB1417 Fender for Drive wheels £. JBB1404 Tray, Swing Away RH (NC 1707, 2217) £.1	OTHER OPTIONS	
JBB1416 Fender for Castors £ JBB1417 Fender for Drive wheels £1 JBB1404 Tray, Swing Away RH (NC 1707, 2217) £1	JBB1312 Cane holder RH (NC 2227, 2259)	£42
JBB1417 Fender for Drive wheels £1 JBB1404 Tray, Swing Away RH (NC 1707, 2217) £1	JBB1363 Cane holder LH (NC 2228, 2260)	£42
JBB1404 Tray, Swing Away RH (NC 1707, 2217) £1	JBB1416 Fender for Castors	£88
	JBB1417 Fender for Drive wheels	£169
JBB1405 Tray, Swing Away LH (NC 1708, 2218) £1	JBB1404 Tray, Swing Away RH (NC 1707, 2217)	£167
	JBB1405 Tray, Swing Away LH (NC 1708, 2218)	
		£167

Customer Ref:
Order Number:

Non Conforming	g Options:
JBB2197	Long Ergonomic Armpad (397 mm)
JBB2203	Remote LiNX DLX-REM211 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators
JBB1707	Swing Away Bracket RH
JBB1708	Swing Away Bracket LH
JBB2227	Bracket RH, mounted for Attendant
JBB2228	Bracket LH, mounted for Attendant
JBB2220	Dual Control LiNX (DLX-REM050 as secondary remote)
JBB2219	Compact Dual Control LiNX (DLX-ACU200)
JBB2259	Bracket RH, Attendant
JBB2260	Bracket LH, Attendant
JBB2217	Bracket RH, mounted for user
JBB2218	Bracket LH, mounted for user
JBB2291	Bracket RH, mounted for attendant
JBB2292	Bracket LH, mounted for attendant
JBB2273	IN200 Module (Jack port for external power button)
JBB1294	Indoor setting, reduced speed approx. 3 km/h
JBB1908	10 km/h Package Always combined with LED Light system with Indicators, 30 Lux headlights
JBB1437	LED Light system with Indicators 30 Lux headlights
JBB1254	Without Light system
JBB1312	Cane holder RH
JBB1363	Cane holder LH
JBB1404	Tray, Swing Away RH
JBB1405	Tray, Swing Away LH



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:	
Name:	Email:
Phone:	Fax:
Description of special request (please include relavent option code or part i	number):