

Tel: 01656 776222 Email: ordersuk@invacare.com Customer Ref: Online Spares available at: www.invacare.co.uk **Customer Ref*** Account No* **Contact No* Order No* Delivery Address* Order Qty***

Order date*

Kuschall Champion SK 2.0

Standard Features

- Max User Weight 120kg (19 Stone)
- Active, Lightweight Folding Fully Hydroformed Aluminium Wheelchair
- Multiple adjustments, Front and Rear Seat Heights and Centre of Gravity
- Aluminium Folding Front Frame with 75° or 90° Front . Frame Angles
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims and Pneumatic Tyres
- Choice of 6 Seat Widths 360mm to 460mm (14" 18")
- Choice of 8 Seat Depths 340mm to 480mm (13" 19") .
- Choice of 5 Standard Frame Colours
- Range of Front Seat Heights 450mm to 540mm (17" -• 21")
- Range of Rear Seat Heights 390mm to 480mm (15" -• 19")
- Folding Backrest, Angle Adjustable and Soft Lock Feature with Nylon Light Upholstery

Please make your selection with a cross in the box

- Angle and Height Adjustable Rigid Footrest, with Calf Strap
- Without Push Handles •
- Flip up Carbon Clothesguards
- Unfolding Help Cord
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

Standard Base price: £3,134



standard feature POA special request

Customer wei	ght = KG	
Code	Description	
BASE PRODU	CT*	
DHA0031	Küschall Champion SK 2.0	0
UNIQUE SPEC	IALS (For special modifications only) Additional lead time of 4 weeks	
DHA0000	UNIQUE Special Request - For use when requesting any special options or builds	POA
UNIQUE CUST	OMISATION AND PERSONALISATION OPTIONS Additional 4 weeks lead time for Unique options	
UHA0001	UNIQUE Personalisation - For use when selecting UHA customisation options	O

Free of charge

0

FEBRUARY 2025

FRAME*			
DHA1150	Frame Angle 75° Aluminium		0
DHA1160	Frame Angle 90° Aluminium		Ο
SK FOLDING			
DHA1250	SK Folding Front Frame		£3,134
CHAMPION S	L HYBRID RIGID FRAME		
UHA1260	Complete frame with fully welded front seat height & centre of gravity rear wheel supports	(NC 6180)	£450
SEAT WIDTH	*		
DHA1320	360 mm	(NC 2710, 2748, 7000)	0
DHA1325	380 mm	(NC 7000)	0
DHA1330	400 mm		0
DHA1335	420 mm		O
DHA1340	440 mm		O
DHA1345	460 mm		O
SEAT DEPTH	*		
DHA1405	340 mm	(NC 2710, 2720, 2748, 2860, 7810, 7820, 7830)	0
DHA1415	360 mm	(NC 2710, 2720, 2748, 2860, 7810, 7820, 7830)	0
DHA1425	380 mm	(NC 2720)	O
DHA1435	400 mm		0
DHA1445	420 mm		O
DHA1460	440 mm		O
DHA1470	460 mm		O
DHA1480	480 mm	(NC 2710, 2748)	0
BACK HEIGH	T*		
DHA1615	300 mm	(NC 2200, 2400)	0
DHA1620	315 mm	(NC 2200, 2400)	0
DHA1625	330 mm		0
DHA1630	345 mm		O
DHA1635	360 mm		Ο
DHA1640	375 mm		0
DHA1645	390 mm		O
DHA1650	405 mm		O
DHA1655	420 mm		0
DHA1660	435 mm		0
DHA1665	450 mm		Q
DHA1670	465 mm		0
FRONT SEAT			.
DHA1740	450 mm	(NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)	0
DHA1745	460 mm	(NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)	0
DHA1750	470 mm	(NC 1950, 1952, 1954, 1956, 1958, 1960)	0
DHA1755	480 mm	(NC 1952, 1954, 1956, 1958, 1960)	О
DHA1760	490 mm	(NC 1954, 1956, 1958, 1960)	O
DHA1765	500 mm	(NC 1956, 1958, 1960)	0
		(NC 1958, 1960)	O
DHA1770	510 mm		
	510 mm 520 mm	(NC 1960)	О
DHA1770		(NC 1960) (NC 5000) (NC 5000, 5050, 5100, 5150, 5200, 5250)	<u> </u>

Kuschall Champion SK 2.0 Page 2 of 13 Subject to Invacares standard terms and conditions. Invacare reserve the right to alter product specification without prior notice

REAR SEAT HE lower*	IGHT. On 75° frame, Rear Seat Height can be 0mm - 70r	nm lower then front seat height and 90° can be 30mm to 1	00mm
DHA1815	390 mm	(NC 6420, 6430)	C
DHA1820	400 mm	(NC 6420, 6430)	C
DHA1825	410 mm	(NC 6430)	C
DHA1830	420 mm	(NC 6430)	C
DHA1835	430 mm		C
DHA1840	440 mm		C
DHA1845	450 mm		C
DHA1850	460 mm		C
DHA1855	470 mm	(NC 6410)	C
DHA1860	480 mm	(NC 6410)	C
	ENGTH Seat canvas to footplate measurement, cushion	height must be deducted.*	
DHA1936	380 mm		C
DHA1938	390 mm		C
DHA1940	400 mm		C
DHA1942	410 mm		C
DHA1944	420 mm		C
DHA1946	430 mm		C
DHA1948	440 mm		C
DHA1950	450 mm		C
DHA1952	460 mm		C
DHA1954	470 mm		C
DHA1956	480 mm		C
DHA1958	490 mm		C
DHA1960	500 mm		C
BACKREST*			
DHA2140	Angle Adustable, Forward Folding with Soft Lock. Backrest remains locked for transportation		•
BACKREST UP	HOLSTERY*		
DHA2200	Black Standard Light Upholstery, without Tension Adjustment	(NC 2430)	•
DHA2220	Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener		£137
DHA2230	Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener		£223
DHA2240	Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required	(NC 2430)	C
BACK UPHOLS	TERY STITCHING COLOUR		
UHA2241	Neon Yellow		£75
UHA2242	Neon Pink		£75
UHA2243	Blue		£75
UHA2244	White		£75
UHA2245	Red		£75
UHA0002	Your personal colour stitching. Add RAL colour of you choice in special comments box, for a personalised colour stitching on back upholstery.	٦٢	£75

BACK UPHOLS	TERY EMBROIDERY		
UHA0003	Your personal design embroidery. Supply your design with your order, subject to copyright. Design size up to 250mm x 250mm	(NC 0004)	£199
BACK UPHOLS	TERY FLOCKING		
UHA0004	Your personal flock design. Supply your design with your order, subject to copyright. Design size up to 280mm x 400mm		£99
PUSH HANDLES	S*		
DHA2400	Without Push Handles		•
DHA2410	Push Handles Fixed Short/Mini Grip		£133
DHA2420	Push Handles Fixed Long Grip		C
DHA2430	Push Handles Height Adjustable, Rear Set	(NC 3480)	£254
DHA2440	Push Handles Height Adjustable, Integrated in backrest		£219
DHA2450	Push Handles Foldable		£198
BACKREST AN	GLE*		
DHA2510	76° angle from the seat		0
DHA2530	80.5° angle from the seat		O
DHA2550	85° angle from the seat		•
DHA2570	89.5° angle from the seat		O
DHA2590	94° angle from the seat		O
SEAT UPHOLS	rery*		
DHA2600	Seat Upholstery with 1 central loop		0
DHA2601	Standard Seat Upholstery with 1 central loop and 2 side hook		
SEAT CUSHION			
DHA2700	Standard Seat Cushion, 60mm High Double Foam with Visco Top Layer - Comfort/Low Risk	(NC 2810, 2820, 2830, 2840, 2850)	£66
DHA2710	Flo-Tech Lite Cushion 78mm High - Comfort/Low Risk	(NC 2810, 2820, 2830, 2840, 2850)	£121
DHA2720	Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk		£410
DHA2748	Contour Visco NG Cushion 100mm High - High Risk	(NC 2810, 2820, 2830, 2840, 2850)	£169
DCA2750	Vicair Active O2 lightweight cushion 60mm High - High risk	(NC 2810, 2820, 2830, 2840, 2850, 2860)	£521
SEAT BAG			
DHA2800	Seat Bag, Click in and removable, includes the fixation clips	(NC 7010)	£74
DHA2810	Fluid supplement sac (Pair)		£44
DHA2820	Tapered wedge (Pair)		£30
DHA2830	Abductor		£23
DHA2840	Lateral side wedge		£20
DHA2850	Anterior front wedge		£27
SEAT RIGIDIZE	R		
DHA2860	Seat rigidizer		£39
FOOTREST*	•		
DHA3240	Rigid, Plastic Footplate, Set to front, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage		•
DHA3250	Rigid, Plastic Footplate, Set to rear, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage		O

CALF STRAP*			
DHA3320	Calf Strap Mounted on Supporter		•
DHA3330	Calf Strap Mounted on Frame		O
CLOTHESGUAI	RDS/MUDGUARDS*		
DHA3405	Composite Clothesguards, Flip Back - (only possible with 24" and 25" rear wheels)	(NC 6430)	0
DHA3420	Carbon Clothesguards, Flip Up		•
DHA3425	Composite Mudguards, Fixed (only possible with 24" and 25" rear wheels)	(NC 3490, 6430)	£65
DHA3430	Carbon Mudguards, Fixed	(NC 3490)	£247
DHA3440	Carbon Mudguards, Removable	(NC 3490)	£307
DHA3450	Composite Mudguards, Removable (only possible with 24" & 25" rear wheels)	(NC 3490, 6430)	£65
ARMREST			
DHA3480	Tubular Armrest. Height Adjustable, Removable, Non- locking, Swing-away and Comfort Padded, no Clothesguard included		£241
DHA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included		£106
FRAME COLOU	IR*		
DHA4000	Space Black (RAL 9005)	(NC 4066)	0
DHA4010	Anthracite Grey (RAL 7016)	(NC 4066)	O
DHA4020	Pure White (RAL 9016)	(NC 4066)	O
DHA4030	Carmine Red (RAL 3002)	(NC 4066)	0
DHA4040	Azure Blue (RAL 5017)	(NC 4066)	0
DHA4060	Flashy Yellow (RAL 1516) (Additional 15 day lead time)	(NC 4066)	£31
DHA4100	Black Glossy (RAL 9005) (Additional 15 day lead time)	(NC 4066)	£31
DHA4130	Silver Grey (RAL 9006) (Additional 15 day lead time)	(NC 4066)	£31
DHA4145	Pearl Night Blue (Additional 15 day lead time)	(NC 4066)	£31
DHA4150	Ruby Red (RAL 1503) (Additional 15 day lead time)	(NC 4066)	£31
DHA4170	Dynamite Orange (Additional 15 day lead time)	(NC 4066)	£31
DHA4180	Forest Green (RAL 6029) (Additional 15 day lead time)	(NC 4066)	£31
UHA4101	Mirror Polish with standard varnish finish (Premium ceramic glaze finish available, for this option select UHA4066)		£399
UHA0008	Your personal frame colour. Add RAL colour of your choice in special comments box, for a personalised colour frame		£299
CERAMIC GLA	ZE FRAME FINISH		
UHA4066	Ceramic glaze finish on frame, for added durability		£336
FRAME DECAL	TYPE*		
DHA4195	Tag (Small Küschall brand transfer on front of frame)	(NC 2222)	•
DHA4197	Without Tag (Kuschall branding only)	(NC 4300, 4310)	O
TAG COLOUR*	L		
DHA4300	Black		0
DHA4310	Red		O
DHA2222	No tag colour, select only with Option DHA4197 Without Tag	(NC 4195)	O

75mm x 25mm (3" x 1") Supersport	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	0
100mm x 30mm (4" x 1.2") Everyday Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	0
100mm x 30mm (4" x 1.2") Comfort Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	0
100mm x 25mm (4" x 1") Starec Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	£83
100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frogs Legs) Use this option to access 4" anodised colour options		£93
100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)	(NC 5502, 5504, 5506, 5507, 5508, 5509)	£93
125mm x 30mm (5" x 1.2") Everyday Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	0
125mm x 30mm (5" x 1.2") Comfort Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	•
125mm x 25mm (5" x 1") Starec Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	£83
125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) Use this option to access 5" anodised colour options		£93
125mm x 36mm (5" x 1.4") (Frog Legs) Aluminium Softroll Silver hub, Black tyre (Frogs Legs)	(NC 5502, 5504, 5506, 5507, 5508, 5509)	£93
OUR SOFTROLL CASTORS		
Pink		£50
Orange		£50
Blue		£50
Purple		£50
Red		£50
Gold		£50
ΓOR BEARINGS		
Ceramic castor bearings for Aluminium soft roll castors		£58
POSITION (CENTRE OF GRAVITY)*		
1st from front Most Active Position		0
2nd from front		0
3rd from front		0
4th from front		0
5th from front		•
6th from front		0
		0
		0
		0
		~
	(NC 6550, 6551, 6552, 6553, 6554, 0907)	£85
		200
		•
	(NC 6510, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900)	•
	· · · · · · · · · · · · · · · · · · ·	<u> </u>
	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre 100mm x 30mm (4" x 1.2") Comfort Black hub and tyre 100mm x 25mm (4" x 1.1") Starec Black hub and tyre 100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frogs Legs) Use this option to access 4" anodised colour options 100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs) 125mm x 30mm (5" x 1.2") Everyday Black hub and tyre 125mm x 30mm (5" x 1.2") Comfort Black hub and tyre 125mm x 30mm (5" x 1.2") Comfort Black hub and tyre 125mm x 30mm (5" x 1.4") Aluminium Softroll Black hub and tyre 125mm x 30mm (5" x 1.4") Aluminium Softroll Black hub and tyre 125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre 125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre 125mm x 36mm (5" x 1.4") (Frog Legs) Aluminium Softroll Black hub and tyre (Frog Legs) Use this option to access 5" anodised colour options 125mm x 36mm (5" x 1.4") (Frog Legs) Aluminium Softroll Black hub and tyre (Frog Legs) Use this option to access 5" anodised colour options 125mm x 36mm (5" x 1.4") (Frog Legs) Aluminium Softroll Black hub and tyre (Frog Legs) Use this option to access 5" anodised colour options 100R SOFTROLL CASTORS Pink Orange Blue Purple Red Gold Gold TOR BEARINGS Ceramic castor bearings for	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre (NC 5502, 5504, 5508, 5507, 5508, 5508, 5510) 100mm x 30mm (4" x 1.1") Comfort Black hub and tyre (NC 5502, 5504, 5508, 5507, 5508, 5509, 5510) 100mm x 30mm (4" x 1.1") Starec Black hub and tyre (NC 5502, 5504, 5508, 5507, 5508, 5509, 5510) 100mm x 30mm (4" x 1.1") Aluminium Softroll Black hub and tyre (Frog Legs) (NC 5502, 5504, 5508, 5507, 5508, 5509) 100mm x 30mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs) (NC 5502, 5504, 5508, 5507, 5508, 5509, 5510) 125mm x 30mm (5" x 1.2") Everyday Black hub and tyre (NC 5502, 5504, 5508, 5507, 5508, 5508, 5510) 125mm x 30mm (5" x 1.2") Everyday Black hub and tyre (NC 5502, 5504, 5508, 5508, 5510) 125mm x 30mm (5" x 1.2") Comfort Black hub and tyre (NC 5502, 5504, 5508, 5508, 5510) 125mm x 30mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) (NC 5502, 5504, 5508, 5508, 5510) 125mm x 30mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) Aluminium Softroll Silver hub, Black tyre (Frog Legs) (NC 5502, 5504, 5508, 5508, 5508, 5509) 100m Tort L CASTORS Pink Corange Softroll C Castors Pink Corange Corange C Castor bearings for Aluminium soft roll castors Soft forn front 3rd from front Sh from front Sh from front Sh

REAR WHEEL	TYPE*		
DHA6510	24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub.	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6579)	*
DHA6520	24", 25" High Performance Wheel Black hub and rim	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6579, 6660)	£182
DHA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black (Unique coloured spokes available)	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6660)	£611
UHA6551	24", 25" Spinergy Lite Extreme LX, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)	(NC 6660)	£785
UHA6552	24", 25" Spinergy Lite Extreme X-laced XLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)	(NC 6660)	£844
UHA6553	24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)	(NC 6660)	£893
UHA6554	24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard)	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6660)	£1,084
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. (Unique coloured spokes available)	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6660)	£486
ANODISED CO	LOUR SPINERGY RIM (DESIGN LAB)		
UHA6557	Blue		£179
UHA6558	Gold		£179
UHA6559	Green		£179
UHA6560	Orange		£179
UHA6561	Red		£179
UHA6562	Purple		£179
ANODISED CO	LOUR SPINERGY HUB (DESIGN LAB)		
UHA6563	Blue		£179
UHA6564	Gold		£179
UHA6565	Silver		£179
UHA6566	Green		£179
UHA6567	Orange		£179
UHA6568	Red		£179
UHA6569	Purple		£179
SPINERGY COL	LOURED SPOKES		
UHA6570	Blue		£84
UHA6571	Green		£84
UHA6572	Orange		£84
UHA6573	Pink		£84
UHA6574	Red		£84
UHA6575	Purple		£84
UHA6576	White		£84
UHA6577	Yellow		£84
	RING REAR WHEEL		
UHA6579	Ceramic Bearing for Spinergy rear wheels		£170

REAR WHEEL	TYRE*		
DHA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection		•
DHA6625	24", 25", 26" x 1" Maxxis Alpha Protect. Lightweight, Pneumatic and highly puncture resistant.		£100
DHA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)		£97
DHA6660	24" x 1 3/8" Solid Profile Black Tyre	(NC 7230)	£66
HANDRIM*			
DHA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance		£223
DHA6710	24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance		£62
DHA6720	24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance		£192
DHA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter		£320
DHA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter.		£320
DHA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion		£284
DHA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim		£356
DHA6780	24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance		•
DHA6790	24", 25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting		£42
REAR WHEEL	CAMBER*		
DHA6820	0° Camber		•
DHA6830	1° Camber		0
DHA6840	3° Camber	(NC 7230)	O
SPOKEGUARD	I		
DHA6900	22", 24", 26" Transparent		£120
FIXATION CLIP	*		
DHA7000	Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function)		O
DHA7010	Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation)		•
DHA3333	No fixation clip, select with Tapered frame options 1170, 1180		O
UNFOLDING HE	ELP*		
DHA7100	Unfolding Help (Cord to help open the folding mechanism from the front of the chair)		*
UNIQUE CUSTO	DMISATION COLOUR PACKAGE*		
UHA6960	UNIQUE KIT 1 - Includes custom colour forks and bearing cover. Select colour from the 10 choices below		£111
UHA6961	UNIQUE KIT 2 - Includes custom colour forks and bearing cover, castor fork supporter, rear wheel supporter, brake clamps & SK front frame folding brackets. Select colour from the 10 choices below		£285
UHA1234	Without colour package		0

UNIQUE CUSTO	DMISATION COLOURS	
UHA6963	Red	0
UHA6964	Purple	0
UHA6965	Copper	0
UHA6966	Green	0
UHA6967	Orange	0
UHA6968	Gold	O
UHA6969	Champagne	O
UHA6970	Pink	0
UHA6971	Blue	0
UHA6972	Mirror Finish	0
BRAKES*		
DHA7200	Pull Brakes	£78
DHA7210	Standard Push to Lock Brakes, Lever Bent	•
DHA7220	Standard Push to Lock Brakes, Lever Straight	O
DHA7230	Performance Brakes, Push to Lock. Brake barrel flips (NC 7300, 7810, 7820, 7830) away from tyre	£78
DHA7240	Active/Scissor Brakes (NC 7300)	£78
DHA7250	Light/Compact Active, Aluminium Brakes (NC 7300)	£136
BRAKE LEVER	EXTENSION	
DHA7300	Brake Lever Extension	£49
SAFETY OPTIO	DNS	
DHA7500	Anti-Tipper Right	£122
DHA7510	Anti-Tipper Left	£122
DHA7520	Anti-Tipper Both sides	£244
DHA7800	Standard Pelvic belt	£74
	ELTS	
DHA7810	Bodypoint Posture Belt Evoflex Small	£81
DHA7820	Bodypoint Posture Belt Evoflex Medium	£81
DHA7830	Bodypoint Posture Belt Evoflex Large	£81
OTHER OPTION	NS	
DHA8010	Front Frame Protectors; 2 Piece. Removable with hook and loop	£37
DHA8100	Tipper-Aid, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and Cane holder)	£46
DHA8200	Cane Holder, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and cane holder)	£75
DHA8500	Air Pump	£13
DHA8550	Tool Kit	•
DHA8680	24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included	£320
DHA8750	Travel bag for Champion SK,	£373
	CCESSORIES	
DHA8800	Bodypoint Calf Strap	£57
DHA8850	Bodypoint Mobility Bag	£55

Non Conformin	g Options:
DHA1946	430 mm
DHA1948	440 mm
DHA1950	450 mm
DHA1952	460 mm
DHA1954	470 mm
DHA1956	480 mm
DHA1958	490 mm
DHA1960	500 mm
DHA2200	Black Standard Light Upholstery, without Tension Adjustment
JHA0004	Your personal flock design. Supply your design with your order, subject to copyright. Design size up to 280mm x 400mm
DHA2400	Without Push Handles
DHA2430	Push Handles Height Adjustable, Rear Set
DHA2710	Flo-Tech Lite Cushion 78mm High - Comfort/Low Risk
DHA2720	Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk
)HA2748	Contour Visco NG Cushion 100mm High - High Risk
DHA2810	Fluid supplement sac (Pair)
DHA2820	Tapered wedge (Pair)
DHA2830	Abductor
DHA2840	Lateral side wedge
DHA2850	Anterior front wedge
DHA2860	Seat rigidizer
DHA3480	Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included
DHA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included
JHA4066	Ceramic glaze finish on frame, for added durability
DHA4195	Tag (Small Küschall brand transfer on front of frame)
DHA4300	Black
DHA4310	Red
DHA2222	No tag colour, select only with Option DHA4197 Without Tag
DHA5000	75mm x 25mm (3" x 1") Supersport
DHA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre
DHA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre
DHA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre
DHA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frogs Legs) Use this option to access 4" anodised colour options
DHA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)
JHA5502	Pink
JHA5504	Orange
JHA5506	Blue
JHA5507	Purple
JHA5508	Red
JHA5509	Gold
JHA5510	Ceramic castor bearings for Aluminium soft roll castors
DHA6180	9th from front
DHA6410	24"

HA6510 24*. 20* Kuschall Sturec Wheel, 24* 8. 20* Black Cross Spokes, Run & Hub. HA6520 24*. 25* High Performance Wheel Black hub and arm HA6550 24*. 25* Spinetry LXK, Black hub, rin and 18 spokes in Black (Unique coloured spokes available) HA6551 24*. 25* Spinetry LXK, Black hub, rin and 18 spokes in Black (Unique coloured rins, hub and spokes available, supplie) HA6552 24*. 25* Spinetry Life Extreme XXLX, Weight 821 grams per wheel (Unique coloured rins, hub and spokes available, supplie) HA6553 24*. 25* Spinetry Carbon Fribre CLX, Weight S03 grams per wheel (Unique coloured rins, hub and spokes available, supplie) HA6554 24*. 25* Spinetry Carbon Fribre CLX, Weight S03 grams per wheel (Unique coloured hub and spokes available, supplie) HA6555 Spinetry SPCX, Chrome hub and 18 spokes in Black. (Unique coloured hub and spokes available, supplie) HA6556 Gold HA6556 Gold HA6556 Gold HA6556 Silver HA6555 Silver HA6556 Gold HA6556 Green HA6556 Silver HA6557 Silver HA6558 Silver HA6559 Green HA6550 Graen HA6557 <td< th=""><th>DHA6420</th><th>25"</th></td<>	DHA6420	25"
HA6520 24°, 25' High Performance Wheel Black hub, rin and 18 spokes in Black (Unique coloured spokes available) HA6550 24°, 25' Spinergy Like Externe X.X Weight 62 grams per wheel (Unique coloured inn, hub and spokes available, supplied in black as standard) HA6552 24°, 25' Spinergy Like Externe X.Sured X.X. Weight 62 grams per wheel (Unique coloured inn, hub and spokes available, supplied in black as standard) HA6553 24°, 25' Spinergy Like Externe X-BXX, Weight 630 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard) HA6554 24°, 25' Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard) HA6555 Bue HA6556 Green HA6558 Green HA6559 Green HA6559 Green HA6556 Silver HA6556 Silver HA6556 Silver HA6556 Silver HA6556 Silver HA6557 Dera HA6558 Silver HA6559 Silver HA6559 Silver HA6559 Silver HA6559 Silver HA6559 Green HA6559 Silver HA6559 Silver HA6559 Silver HA6559 Green <td>DHA6430</td> <td>26"</td>	DHA6430	26"
1448550 24* 25* Spinergy LXK, Black hub, rim and 18 upokes in Black (Unique coloured spokes available). 1448551 24* 25* Spinergy LKB Externe LX, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available aupplied in black as standard). 1448552 24* 25* Spinergy LLB Externe X, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available, aupplied in black as standard). 1448553 24* 25* Spinergy Cathon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard). 1448554 24* 25* Spinergy Cathon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available). 1448556 Science 1448557 Blue 1448558 Gold 1448559 Green 1448550 Green 1448551 Blue 1448552 Purple 1448553 Blue 1448556 Gold 1448557 Gold 1448558 Gold 1448559 Green 1448550 Green 1448556 Red 1448557 Orange 1448558 Red 1448557 Green 1448557 Green	DHA6510	24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub.
H46551 24*.25* Sphergy Lib Exterme X. Weight 687 grams per wheel (Unique coloured rims, hub and spokes available supplied in black as standard) H46552 24*.25* Sphergy Lib Exterme X-laced XLX. Weight 521 grams per wheel (Unique coloured rims, hub and spokes available supplied in black as standard) H46553 24*.25* Sphergy V. Laced Spot Lib Exterme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard) H46554 24*.25* Sphergy Cattors Fibre CLX. Weight 530 grams per wheel (Unique coloured rins, hub and spokes available, supplied in blacks as standard) W00007 24*.25* Sphergy Cattors Fibre CLX. Weight 530 grams per wheel (Unique coloured nub and spokes available) H46558 Gald H46558 Gald H46559 Green H46560 Orange H46561 Red H46562 Purple H46563 Blue H46564 Gold H46565 Green H46566 Green H46567 Orange H46568 Red H46568 Red H46569 Purple H46560 Green H46567 Orange H46568 Red H46568 Red H46570 Green H46571 Green H46572 Orange	DHA6520	24", 25" High Performance Wheel Black hub and rim
Date as isolating) Deak as isolating) DFA6552 247: 257 Spinergy X-Laced Sport Life Extreme XSLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available supplied in black as islandard) DFA6553 247: 257 Spinergy X-Laced Sport Life Extreme XSLX, Weight 757 grams per wheel (Unique coloured hub and spokes available, supplied in black as islandard) DFA6554 247: 257 Spinergy Cattorn Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available) DFA6558 God DFA6558 God DFA6558 God DFA6558 God DFA6559 Silver DFA6550 Gold DFA6550 God DFA6550 God DFA6550 God DFA6550 God DFA6550 Gold DFA6551 God DFA6552	DHA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black (Unique coloured spokes available)
supplied in black as standard) IPA6553 24°. 25° Spinengy X-Laced Sport Life Extreme XSLX. Weight 757 grams per wheel (Unique coloured mus, hub and spokes available, supplied in black as standard) IPA6554 24°. 25° Spinengy Carbon Flore CLX, Weight S30 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard) WO00070 24°. 25° Spinengy SPOX. Chrome hub and 18 spokes in Black. (Unique coloured spokes available, supplied in black as standard) IPA6557 Bue IPA6558 Gold IPA6559 Green IPA6550 Green IPA6551 Red IPA6552 Purple IPA6554 Gold IPA6555 Silver IPA6564 Gold IPA6565 Silver IPA6565 Silver IPA6566 Green IPA6567 Orange IPA6568 Red IPA6569 Purple IPA6570 Silve IPA6571 Green IPA6572 Orange IPA6573 Purple IPA6574 Red IPA6575	UHA6551	24", 25" Spinergy Lite Extreme LX, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)
available. supplied in black as standard) IHA6554 24*. 25* Splinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard) IWC0807 24*, 25* Splinergy SPOX, Chrome hub and 19 spokes in Black. (Unique coloured spokes available) IHA6558 Gold IHA6559 Blue IHA6559 Green IHA6550 Orange IHA6551 Red IHA6552 Purple IHA6553 Blue IHA6554 Gold IHA6555 Silver IHA6556 Silver IHA6556 Silver IHA6556 Creen IHA6557 Orange IHA6568 Red IHA6569 Purple IHA6568 Red IHA6571 Green IHA6572 Orange IHA6573 Pink IHA6574 Red IHA6575 Purple IHA6574 Red IHA6575 Purple IHA6574 Red IHA6575 Purple IHA6576	JHA6552	24", 25" Spinergy Lite Extreme X-laced XLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)
black as slandard) WV00907 24* 25* Spinergy SPOX. Chrome hub and 18 spokes in Black. (Unique coloured spokes available) HA6557 Blue HA6558 Gold HA6559 Green HA6561 Red HA6562 Purple HA6563 Blue HA6564 Gold HA6565 Silver HA6566 Gold HA6568 Silver HA6569 Green HA6569 Green HA6568 Red HA6569 Green HA6569 Purple HA6570 Blue HA6571 Green HA6572 Orange HA6573 Pink HA6574 Red HA6575 Varige HA6574 Red HA6575 Varige HA6574 Red HA6575 Varige HA6574 Red HA6575 Varige HA6576 Varige </td <td>JHA6553</td> <td>24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)</td>	JHA6553	24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)
HA6557 Blue HA6558 Gold HA6559 Green HA6560 Orange HA6561 Red HA6562 Purple HA6563 Blue HA6564 Gold HA6565 Silver HA6566 Green HA6566 Green HA6568 Red HA6568 Red HA6568 Red HA6569 Purple HA6568 Red HA6569 Purple HA6569 Purple HA6570 Blue HA6571 Green HA6572 Orange HA6573 Fink HA6574 Red HA6575 Purple HA6574 Red HA6575 Purple HA6576 White HA6577 Yellow HA6578 White HA6579 Ceramic Bearing for Spinergy rear wheels HA6570 24* x 1 34° Soild Prolie Black Tyre HA6570 24* x 1 34° Soild Prolie Black Tyre HA6570 24* x 1 34° Soild Prolie Black Tyre HA6570 24* x 25° Steel, short tab with 1 hole, mounted at 3 cm distance HA6570 <td< td=""><td>JHA6554</td><td>24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard)</td></td<>	JHA6554	24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard)
HA6559 Gold HA6559 Green HA6550 Orange HA6561 Red HA6562 Purple HA6563 Bilue Gold Gold HA6564 Gold HA6565 Silver HA6566 Green HA6566 Green HA6567 Orange HA6568 Red HA6569 Purple HA6569 Purple HA6570 Blue HA6571 Green HA6572 Orange HA6573 Pink HA6574 Red HA6575 Purple HA6575 Purple HA6576 White HA6577 Yellow HA6578 Ceramic Bearing for Spinergy rear wheels HA6570 24* x 1* Maxis Lite guard Pneumatic tyre. Hernigbone tread, Silvershield puncture protection HA6600 24* x 1* Maxis Lite guard Pneumatic tyre. Hernigbone tread, Silvershield puncture protection HA6600 24* x 1* Maxis Lite guard Pneumatic tyre. Hernigloone tread, Silvershield puncture protection	SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. (Unique coloured spokes available)
HA6559 Green HA6560 Orange HA6561 Red HA6562 Purple HA6563 Blue HA6564 Gold HA6565 Silver HA6566 Green HA6567 Orange HA6568 Red HA6569 Purple HA6570 Blue HA6571 Green HA6572 Orange HA6573 Pink HA6574 Red HA6575 Purple HA6576 White HA6577 Yellow HA6578 Purple HA6579 Ceramic Bearing for Spinergy rear wheels HA6570 24* x 1* Maxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6570 24* x 1 3/8* Solid Profine Black Tyre	JHA6557	Blue
HA6560 Orange HA6561 Red HA6562 Purple HA6563 Blue HA6564 Gold HA6565 Silver HA6566 Green HA6567 Orange HA6568 Red HA6569 Purple HA6569 Purple HA6569 Purple HA6567 Orange HA6570 Blue HA6571 Green HA6572 Orange HA6573 Pink HA6574 Red HA6575 Purple HA6576 Vinite HA6577 Yellow HA6578 Purple HA6579 Ceramic Bearing for Spinergy rear wheels HA6570 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6600 24* x 1* Maxxis Lite guard Pneumatic tyre way high puncture resistance) HA6600 24* x 1 * Maxxis Lite guard Pneumatic tyre Maximum and the stand distance HA670 24* 26* Supergripp. long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance HA670 24* 24* Stale, short tab with 1 hole, mounted at 3cm distance HA670 24* 24* Stocholife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance <td>JHA6558</td> <td>Gold</td>	JHA6558	Gold
HA6561 Red HA6562 Purple HA6563 Blue HA6564 Gold HA6565 Silver HA6566 Green HA6567 Orange HA6568 Red HA6569 Purple HA6569 Purple HA6570 Blue HA6571 Green HA6572 Orange HA6573 Pink HA6574 Red HA6575 Pink HA6576 White HA6577 Yellow HA6578 Purple HA6579 Ceramic Bearing for Spinergy rear wheels HA6579 Ceramic Bearing for Spinergy rear wheels HA6570 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6570 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6570 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6570 24* x 1* Maxxis Lite guard Dreumatic tyre. Herringbone tread, Silvershield puncture protection HA6570 24* x 1* Maxxis Lite	JHA6559	Green
HA6562 Purple HA6563 Blue HA6564 Gold HA6565 Silver HA6566 Green HA6566 Green HA6567 Orange HA6568 Red HA6569 Purple HA6570 Blue HA6571 Green HA6572 Orange HA6573 Pink HA6574 Green HA6575 Pink HA6576 Mike HA6577 Yellow HA6576 White HA6577 Yellow HA6576 White HA6577 Yellow HA6579 Ceramic Bearing for Spinergy rear wheels HA6570 24* x 1* MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) HA6570 24* x 1* MSL Speedlite Super Lightweight (Dual layer very high puncture resistance) HA6570 24* x 1* MSL Speedlite Super Lightweight (Dual layer very high puncture resistance) HA6570 24* x 1* MSL Speedlite Super Lightweight (Dual layer very high puncture resistance) HA6570 24* x 1* MSL Speedlite Super Lightweight (Dual layer very high puncture resistance) HA6570 24* x 26* Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance HA6710	JHA6560	Orange
HA6563 Blue HA6564 Gold HA6565 Silver HA6565 Silver HA6565 Green HA6566 Green HA6567 Orange HA6568 Red HA6569 Purple HA6570 Blue HA6571 Green HA6572 Orange HA6573 Pink HA6574 Red HA6575 Purple HA6576 White HA6577 Yellow HA6578 Purple HA6579 Ceramic Bearing for Spinergy rear wheels HA6579 Ceramic Bearing for Spinergy rear wheels HA6630 24* x 1* Maxis Lite guard Preumatic tyre. Herringbone tread, Silvershield puncture protection HA6630 24* x 1* Maxis Lite guard Preumatic tyre. Herringbone tread, Silvershield puncture protection HA6630 24* x 1* Maxis Lite guard Preumatic tyre. Herringbone tread, Silvershield puncture protection HA6630 24* x 1* Maxis Lite guard Preumatic tyre. HA6640 24*, 26* Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance HA6710 <td>JHA6561</td> <td>Red</td>	JHA6561	Red
HA6564 Gold HA6565 Silver HA6566 Green HA6566 Green HA6566 Green HA6568 Red HA6569 Purple HA6570 Blue HA6571 Green HA6572 Orange HA6573 Pink HA6574 Red HA6575 Purple HA6576 Vinite HA6577 Yellow HA6578 Verple HA6579 Ceramic Bearing for Spinergy rear wheels HA6560 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6600 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6600 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture resistance) HA6600 24" x 1" Maxxis Lite guard Discover of the mounting, mounted at 3cm distance HA6600 24" x 1" Maxxis Lite guard Discover of the mounting, mounted at 3cm distance HA6660 24" x 1" Maxxis Lite guard Discover of the mounting, mounted at 3cm distance HA6660 24" x 1" Maxis Lite guard Discover of the mounting,	JHA6562	Purple
HA6565 Silver HA6566 Green HA6566 Green HA6567 Orange HA6568 Red HA6569 Purple HA6570 Blue HA6571 Green HA6572 Orange HA6573 Pink HA6574 Red HA6575 Purple HA6576 White HA6577 Yellow HA6578 Purple HA6579 Ceramic Bearing for Spinergy rear wheels HA6630 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6630 24* x 1* Maxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6630 24* x 1* Maxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6630 24* x 1* Maxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6630 24* x 1* Maxis Lite guard Pneumatic tyre HA6630 24* x 1* Maxis Lite guard Pneumatic tyre HA6700 24*, 26* Steel, short tab with 1 hole, mounted at 3cm distance HA6740 24*, 26* Carbolife Gekko, long tab with 2 holes for	JHA6563	Blue
HA6566 Green HA6567 Orange HA6568 Red HA6569 Purple HA6570 Blue HA6571 Green HA6572 Orange HA6573 Pink HA6574 Red HA6575 Purple HA6576 White HA6577 Yellow HA6578 Purple HA6579 Ceramic Bearing for Spinergy rear wheels HA6579 Ceramic Bearing for Spinergy rear wheels HA6630 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection HA6630 24* x 1* MSL Speedilte Super Lightweight (Dual layer very high puncture resistance) HA66700 24*, 26* Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance HA6710 24*, 26* Steel, short tab with 1 hole, mounted at 3 cm distance HA6720 24* Ttanium, long tab with 2 holes for 3cm x 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, 32mm diameter HA6750 24*, 25* Carbolife Gekko, long tab with 2 holes for 3cm x 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, 3	JHA6564	Gold
IHA6567 Orange IHA6568 Red IHA6568 Red IHA6569 Purple IHA6570 Blue IHA6571 Green IHA6572 Orange IHA6573 Pink IHA6574 Red IHA6575 Purple IHA6576 White IHA6577 Yellow IHA6578 Purple IHA6579 Ceramic Bearing for Spinergy rear wheels IHA6600 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6600 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6600 24" x 1 "Maxxis Lite guard Pneumatic tyre. IHA6600 24" x 1 "Maxxis Lite guard Pneumatic tyre. IHA6600 24" x 1 3/8" Solid Profile Black Tyre IHA6600 24", 26" Steel, short tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance IHA6710 24", 26" Steel, short tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. IHA6740 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. IHA6750 24", 25" Carbolife Gekko, long tab	JHA6565	Silver
IHA6568 Red IHA6568 Red IHA6569 Purple IHA6570 Blue IHA6571 Green IHA6572 Orange IHA6573 Pink IHA6574 Red IHA6575 Purple IHA6576 White IHA6577 Yellow IHA6579 Ceramic Bearing for Spinergy rear wheels IHA6570 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6570 24* x 1* MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) IHA6670 24* x 1 3/8* Solid Profile Black Tyre IHA6670 24*, 26* Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance IHA6710 24*, 26* Steel, short tab with 1 hole, mounted at 3 cm distance IHA6720 24* Tlanium, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, 32mm diameter IHA6750 24*, 25* Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, 32mm diameter IHA6750 24*, 25* Carbolife Gekko, long tab with 2 h	JHA6566	Green
IHA6569 Purple IHA6570 Blue IHA6571 Green IHA6572 Orange IHA6573 Pink IHA6574 Red IHA6575 Purple IHA6576 White IHA6577 Yellow IHA6578 Ceramic Bearing for Spinergy rear wheels IHA6579 Ceramic Bearing for Spinergy rear wheels IHA6630 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6630 24* x 1* MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) IHA6670 24* x 1 3/8* Solid Profile Black Tyre IHA6710 24*, 26* Steel, short tab with 1 hole, mounted at 3 cm distance IHA6720 24* Titanium, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. IHA6750 24*, 25* Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. IHA6750 24*, 25* Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. IHA6750 24*, 25* Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. IHA6750 24*, 25* Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance.	JHA6567	Orange
IHA6570 Blue IHA6571 Green IHA6572 Orange IHA6573 Plink IHA6574 Red IHA6575 Purple IHA6576 White IHA6577 Yellow IHA6579 Ceramic Bearing for Spinergy rear wheels IHA6500 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6600 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6600 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6600 24* x 1* Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6600 24* x 1* Solid Profile Black Tyre IHA6670 24* x 1 3/8* Solid Profile Black Tyre IHA6710 24*, 26* Steel, short tab with 1 hole, mounted at 3 cm distance IHA6720 24* Titanium, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance IHA6740 24*, 25* Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter IHA6750 24*, 25* Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, m	JHA6568	Red
IHA6571 Green IHA6572 Orange IHA6573 Pink IHA6574 Red IHA6575 Purple IHA6576 White IHA6577 Yellow IHA6579 Ceramic Bearing for Spinergy rear wheels IHA6579 Ceramic Bearing for Spinergy rear wheels IHA6600 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6600 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) IHA6600 24" x 1.3/8" Solid Profile Black Tyre IHA6670 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance IHA6710 24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance IHA6720 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3 cm distance. IHA6750 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. IHA6750 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter IHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion,	JHA6569	Purple
IHA6572 Orange IHA6573 Pink IHA6574 Red IHA6575 Purple IHA6576 White IHA6577 Yellow IHA6579 Ceramic Bearing for Spinergy rear wheels IHA6600 24* x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6600 24* x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) IHA6600 24* x 1 3/8" Solid Profile Black Tyre IHA6700 24*, 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance IHA6720 24* Titanium, long tab with 1 hole, mounted at 3 cm distance IHA6740 24*, 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32m diameter IHA6750 24*, 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. smaller profile for smaller hands, 24m diameter. IHA6750 24* Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. smaller profile for smaller hands, 24m diameter. IHA6750 24* Carbolife Ge	JHA6570	Blue
IHA6573 Pink IHA6573 Pink IHA6574 Red IHA6575 Purple IHA6576 White IHA6577 Yellow IHA6579 Ceramic Bearing for Spinergy rear wheels OHA6500 24* x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection OHA6600 24* x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) OHA6600 24* x 1 "MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) OHA6600 24* x 1 3/8" Solid Profile Black Tyre OHA6700 24*, 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance OHA6710 24*, 26" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance OHA6740 24*, 25° Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter OHA6750 24*, 25° Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter OHA6750 24*, 25° Carbolife Gekko, Sl, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber	JHA6571	Green
IHA6574 Red IHA6575 Purple IHA6576 White IHA6577 Yellow IHA6579 Ceramic Bearing for Spinergy rear wheels IHA6500 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection IHA6600 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) IHA6600 24" x 1 MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) IHA6600 24" x 1 3/8" Solid Profile Black Tyre IHA6700 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance IHA6720 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance IHA6740 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter IHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter IHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter IHA6760 24" Carbolife Curve L, long tab with 2 hol	JHA6572	Orange
JHA6575 Purple JHA6576 White JHA6577 Yellow JHA6579 Ceramic Bearing for Spinergy rear wheels JHA6600 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection DHA6600 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) DHA6600 24" x 1 MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) DHA6600 24" x 1 3/8" Solid Profile Black Tyre DHA6600 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance DHA6710 24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance DHA6720 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3 cm distance. DHA6740 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter DHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter DHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. smaller profile for smaller hands, 24mm diameter. </td <td>JHA6573</td> <td>Pink</td>	JHA6573	Pink
UHA6576 White UHA6577 Yellow UHA6579 Ceramic Bearing for Spinergy rear wheels UHA6600 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection UHA6630 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) UHA6660 24" x 1 MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) UHA6660 24" x 1 MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) UHA6660 24" x 1 J/8" Solid Profile Black Tyre UHA6700 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance UHA6710 24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance UHA6720 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance. UHA6740 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter UHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter. UHA6760 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsio	JHA6574	Red
HA6577 Yellow HA6579 Ceramic Bearing for Spinergy rear wheels DHA6600 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection DHA6630 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) DHA6660 24" x 1 3/8" Solid Profile Black Tyre DHA6660 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance DHA6710 24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance DHA6720 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance DHA6740 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, 32mm diameter DHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter. DHA6760 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter.	JHA6575	Purple
UHA6579Ceramic Bearing for Spinergy rear wheels0HA660024" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection0HA663024" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)0HA666024" x 1 3/8" Solid Profile Black Tyre0HA6670024", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance0HA671024", 26" Steel, short tab with 1 hole, mounted at 3 cm distance0HA672024" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance0HA674024", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, 32mm diameter0HA675024", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter.0HA676024" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter.	JHA6576	White
DHA660024" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protectionDHA663024" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)DHA666024" x 1 3/8" Solid Profile Black TyreDHA6670024", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distanceDHA671024", 26" Steel, short tab with 1 hole, mounted at 3 cm distanceDHA672024" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distanceDHA674024", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameterDHA675024", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameterDHA675024", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameterDHA676024" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter.	JHA6577	Yellow
DHA663024" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)DHA666024" x 1 3/8" Solid Profile Black TyreDHA6670024", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distanceDHA671024", 26" Steel, short tab with 1 hole, mounted at 3 cm distanceDHA672024" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distanceDHA674024", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance.DHA674024", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameterDHA675024", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. smaller profile for smaller hands, 24mm diameter.DHA676024" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. smaller profile for smaller hands, 24mm diameter.	JHA6579	Ceramic Bearing for Spinergy rear wheels
DHA666024" x 1 3/8" Solid Profile Black TyreDHA670024", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distanceDHA671024", 26" Steel, short tab with 1 hole, mounted at 3 cm distanceDHA672024" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distanceDHA674024", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameterDHA675024", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter.DHA676024" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effor	DHA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection
DHA670024", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distanceDHA671024", 26" Steel, short tab with 1 hole, mounted at 3 cm distanceDHA672024" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distanceDHA674024", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameterDHA675024", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter.DHA676024" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effor	DHA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)
DHA6710 24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance DHA6720 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance DHA6740 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter DHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, 32mm diameter DHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter. DHA6760 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effor	DHA6660	24" x 1 3/8" Solid Profile Black Tyre
DHA6720 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance DHA6740 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter DHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter. DHA6760 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effor	DHA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
OHA6740 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter OHA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter. OHA6760 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effor	DHA6710	24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance
effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter 0HA6750 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter. 0HA6760 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effor	DHA6720	24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance
effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter.OHA676024" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effor	DHA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low- effort propulsion, with fully integrated rubber strip for extra grip. 32mm diameter
	DHA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low- effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands, 24mm diameter.
propulsion	DHA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion

DHA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim	
DHA6900	22", 24", 26" Transparent	
DHA7000	Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function)	
DHA7010	Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation)	
DHA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre	
DHA7300	Brake Lever Extension	
DHA7810	Bodypoint Posture Belt Evoflex Small	
DHA7820	Bodypoint Posture Belt Evoflex Medium	
DHA7830	Bodypoint Posture Belt Evoflex Large	



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

Special Instructions Please supply the following information:

Name:

Email:

Phone:

Description of special request (please include relevant option code or part number):