

## Manual Retail Prescription Form

## Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk JUNE 2024 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

## **Kuschall K-Series 2.0**

## **Standard Features**

- Max User Weight 130kg (20.5 stone)
- Crash Tested ISO 7176-Part 19
- Active Rigid Wheelchair with Height Adjustable Rigid Footrest
- Multiple adjustments, Front and Rear Seat Heights and Centre of Gravity
- Full Hydroformed Aluminium Front Frame 75° Front Angle
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims and Pneumatic Tyres
- Choice of 10 Seat Widths 320mm to 500mm
- Choice of 8 Seat Depths 350mm to 525mm
- Range of Front Seat Heights from 450mm to 520mm
- Range of Rear Seat Heights from 390mm to 490mm
- Lockdown Folding, Angle and Height Adjustable Backrest
- Black Nylon with Reflective Trim, Tension Adjustable Upholstery
- Without Push Handles, Carbon Clothesguards
- Black Aluminium Axle Tube with 3° Camber
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

Standard Base price: £2,540



Please make your selection with a cross in the box	0	Free of charge	<b>♦</b>	standard feature POA special request
,	_		•	

Customer weight = KG

Code	Description	
BASE PRODU	UCT*	
DKA0067	KÜSCHALL K-SERIES	£2,540
DKA0000	Special Request - Please include quotation reference in special description at the end of the form where applicable	POA

FRAME*			
DKA1040	V Style Standard Frame Angle 75° Aluminium (Footrest width = seat width minus 120mm)	(NC 1475, 1490, 1495, 7240)	•
DKA1050	Tapered Style Standard Frame Angle 75° Aluminium (Footrest width = seat width minus 100mm)	(NC 1475, 1490, 1495, 1740, 1745, 1750, 3230, 7240)	O
DKA1060	V Style +5cm Frame Angle 75° Aluminium. Frame to accommodate a longer seat depth and seat height for taller clients (Footrest width = seat width minus 120mm)	(NC 1410, 1420, 1435, 1740, 1745, 1750, 1755, 1760)	O
DKA1070	V Style Standard Frame Angle 90° Aluminium (Footrest width = seat width minus 120mm)	(NC 1475, 1490, 1495, 7240)	O
DKA1080	Tapered Style Standard Frame Angle 90° Aluminium. Taper before the frame bend creating a parallel style front frame with a wider footrest space (Footrest width = seat width minus 100mm)	(NC 1475, 1490, 1495, 1740, 1745, 1750, 3230, 5300, 5350, 5400, 5450, 5500, 7240)	0
DKA1090	V Style +5cm Frame Angle 90° Aluminium. Frame to accommodate a longer seat depth and seat height for taller clients (Footrest width = seat width minus 120mm)	(NC 1410, 1420, 1435, 1740, 1745, 1750, 1755, 1760)	O
SUSPENSION			
DKA1200	Seat Suspension, Weight Range 40-65 KG	(NC 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430)	£434
DKA1210	Seat Suspension, Weight Range 65-85 KG	(NC 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430)	£434
DKA1220	Seat Suspension, Weight Range 85-100 KG	(NC 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430)	£434
SEAT WIDTH*			
DKA1310	320 mm	(NC 2050, 2610, 2630, 2710, 2720, 2748, 2750, 3405, 3420)	O
DKA1315	340 mm	(NC 2710, 2720, 2748, 3405, 3420)	O
DKA1320	360 mm	(NC 2710, 2748)	O
DKA1325	380 mm		O
DKA1330	400 mm		<b>•</b>
DKA1335	420 mm		O
DKA1340	440 mm	(NC 2630)	O
DKA1345	460 mm	(NC 2630)	O
DKA1350	480 mm	(NC 2630, 3230)	O
DKA1355	500 mm	(NC 2630, 3210, 3230)	O
SEAT DEPTH*			
DKA1410	350 mm	(NC 1500, 1510, 2630, 2710, 2720, 2748, 2860, 7810, 7820, 7830)	O
DKA1420	375 mm	(NC 2710, 2720, 2748, 7810, 7820, 7830)	O
DKA1435	400 mm		<b>♦</b>
DKA1450	425 mm		O
DKA1465	450 mm	(NC 2630)	O
DKA1475	475 mm	(NC 2630, 2748)	O
DKA1490	500 mm	(NC 2630, 2710, 2748)	0
DKA1495	525 mm	(NC 2630, 2610, 2710, 2748)	0
SEAT POSITIO	N. Seat module can be moved forward and backward along	the frame to achieve a more active or stable rear whee	el position*
DKA1500	Position 1 = 140 mm MOST ACTIVE POSITION		•
DKA1510	Position 2 = 125 mm		O
DKA1520	Position 3 = 110 mm		•
DKA1530	Position 4 = 95 mm		O
DKA1540	Position 5 = 80 mm LEAST ACTIVE POSITION		0

BACK HEIGHT	. Transportation kit is only possible	with backrest heights of 405mm and above*	
DKA1605	270 mm	(NC 2430, 7600)	0
DKA1610	285 mm	(NC 2430, 7600)	O
DKA1615	300 mm	(NC 2430, 7600)	0
DKA1620	315 mm	(NC 7600)	0
DKA1625	330 mm	(NC 7600)	0
DKA1630	345 mm	(NC 7600)	0
DKA1635	360 mm	(NC 7600)	O
DKA1640	375 mm	(NC 7600)	O
DKA1645	390 mm	(NC 7600)	O
DKA1650	405 mm		0
DKA1655	420 mm		0
DKA1660	435 mm	(NC 2150)	0
DKA1665	450 mm	(NC 2150)	O
DKA1670	465 mm	(NC 2150)	0
DKA1675	480 mm	(NC 2150)	0
FRONT SEAT H	HEIGHT. For 75° frames, the maximu	m lower leg must be front seat height minus 30mm and minus 40mm for 90° frames	ŧ
DKA1740	450 mm	(NC 5300, 5350, 5400, 5450, 5500)	0
DKA1745	460 mm	(NC 5300, 5350, 5400, 5450, 5500)	0
DKA1750	470 mm		0
DKA1755	480 mm		0
DKA1760	490 mm		O
DKA1765	500 mm		<b>♦</b>
DKA1770	510 mm		0
DKA1775	520 mm		0
REAR SEAT HE	EIGHT*		
DKA1815	390 mm	(NC 3490, 3495, 6030, 6040, 6430)	0
DKA1820	400 mm	(NC 3490, 3495, 6030, 6040, 6430)	0
DKA1825	410 mm	(NC 3490, 3495)	0
DKA1830	420 mm		0
DKA1835	430 mm		0
DKA1840	440 mm		<b>*</b>
DKA1845	450 mm		0
DKA1850	460 mm		0
DKA1855	470 mm		0
DKA1860	480 mm		0
		(NC 6410)	0
DKA1865	490 mm	(100 04 10)	)

LOWER LEG LE	ENGTH Seat canvas to footplate measurement, cushion hei	ght must be deducted.*	
DKA1918	290 mm		O
DKA1920	300 mm		O
DKA1922	310 mm		O
DKA1924	320 mm		O
DKA1926	330 mm		O
DKA1928	340 mm		O
DKA1930	350 mm		O
DKA1932	360 mm		O
DKA1934	370 mm		O
DKA1936	380 mm		O
DKA1938	390 mm		O
DKA1940	400 mm		O
DKA1942	410 mm		O
DKA1944	420 mm		O
DKA1946	430 mm		<b>♦</b>
DKA1948	440 mm		O
DKA1950	450 mm		O
DKA1952	460 mm		O
DKA1954	470 mm		O
DKA1956	480 mm		O
BACKREST MA	TERIAL*		
DKA2000	Aluminium Hydroformed backrest Weight approx. 260g		<b>*</b>
DKA2050	Titanium Round profile tube backrest. Weight approx. 210g	(NC 2150, 2430, 7600)	£206
BACKREST TYP			
DKA2100	Standard Backrest with Backbrace, lockdown folding for easy transportation	(NC 2240, 2440)	<b>*</b>
DKA2150	Backrest with Lower Backbrace for use with Matrx fixed back. Lockdown folding for easy transportation	(NC 2220, 2230, 2430)	O
BACKREST UP	HOLSTERY*		
DKA2220	Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener	(NC 2440)	•
DKA2230	Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener	(NC 2440)	£223
DKA2240	Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required		0
PUSH HANDLES	S*		
DKA2400	Without Push Handles		<b>♦</b>
DKA2410	Push Handles Fixed Short/Mini Hand Grip		£133
DKA2420	Push Handles Fixed Long Hand Grip		£133
DKA2430	Push Handles Height Adjustable, Rear Set. Maximum height of push handles is rear seat height + 600mm	(NC 3480)	£254
DKA2440	Push Handles Height Adjustable, Integrated in backrest		£219
	(Height range with Matrx backs 340mm to 460mm from the seat)		

BACKREST AN	IGLE*		
DKA2520	78° angle from the seat		O
DKA2540	82° angle from the seat		O
DKA2560	86° angle from the seat		O
DKA2580	90° angle from the seat		<b>♦</b>
DKA2590	94° angle from the seat		O
SEAT UPHOLS	TERY*		
DKA2600	Standard Nylon Seat Upholstery with one 5cm central band (Loop)		•
DKA2610	Tension Adjustable Seat Upholstery with one 5cm central band (Loop)		£45
DKA2630	Light Seat Upholstery, mesh material to reduce weight		£69
SEAT CUSHION	V		
DKA2700	Standard Seat Cushion, 60mm high Double Foam with Visco Top Layer - Comfort/Low Risk	(NC 2810, 2820, 2830, 2840, 2850)	£66
DKA2710	Flo-Tech Lite Cushion 78mm high - Comfort/Low Risk	(NC 2810, 2820, 2830, 2840, 2850)	£121
DKA2720	Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk		£410
DKA2748	Contour Visco NG Cushion 100mm High - High Risk	(NC 2810, 2820, 2830, 2840, 2850)	£169
DKA2750	Vicair Active O2 lightweight cushion 60mm High - High risk	(NC 2810, 2820, 2830, 2840, 2850, 2860)	£521
SEAT BAG			
DKA2800	Seat Bag, Click in and removable		£74
MATRX LIBRA	CUSHION ACCESSORIES		
DKA2810	Fluid supplement sac (Pair)		£44
DKA2820	Tapered Wedge Pair		£30
DKA2830	Abductor		£23
DKA2840	Lateral Side Wedge		£20
DKA2850	Anterior Front Wedge		£27
SEAT RIGIDISE	iR		
DKA2860	Seat Rigidiser		£39
FOOTREST*			
DKA3200	Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g		<b>•</b>
DKA3210	Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g		£185
DKA3220	Carbon Footplate, Angle Adjustable	(NC 3290)	£225
DKA3230	Footplate Flip-to Side, Angle Adjustable	(NC 3290)	£143
FOOTREST CO			007
DKA3290	Footrest Cover		£37
CALF STRAP*	Out the second of the form with head and have		_
DKA3300	Calf strap mounted on the frame with hook and loop		<b>\</b>
DKA3305	Calf strap mounted with bracket support		0
	RDS/MUDGUARDS*		
DKA3405	Composite Clothesguards, Flip up, Fold in		0
DKA3420	Carbon clothes guards, Flip up, Fold in.		<b></b>
DKA3440	Carbon Mudguards, Removable	(NC 3490, 3495)	£307
DKA3450	Composite mudguards, removable	(NC 3490, 3495)	£65

ARMREST			
DKA3480	Tubular Armrest. Height Adjustable, Removable, Non- locking, Swing-away and Comfort Padded, no Clothesguard included		£241
DKA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included		£164
DKA3495	Armrest, Height Adjustable, Long Armpad (T-Arm), Non-locking, no Clothesguard included		£164
FRAME COLO	JR*		
DKA4000	Space Black (RAL 9005)		0
DKA4010	Anthracite Grey (RAL 7016)		O
DKA4020	Pure White (RAL 9016)	(NC 4220)	O
DKA4030	Carmine Red (RAL 3002)		O
DKA4040	Azure Blue (RAL 5017)		0
DKA4060	Flashy Yellow (RAL 1516) (Additional 15 day lead time)		£31
DKA4100	Black Glossy (RAL 9005) (Additional 15 day lead time)		£31
DKA4130	Silver Grey (RAL 9006) (Additional 15 day lead time)		£31
DKA4145	Pearl Night Blue (Additional 15 day lead time)		£31
DKA4150	Ruby Red (RAL 1503) (Additional 15 day lead time)		£31
DKA4170	Dynamite Orange (Additional 15 day lead time)		£31
DKA4180	Forest Green (RAL 6029) (Additional 15 day lead time)		£31
FRAME DECAL	TYPE*		
DKA4190	Bold Decal (Full coloured transfer on frame)	(NC 4300, 4310, 1111)	£31
DKA4195	Tag (Small Küschall brand transfer on front of frame)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 2222)	<b>♦</b>
DKA4197	Without Tag (Kuschall branding only)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310)	O
BOLD DECAL	COLOUR*		
DKA4200	Black		O
DKA4210	Dark Grey		O
DKA4220	Light Grey		O
DKA4230	Red		O
DKA4240	Blue		O
DKA4250	Gold		0
DKA1111	No bold colour, select only with Option DKA4195 Tag or DKA4197 Without Tag	(NC 4190)	O
TAG COLOUR*			
DKA4300	Black		0
DKA4310	Red		O
DKA2222	No tag colour, select only with Option DKA4190 Bold Decal or DKA4197 Without Tag	(NC 4195)	O

FRONT CASTO	RS*		
DKA5000	75mm x 25mm (3" x 1") Supersport		O
DKA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre		0
DKA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre		O
DKA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre		£83
DKA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)		£93
DKA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)		£93
DKA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre		0
DKA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre		0
DKA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre		£83
DKA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)		£93
DKA5500	125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)		£93
REAR WHEEL	POSITION*		
DKA6020	Standard, Fixed Rear Wheel Position	(NC 6100, 6110, 6120, 6130, 6140, 6230, 6240)	<b>♦</b>
DKA6030	Light Rear Wheel Extension (3 Positions)	(NC 6070, 6130, 6140, 6230, 6240)	£113
DKA6040	Rear Wheel Extension (5 Positions)	(NC 6070)	£131
CAMBER AXLE	ETYPE*		
DKA6050	Vario-Ax, Adjustable Camber can achieve 1°, 3°, 7° and 10°. Only active/scissor brake will lock 10° camber position	(NC 6200, 6210, 6220, 6270, 7230)	£287
DKA6060	Standard Aluminium Axle	(NC 4444)	•
DKA6070	Carbon Axle	(NC 4444)	£212
POSITION OF A	AXLE		
DKA6100	1st Position from the front. If 2nd axle is selected, 1st axle must be placed in 1st position and 2nd in the 5th position		0
DKA6110	2nd Position from the front	(NC 6230, 6240)	0
DKA6120	3rd Position from the front	(NC 6230, 6240)	0
DKA6130	4th Position from the front	(NC 6230, 6240)	0
DKA6140	5th Position from the front	(NC 6230, 6240)	0
CAMBER ANGI	E*		
DKA6200	0° Camber	(NC 6270)	O
DKA6210	3° Camber		<b>♦</b>
DKA6220	6° Camber	(NC 6240, 6250)	O
DKA4444	Without camber angle, select only with DKA6050 Vario-Axle		O
2ND CAMBER	AXLE TYPE. If a 2nd axle is selected, 1st axle must be place	ed in 1st position and the 2nd axle in the 5th posit	tion
DKA6230	Standard Aluminium Axle		£232
DKA6240	Vario-Ax, Adjustable Camber can achieve 1°, 3°, 7° and 10°	(NC 6250, 6260, 6270, 7230)	£287
CAMBER ANGI	LE 2ND AXLE. Max of 3° difference in camber from 1st axle.	If only 1 of the axles is a Vario-Axle, 2nd axle is o	only possible in
DKA6250	0° Camber		O
DKA6260	3° Camber		O
DKA6270	6° Camber		O
DKA5555	Without camber angle, select only with DKA6240 Vario-Axle		0
QUAD QUICK F			
DKA6300	Quad Quick Release/Tetra Clip	(NC 6550)	£85
L			

REAR WHEEL	SIZE*		
DKA6410	24"		•
DKA6420	25"	(NC 6510, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900, 6910)	O
DKA6430	26"	(NC 6520, 6550, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770, 7240)	O
REAR WHEEL 1	rype*		
DKA6510	24", 26" Küschall Starec Wheel, 24" Black Cross Spokes, Rim & Hub. 26" Silver Cross-Spokes, Colourless hub and Black rim		•
DKA6520	24", 25" High Performance Wheel Black hub and rim	(NC 6660)	£182
DKA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black	(NC 6660, 6910)	£611
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall		£486
SWO0909	24", 25" Spinergy LX, Chrome hub and 12 spokes in Black. Coloured spokes are available via MyKüschall		£735
REAR WHEEL 1	TYRE*		
DKA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection		<b>♦</b>
DKA6625	24", 25", 26" x 1" Maxxis Alpha Protect. Lightweight, Pneumatic and highly puncture resistant.		£100
DKA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)		£97
DKA6660	24" x 1 3/8" Solid Profile Black Tyre	(NC 7230)	£66
HANDRIM*			
DKA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance		£223
DKA6710	24", 26" Steel, short tab with 1 hole, mounted at 3cm distance		£62
DKA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance		£192
DKA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip		£320
DKA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands		£320
DKA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion		£284
DKA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim		£356
DKA6780	24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3 cm or 4cm mountings, mounted at 3cm distance		<b>♦</b>
DKA6790	24", 25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting		£42
SPOKEGUARD	-		
DKA6900	24", 26" Transparent Spokeguard		£126
DKA6910	24", 26" Black Spokeguard		£126
BRAKES*	-		
DKA7210	Standard Push to Lock Brakes, Lever Bent		<b>•</b>
DKA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre	(NC 7300)	£78
DKA7240	Active/Scissor Brakes	(NC 7300)	£78
DKA7250	Light/Compact Active, Aluminium Brakes	(NC 7300)	£136

BRAKE LEVER	EXTENSION		
DKA7300	Brake Lever Extension		£49
SAFETY OPTIO	NS		
DKA7500	Anti-Tipper Right	(NC 7520)	£122
DKA7510	Anti-Tipper Left	(NC 7520)	£122
DKA7520	Anti-Tipper Both sides	(NC 8300)	£244
DKA7600	Transportation Kit Includes Tiedown Labels		0
DKA7800	Standard lap belt. We recommend the fitmer belt if the Transportation kit is selected	it of a seat	£5
BODYPOINT BI	ELTS		
DKA7810	Bodypoint Posture Belt Evoflex Small		£81
DKA7820	Bodypoint Posture Belt Evoflex Medium		£81
DKA7830	Bodypoint Posture Belt Evoflex Large		£81
OTHER OPTION	NS		
DKA8010	Front Frame Protectors; 2 Piece. Removable and loop	with hook	£37
DKA8500	Air Pump		£13
DKA8550	Tool Kit		<b>♦</b>
DKA8680	24" Mountain Bike Wheels with bag. Fitted w Black Tyres, Grey Aluminium Handrims; Qui Axles Included	ith Specific ck Release	£320
CANE HOLDER	L _		
DKA8200	Cane Holder, Mounted Right Side		£75
DKA8210	Cane Holder, Mounted Left Side		£75
TRANSIT WHE	ELS		
DKA8300	Transit Wheels 3"		£230
BODYPOINT A	CCESSORIES		
DKA8800	Bodypoint Calf Strap		£57
DKA8850	Bodypoint Mobility Bag		£55

TOTAL PRICE

Non Conforming O	Options:
DKA1310	320 mm
DKA1350	480 mm
DKA1355	500 mm
DKA1410	350 mm
DKA1420	375 mm
DKA1435	400 mm
DKA1475	475 mm
DKA1490	500 mm
DKA1495	525 mm
DKA1500	Position 1 = 140 mm MOST ACTIVE POSITION
DKA1510	Position 2 = 125 mm
DKA1520	Position 3 = 110 mm
DKA1740	450 mm
DKA1745	460 mm
DKA1750	470 mm
DKA1755	480 mm
DKA1760	490 mm
DKA1815	390 mm
DKA1820	400 mm
DKA1825	410 mm
DKA1830	420 mm
DKA1835	430 mm
DKA2050	Titanium Round profile tube backrest. Weight approx. 210g
DKA2150	Backrest with Lower Backbrace for use with Matrx fixed back. Lockdown folding for easy transportation
DKA2220	Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener
DKA2230	Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener
DKA2240	Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required
DKA2430	Push Handles Height Adjustable, Rear Set. Maximum height of push handles is rear seat height + 600mm
DKA2440	Push Handles Height Adjustable, Integrated in backrest (Height range with Matrx backs 340mm to 460mm from the seat)
DKA2610	Tension Adjustable Seat Upholstery with one 5cm central band (Loop)
DKA2630	Light Seat Upholstery, mesh material to reduce weight
DKA2710	Flo-Tech Lite Cushion 78mm high - Comfort/Low Risk
DKA2720	Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk
DKA2748	Contour Visco NG Cushion 100mm High - High Risk
DKA2750	Vicair Active O2 lightweight cushion 60mm High - High risk
DKA2810	Fluid supplement sac (Pair)
DKA2820	Tapered Wedge Pair
DKA2830	Abductor
DKA2840	Lateral Side Wedge
DKA2850	Anterior Front Wedge
DKA2860	Seat Rigidiser
DKA3210	Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g
DKA3230	Footplate Flip-to Side, Angle Adjustable

DKA3290	Footrest Cover
DKA3405	Composite Clothesguards, Flip up, Fold in
DKA3420	Carbon clothes guards, Flip up, Fold in.
DKA3480	Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included
DKA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included
DKA3495	Armrest, Height Adjustable, Long Armpad (T-Arm), Non-locking, no Clothesguard included
DKA4190	Bold Decal (Full coloured transfer on frame)
DKA4195	Tag (Small Küschall brand transfer on front of frame)
DKA4200	Black
DKA4210	Dark Grey
DKA4220	Light Grey
DKA4230	Red
DKA4240	Blue
DKA4250	Gold
DKA1111	No bold colour, select only with Option DKA4195 Tag or DKA4197 Without Tag
DKA4300	Black
DKA4310	Red
DKA2222	No tag colour, select only with Option DKA4190 Bold Decal or DKA4197 Without Tag
DKA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre
DKA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre
DKA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre
DKA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)
DKA5500	125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)
DKA6030	Light Rear Wheel Extension (3 Positions)
DKA6040	Rear Wheel Extension (5 Positions)
DKA6070	Carbon Axle
DKA6100	1st Position from the front. If 2nd axle is selected, 1st axle must be placed in 1st position and 2nd in the 5th position
DKA6110	2nd Position from the front
DKA6120	3rd Position from the front
DKA6130	4th Position from the front
DKA6140	5th Position from the front
DKA6200	0° Camber
DKA6210	3° Camber
DKA6220	6° Camber
DKA4444	Without camber angle, select only with DKA6050 Vario-Axle
DKA6230	Standard Aluminium Axle
DKA6240	Vario-Ax, Adjustable Camber can achieve 1°, 3°, 7° and 10°
DKA6250	0° Camber
DKA6260	3° Camber
DKA6270	6° Camber
DKA6410	24"
DKA6420	25"
DKA6430	26"

Kuschall K-Series 2.0 Page 11 of 13

DKA6520	24", 25" High Performance Wheel Black hub and rim
DKA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black
DKA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection
DKA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)
DKA6660	24" x 1 3/8" Solid Profile Black Tyre
DKA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
DKA6710	24", 26" Steel, short tab with 1 hole, mounted at 3cm distance
DKA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance
DKA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip
DKA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands
DKA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion
DKA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim
DKA6900	24", 26" Transparent Spokeguard
DKA6910	24", 26" Black Spokeguard
DKA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre
DKA7240	Active/Scissor Brakes
DKA7300	Brake Lever Extension
DKA7520	Anti-Tipper Both sides
DKA7600	Transportation Kit Includes Tiedown Labels
DKA7810	Bodypoint Posture Belt Evoflex Small
DKA7820	Bodypoint Posture Belt Evoflex Medium
DKA7830	Bodypoint Posture Belt Evoflex Large
DKA8300	Transit Wheels 3"

Kuschall K-Series 2.0 Page 12 of 13



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:	
Name:	Email:
Phone:	Fax:
Description of special request (please include relavent option code or part r	number):