

Manual Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

JULY 2024 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Küschall The KSL 2.0

Standard Features

- Max User Weight 100kg (16 stone)
- Active, Fully Welded, Lightweight, Rigid Wheelchair with Height Adjustable Rigid Footrest
- Fully Hydroformed Aluminium Front Frame 75° or 90° Front Angle
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims & Pneumatic Tyres
- Choice of 6 Seat Widths 340mm to 440mm (13" 17")
- Choice of 5 Seat Depths 385mm to 485mm (15" 19")
- Range of Front Seat Heights from 450mm to 530mm (17" - 21")
- Range of Rear Seat Heights from 400mm to 480mm (15" - 19")
- Lockdown Folding, Angle & Height Adjustable
 Backrest
- Black Nylon Upholstery
- Without Push Handles, Carbon Clothesguards
- Carbon Fibre Axle Tube with 3° Camber
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

Standard Base price: £3,150



Please make your selection with a cross in the box	O Free of charge standard feature POA special request	
--	---	--

Customer weight = KG

Code		Description	
BASE PROD	UCT*		
DSA0085		KÜSCHALL THE KSL 2.0	£3,150
UNIQUE SPE	CIALS	(For special modifications only) Additional lead time of 4 weeks	
DSA0000		UNIQUE Special Request - For use when requesting any special options or builds	POA
UNIQUE CUS	томіѕ	ATION AND PERSONALISATION OPTIONS Additional 4 weeks lead time for Unique options	
USA0001		UNIQUE Personalisation - For use when selecting USA customisation and personalisation options	0

FRAME*			
DSA1000	Aluminium Hydroformed V Style Frame Angle 75° to		•
	the ground		
DSA1010	Aluminium Hydroformed Tapered Frame Angle 75° to the ground		•
DSA1020	Aluminium Hydroformed V Style Frame Angle 90° to the ground		O
DSA1030	Aluminium Hydroformed Tapered Frame Angle 90° to the ground	(NC 5300, 5350, 5400, 5450, 5500)	O
WELDED UNDE	RSEAT RIGID BAR*		
SWO3333	Under seat rigidiser bar (Welded)		£100
USA5555	Without under seat rigidiser bar	(NC 4444)	♦
SEAT WIDTH*			
DSA1315	340 mm	(NC 2710, 2720, 2750, 2748)	O
DSA1320	360 mm	(NC 2748)	O
DSA1325	380 mm		O
DSA1330	400 mm		•
DSA1335	420 mm		0
DSA1340	440 mm		0
SEAT DEPTH*			
DSA1430	385 mm	(NC 2720, 7810, 7820, 7830)	0
DSA1440	410 mm		•
DSA1455	435 mm		O
DSA1470	460 mm		• • • • • • • • • • • • • • • • • • •
DSA1485	485 mm	(NC 2710, 2748)	O
BACK HEIGHT		(100.11,011)	
DSA1605	270 mm	(NC 2240)	0
DSA1610	285 mm	(NC 2240)	0
DSA1615	300 mm	(NC 2240)	O
DSA1620	315 mm	(NC 2240)	O
DSA1625	330 mm	(NC 2240)	O
DSA1630	345 mm	(NC 2240)	O
DSA1635	360 mm	(NC 2240)	O
DSA1640	375 mm	(NC 2240)	0
DSA1645	390 mm	(NC 2240)	O
DSA1650	405 mm	(NC 2240)	O
DSA1655	420 mm	(NC 2240)	0
FRONT SEAT H	IEIGHT. Lower leg must be front height -100mm To -30mm	on 75° frames and -80mm To -40mm on 90° frames*	
DSA1740	450 mm	(NC 1840, 1845, 1850, 1855, 1860, 6420)	0
DSA1745	460 mm	(NC 1845, 1850, 1855, 1860)	0
DSA1750	470 mm	(NC 1850, 1855, 1860)	O
DSA1755	480 mm	(NC 1855, 1860)	O
DSA1760	490 mm	(NC 1860)	O
DSA1765	500 mm		•
DSA1770	510 mm	(NC 1820)	O
DSA1775	520 mm	(NC 1820, 1825)	O
DSA1780	530 mm	(NC 1820, 1825, 1830, 6410)	0

	IGHT. Rear height = "Front height -100 MM" TO "Front heig	JUL -20 MINI "	
DSA1820	400 mm	(NC 6420)	O
DSA1825	410 mm		0
DSA1830	420 mm		O
DSA1835	430 mm		♦
DSA1840	440 mm		0
DSA1845	450 mm		O
DSA1850	460 mm		0
DSA1855	470 mm		0
DSA1860	480 mm		0
LOWER LEG LE	NGTH Seat canvas to footplate measurement, cushion hei	ight must be deducted.*	
DSA1930	350 mm		0
DSA1932	360 mm		0
DSA1934	370 mm		0
DSA1936	380 mm		0
DSA1938	390 mm		0
DSA1940	400 mm		0
DSA1942	410 mm		0
DSA1944	420 mm		0
DSA1946	430 mm		♦
DSA1948	440 mm		O
DSA1950	450 mm		0
DSA1952	460 mm		O
DSA1954	470 mm		O
DSA1956	480 mm		0
DSA1958	490 mm		O
DSA1960	500 mm		0
BACKREST TYF	PE*		
DSA2110	Fixed Aluminium Hydroformed backrest in frame colour	(NC 6666, 7777)	•
SWO4444	K-Series style lockdown folding backrest, supplied with carbon fibre flip up, fold in clothesguards and tension adjustable upholstery	(NC 2200, 2220, 2240, 3410, 3430)	£80
SWO9999	K-Series style lockdown folding backrest, supplied with carbon fibre flip up, removable mudguards and tension adjustable upholstery	(NC 2200, 2220, 2240, 3410, 3430)	£307
BACKREST UPI	HOLSTERY*		
DSA2200	Standard Light Black Nylon upholstery (No tension adjustment)	(NC 0002, 0003, 0004, 2241, 2242, 2243, 2244, 2245)	*
DSA2220	Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener	(NC 0002, 0003, 0004, 2241, 2242, 2243, 2244, 2245)	£137
DSA2230	Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener		£223
DSA2240	Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required	(NC 0002, 0003, 0004, 2241, 2242, 2243, 2244, 2245)	O
SW07777	Nylon tension adjustable upholstery for options 4444 & 9999	(NC 0002, 0003, 0004, 2241, 2242, 2243, 2244, 2245)	O

£75
£75
£75 £75 £75
£75 £75
£75
£75
£199
£99
♦
£133
£133
£219
£198
O
O
♦
O
O
•
£69
£66
£121
£410
£169
£521
£44
£30
£23
£20
£27
£39

FOOTREST*			
DSA3200	Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g		•
DSA3210	Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g	(NC 6962)	£185
DSA3220	Carbon Footplate, Angle Adjustable	(NC 3290, 6962)	£225
FOOTREST COV	/ER		
DSA3290	Footrest Cover		£37
CALF STRAP*			
DSA3300	Calf strap Mounted on the frame with hook and loop		•
DSA3305	Calf strap Mounted on the supporter with bracket		O
CLOTHESGUAR	DS/MUDGUARDS*		
DSA3410	Carbon Clothesguards, fixed between the back rest and seat rails		•
DSA3430	Carbon Mudguards, fixed between the backrest and seat rails	(NC 7230)	£255
SWO6666	Carbon fibre flip up clothesguards, for use with option SWO5555 K-Series style folding backrest		0
FRAME COLOUI	R*		
DSA4000	Space Black (RAL 9005)	(NC 4066)	O
DSA4010	Anthracite Grey (RAL 7016)	(NC 4066)	O
DSA4020	Pure White (RAL 9016)	(NC 4066, 4220)	O
DSA4030	Carmine Red (RAL 3002)	(NC 4066)	O
DSA4040	Azure Blue (RAL 5017)	(NC 4066)	O
DSA4060	Flashy Yellow (RAL 1516) (Additional 15 day lead time)	(NC 4066)	£31
DSA4100	Black Glossy (RAL 9005) (Additional 15 day lead time)	(NC 4066)	£31
DSA4130	Silver Grey (RAL 9006) (Additional 15 day lead time)	(NC 4066)	£31
DSA4145	Pearl Night Blue (Additional 15 day lead time)	(NC 4066)	£31
DSA4150	Ruby Red (RAL 1503) (Additional 15 day lead time)	(NC 4066)	£31
DSA4170	Dynamite Orange (Additional 15 day lead time)	(NC 4066)	£31
USA4101	Forest Green (RAL 6029) (Additional 15 day lead time) Mirror Polish with standard varnish finish (Premium ceramic glaze finish available, for this option select USA4066)	(140-4000)	£31 £399
USA0008	Your personal frame colour. Add RAL colour of your choice in special comments box, for a personalised colour frame		£299
CERAMIC GLAZ	E FRAME FINISH		
USA4066	Ceramic glaze finish on frame, for added durability		£336
FRAME DECAL	TYPE*		
DSA4190	Bold Decal (Full coloured transfer on frame)	(NC 4300, 4310, 1111)	£31
DSA4195	Tag (Small Küschall brand transfer on front of frame)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 2222)	♦
DSA4197	Without Tag (Kuschall branding only)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310)	O
BOLD DECAL C	OLOUR*		
DSA4200	Black		O
DSA4210	Dark Grey		O
DSA4220	Light Grey		O
DSA4230	Red		O
DSA4240	Blue		0
DSA4250	Gold		O
DSA1111	No bold colour, select only with Option DSA4195 Tag or DSA4197 Without Tag	(NC 4190)	O

TAG COLOUR*			
DSA4300	Black		•
DSA4310	Red		O
DSA2222	No tag colour, select only with Option DSA4190 Bold Decal or DSA4197 Without Tag	(NC 4195)	O
FRONT CASTO	PRS*		
DSA5000	75mm x 25mm (3" x 1") Supersport	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	O
DSA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	O
DSA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	O
DSA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	£83
DSA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frogs Legs) Use this option to access 4" anodised colour options		£93
DSA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)	(NC 5502, 5504, 5506, 5507, 5508, 5509)	£93
DSA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	0
DSA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	O
DSA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	£83
DSA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) Use this option to access 5" anodised colour options		£93
DSA5500	125mm x 36mm (5" x 1.4") (Frog Legs) Aluminium Softroll Silver hub, Black tyre (Frogs Legs)	(NC 5502, 5504, 5506, 5507, 5508, 5509)	£93
ANODISED CO	LOUR SOFTROLL CASTORS		
USA5502	Pink		£50
USA5504	Orange		£50
USA5506	Blue		£50
USA5507	Purple		£50
USA5508	Red		£50
USA5509	Gold		£50
CERAMIC CAS	TOR BEARINGS		
USA5510	Ceramic castor bearings		£58
ADJUSTABLE	REAR WHEEL POSITION (SELECT POSITION FROM THE 5	OPTIONS BELOW)	
USA6050	Adjustable centre of gravity (adjustable +/- 1 position) Select from positions 1-5 below (15mm increments adjustment)		£445
SEAT POSITIO	N (Measured from centre of backpost to centre of axle)*		
DSA6100	Position 1 = 140 mm MOST ACTIVE POSITION		O
DSA6110	Position 2 = 125 mm		O
DSA6120	Position 3 = 110 mm		O
DSA6130	Position 4 = 95 mm		•
DSA6140	Position 5 = 80 mm LEAST ACTIVE POSITION		O
CAMBER OF C	ARBON AXLE*		
DSA6200	0° Camber		O
DSA6210	3° Camber		*
DSA6220	6° Camber		0
QUAD QUICK F	RELEASE AXLE		
DSA6300	Quad Quick Release/Tetra Clip	(NC 6550, 6551, 6552, 6553, 6554, 0907)	£86
REAR WHEEL	SIZE*		
DSA6410	24"		•
DSA6420	25"	(NC 6510, 6600, 6630, 6700, 6710, 6720, 6760, 6770, 6900, 6910)	O

REAR WHEEL T	TYPE*		
DSA6510	24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub.	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6579)	♦
DSA6520	24", 25" High Performance Wheel Black hub and rim	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6579)	£182
DSA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6910)	£611
USA6551	24", 25" Spinergy Lite Extreme LX, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available)	(NC 6910)	£785
USA6552	24", 25" Spinergy Lite Extreme X-laced XLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available)	(NC 6910)	£844
USA6553	24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available)	(NC 6910)	£893
USA6554	24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hubs & spokes available)	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6910)	£1,084
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6571, 6572, 6573, 6575)	£486
ANODISED COL	LOUR SPINERGY RIM (DESIGN LAB)		
USA6557	Blue		£179
USA6558	Gold		£179
USA6559	Green		£179
USA6560	Orange		£179
USA6561	Red		£179
USA6562	Purple		£179
ANODISED COL	LOUR SPINERGY HUB (DESIGN LAB)		
USA6563	Blue		£179
USA6564	Gold		£179
USA6565	Silver		£179
USA6566	Green		£179
USA6567	Orange		£179
USA6568	Red		£179
USA6569	Purple		£179
SPINERGY COL	OURED SPOKES		
USA6570	Blue		£84
USA6571	Green		£84
USA6572	Orange		£84
USA6573	Pink		£84
USA6574	Red		£84
USA6575	Purple		£84
USA6576	White		£84
USA6577	Yellow		£84
CERAMIC BEAF	RING REAR WHEEL		
USA6579	Ceramic Bearing for Spinergy rear wheels		£170
REAR WHEEL T	TYRE*		
DSA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection		*
DSA6625	24", 25" x 1" Maxxis Alpha Protect. Pneumatic and puncture resistant.		£100
DSA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)		£97

	UNIONE AT A Includes quetem colour forte and	0444
USA6960	UNIQUE KIT 1 - Includes custom colour forks and bearing cover. Select colour from 10 choices below	£111
USA6961	UNIQUE KIT 2 - Includes custom colour forks, bearing cover, backrest bracket with K-Series backrest, brake clamps. Select colour from the 10 choices below	£285
USA6962	UNIQUE KIT 3 - Includes custom colour forks, bearing cover, backrest bracket with K-Series backrest, brake clamps, rear wheel axle clamps, calf strap bracket. Select colour from the 10 choices below	£329
UNIQUE CUSTO	OMISATION COLOURS	
USA6963	Red	0
USA6964	Purple	O
USA6965	Copper	O
USA6966	Green	O
USA6967	Orange	O
USA6968	Gold	O
USA6969	Champagne	O
USA6970	Pink	O
USA6971	Blue	O
USA6972	Mirror Finish	O
HANDRIM*		
DSA6700	24" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance	£223
DSA6710	24" Steel, mounted at 3 cm distance	£62
DSA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance	£192
DSA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip	£320
DSA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands	£320
DSA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion	£284
DSA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim	£356
DSA6780	24", 25" Light Aluminium Grey, long tab with 2 holes for 3 cm or 4cm mountings, mounted at 3cm distance	*
DSA6790	25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting	£42
SPOKEGUARD		
DSA6900	24" Transparent Spokeguard	£126
DSA6910	24" Black Spokeguard	£126
BRAKES*		
DSA7210	Standard Push to Lock Brakes, Lever Bent	♦
DSA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre	£78
DSA7240	Active/Scissor Brakes	£78
DSA7250	Light/Compact Active, Aluminium Brakes	£136

SAFETY OPTIO	NS		
DSA7500	Anti-Tipper Right		£122
DSA7510	Anti-Tipper Left		£122
DSA7520	Anti-Tipper Both sides		£244
DSA7810	Bodypoint Posture Belt Evoflex 2 points, Small, Flat- Mount with Push Button. User Weight: 25-50KG		£81
DSA7820	Bodypoint Posture Belt Evoflex 2 points, Medium, Flat- Mount with Rehab Latch. User Weight: 50-75KG		£81
DSA7830	Bodypoint Posture Belt Evoflex, 2 points, Large, Flat- Mount with Rehab Latch. User Weight: 75-100KG		£81
OTHER OPTION	IS		
DSA8010	Front Frame Protectors; 2 Piece. Removable with hook and loop		£37
DSA8500	Air Pump		£13
DSA8550	Tool Kit		♦
DSA8680	24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included		£320
BODYPOINT AC	CCESSORIES		
DSA8800	Bodypoint Calf Strap		£57
DSA8850	Bodypoint Mobility Bag		£55
		TOTAL PRICE	

Non Conforming O	Options:
DSA1820	400 mm
DSA1825	410 mm
DSA1830	420 mm
DSA1840	440 mm
DSA1845	450 mm
DSA1850	460 mm
DSA1855	470 mm
DSA1860	480 mm
SWO4444	K-Series style lockdown folding backrest, supplied with carbon fibre flip up, fold in clothesguards and tension adjustable upholstery
DSA2200	Standard Light Black Nylon upholstery (No tension adjustment)
DSA2220	Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener
DSA2240	Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required
SW07777	Nylon tension adjustable upholstery for options 4444 & 9999
USA2241	Neon Yellow
USA2242	Neon Pink
USA2243	Blue
USA2244	White
USA2245	Red
USA0002	Your personal colour stitching. Add RAL colour of your choice in special comments box, for a personalised colour stitching on back upholstery.
USA0003	Your personal design embroidery. Supply your design with your order, subject to copyright. Design size up to 250mm x 250mm
USA0004	Your personal flock design. Supply your design with your order, subject to copyright. Design size up to 280mm x 400mm
DSA2710	Flo-Tech Lite Cushion 78mm high - Comfort/Low Risk
DSA2720	Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk
DSA2748	Contour Visco NG Cushion 100mm High - High Risk
DSA2750	Vicair Active O2 lightweight cushion 60mm High - High risk
DSA2810	Fluid supplement sac (Pair)
DSA2820	Tapered Wedge Pair
DSA2830	Abductor
DSA2840	Lateral Side Wedge
DSA2850	Anterior Front Wedge
DSA2860	Seat Rigidiser
DSA3290	Footrest Cover
DSA3410	Carbon Clothesguards, fixed between the back rest and seat rails
DSA3430	Carbon Mudguards, fixed between the backrest and seat rails
SWO6666	Carbon fibre flip up clothesguards, for use with option SWO5555 K-Series style folding backrest
USA4066	Ceramic glaze finish on frame, for added durability
DSA4190	Bold Decal (Full coloured transfer on frame)
DSA4195	Tag (Small Küschall brand transfer on front of frame)
DSA4200	Black
DSA4210	Dark Grey
DSA4220	Light Grey
DSA4230	Red

DSA4240	Blue
DSA4250	Gold
DSA1111	No bold colour, select only with Option DSA4195 Tag or DSA4197 Without Tag
DSA4300	Black
DSA4310	Red
DSA2222	No tag colour, select only with Option DSA4190 Bold Decal or DSA4197 Without Tag
DSA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre
DSA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre
DSA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre
DSA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) Use this option to access 5" anodised colour options
DSA5500	125mm x 36mm (5" x 1.4") (Frog Legs) Aluminium Softroll Silver hub, Black tyre (Frogs Legs)
USA5502	Pink
USA5504	Orange
USA5506	Blue
USA5507	Purple
USA5508	Red
USA5509	Gold
USA5510	Ceramic castor bearings
DSA6410	24"
DSA6420	25"
DSA6510	24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub.
DSA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black
USA6551	24", 25" Spinergy Lite Extreme LX, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available)
USA6552	24", 25" Spinergy Lite Extreme X-laced XLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available)
USA6553	24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available)
USA6554	24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hubs & spokes available)
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall
USA6557	Blue
USA6558	Gold
USA6559	Green
USA6560	Orange
USA6561	Red
USA6562	Purple
USA6563	Blue
USA6564	Gold
USA6565	Silver
USA6566	Green
USA6567	Orange
USA6568	Red
USA6569	Purple
USA6570	Blue
USA6571	Green
USA6572	Orange

Küschall The KSL 2.0 Page 11 of 13

USA6573	Pink
USA6574	Red
USA6575	Purple
USA6576	White
USA6577	Yellow
USA6579	Ceramic Bearing for Spinergy rear wheels
DSA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection
DSA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)
USA6962	UNIQUE KIT 3 - Includes custom colour forks, bearing cover, backrest bracket with K-Series backrest, brake clamps, rear wheel axle clamps, calf strap bracket. Select colour from the 10 choices below
DSA6700	24" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
DSA6710	24" Steel, mounted at 3 cm distance
DSA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance
DSA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion
DSA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim
DSA6900	24" Transparent Spokeguard
DSA6910	24" Black Spokeguard
DSA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre
DSA7810	Bodypoint Posture Belt Evoflex 2 points, Small, Flat-Mount with Push Button. User Weight: 25-50KG
DSA7820	Bodypoint Posture Belt Evoflex 2 points, Medium, Flat-Mount with Rehab Latch. User Weight: 50-75KG
DSA7830	Bodypoint Posture Belt Evoflex, 2 points, Large, Flat-Mount with Rehab Latch. User Weight: 75-100KG



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:	
Name:	Email:
Phone:	Fax:
Description of special request (please include relavent option code or part	number)