

Manual Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk JUNE 2024 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Küschall The KSL One Solution

Standard Features

- Max User Weight 100kg (16 stone)
- Active, Fully Welded, Lightweight, Rigid Wheelchair with Height Adjustable Rigid Footrest
- Fully Hydroformed Aluminium Front Frame 75° or 90° Front Angle
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims & Pneumatic Tyres
- Choice of 6 Seat Widths 340mm to 440mm (13" 17")
- Choice of 5 Seat Depths 385mm to 485mm (15" 19")
- Range of Front Seat Heights from 450mm to 530mm (17" - 21")
- Range of Rear Seat Heights from 400mm to 480mm (15" - 19")
- Lockdown Folding, Angle & Height Adjustable
 Backrest
- Black Nylon Upholstery
- Without Push Handles, Carbon Clothesguards
- Carbon Fibre Axle Tube with 3° Camber
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

Standard Base price: £3,005



Please make your selection with a cross in the box
--

Customer weight = KG

Code	Description	
BASE PRODU	JCT*	
DSA0085	KÜSCHALL THE KSL 2.0	£3,005
DSA0000	MYKÜSCHALL Special Request - Please include quotation reference in special description at the end of the form where applicable	POA

FRAME*			
DSA1000	Aluminium Hydroformed V Style Frame Ang the ground	gle 75° to	♦
DSA1010	Aluminium Hydroformed Tapered Frame Ar the ground	ngle 75° to	0
DSA1020	Aluminium Hydroformed V Style Frame Ang the ground	gle 90° to	O
DSA1030	Aluminium Hydroformed Tapered Frame Ar the ground	ngle 90° to (NC 5300, 5350, 5400, 5450, 5500)	0
WELDED SEAT	BAR		
DSA3333	Under seat rigidiser bar (Welded) Price sho price	wn is a Net	£375
SEAT WIDTH*			
DSA1315	340 mm	(NC 1600, 2300, 2305, 2310, 2315, 2710, 2720, 2750, 2748)	O
DSA1320	360 mm	(NC 2362, 2364, 2366, 2368, 2748)	O
DSA1325	380 mm	(NC 2364, 2366, 2368)	O
DSA1330	400 mm	(NC 2360, 2366, 2368)	♦
DSA1335	420 mm	(NC 2360, 2362, 2368)	0
DSA1340	440 mm	(NC 2360, 2362, 2364)	O
SEAT DEPTH*	•		
DSA1430	385 mm	(NC 2720, 7810, 7820, 7830)	0
DSA1440	410 mm		♦
DSA1455	435 mm		O
DSA1470	460 mm		O
DSA1485	485 mm	(NC 2710, 2748)	O
BACK HEIGHT	+		
DSA1600	Back Height prepared for Matrx. Backpost h	neight	O
FRONT SEAT H		n To -30mm on 75° frames and -80mm To -40mm on 90° frames*	
FRONT SEAT H DSA1740		n To -30mm on 75° frames and -80mm To -40mm on 90° frames* (NC 1840, 1845, 1850, 1855, 1860, 6420)	O
	IEIGHT. Lower leg must be front height -100mn		<u> </u>
DSA1740 DSA1745	IEIGHT. Lower leg must be front height -100mn	(NC 1840, 1845, 1850, 1855, 1860, 6420)	
DSA1740 DSA1745 DSA1750	IEIGHT. Lower leg must be front height -100mn 450 mm 460 mm	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860)	O
DSA1740 DSA1745 DSA1750 DSA1755	450 mm 470 mm	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860)	0
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760	450 mm 470 mm 480 mm	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860)))
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765	450 mm 460 mm 470 mm 480 mm 490 mm	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860)))
DSA1740	450 mm 460 mm 470 mm 480 mm 490 mm 500 mm	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860)	• • • • • • • • • • • • • • • • • • •
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765 DSA1770	### According to the image of t	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860)	• • •
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765 DSA1770 DSA1770 DSA1775 DSA17780		(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860) (NC 1820) (NC 1820, 1825) (NC 1820, 1825, 1830, 6410)	• •
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765 DSA1770 DSA1777 DSA17780 REAR SEAT HE	450 mm	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860) (NC 1820) (NC 1820, 1825) (NC 1820, 1825, 1830, 6410)	• •
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765 DSA1770 DSA1775 DSA17780 REAR SEAT HE	### According to the image of t	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860) (NC 1820) (NC 1820, 1825) (NC 1820, 1825, 1830, 6410) D "Front height -20 MM"*	• • • • • • • • • • • • • • • • • • •
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765 DSA1770 DSA1775 DSA17780 REAR SEAT HE DSA1820 DSA1825	## A 100 mm ## A	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860) (NC 1820) (NC 1820, 1825) (NC 1820, 1825, 1830, 6410) D "Front height -20 MM"*	• • • • • • • • • • • • • • • • • • •
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765 DSA1770 DSA1775 DSA17780 REAR SEAT HE DSA1820 DSA1825 DSA1830	### ### ##############################	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860) (NC 1820) (NC 1820, 1825) (NC 1820, 1825, 1830, 6410) D "Front height -20 MM"*	• • • • • • • • • • • • • • • • • • •
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765 DSA1770 DSA1775 DSA17780 REAR SEAT HE DSA1820 DSA1825 DSA1830 DSA1835	### ### ##############################	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860) (NC 1820) (NC 1820, 1825) (NC 1820, 1825, 1830, 6410) D "Front height -20 MM"*	• • • • • • • • • • • • • • • • • • •
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765 DSA1770 DSA1775 DSA17780 REAR SEAT HE DSA1820 DSA1825 DSA1830 DSA1835 DSA1840	### ### ##############################	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860) (NC 1820) (NC 1820, 1825) (NC 1820, 1825, 1830, 6410) D "Front height -20 MM"*	0 0 0 0 0
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765 DSA1770 DSA1775 DSA17780 REAR SEAT HE DSA1820 DSA1825 DSA1830 DSA1835 DSA1840 DSA1845	## ## ## ## ## ## ## ## ## ## ## ## ##	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860) (NC 1820) (NC 1820, 1825) (NC 1820, 1825, 1830, 6410) D "Front height -20 MM"*	O O O O O O O O O O O O O O O O O O O
DSA1740 DSA1745 DSA1750 DSA1755 DSA1760 DSA1765 DSA1770 DSA1770 DSA1775 DSA17780	### ### ##############################	(NC 1840, 1845, 1850, 1855, 1860, 6420) (NC 1845, 1850, 1855, 1860) (NC 1850, 1855, 1860) (NC 1855, 1860) (NC 1860) (NC 1820) (NC 1820, 1825) (NC 1820, 1825, 1830, 6410) D "Front height -20 MM"*	0 0 0 0 0 0

LOWER LEG L	ENGTH Seat canvas to footplate measurement, cushion height must be deducted.*	
DSA1930	350 mm	0
DSA1932	360 mm	O
DSA1934	370 mm	O
DSA1936	380 mm	O
DSA1938	390 mm	O
DSA1940	400 mm	O
DSA1942	410 mm	O
DSA1944	420 mm	O
DSA1946	430 mm	♦
DSA1948	440 mm	O
DSA1950	450 mm	O
DSA1952	460 mm	0
DSA1954	470 mm	0
DSA1956	480 mm	0
DSA1958	490 mm	0
DSA1960	500 mm	0
BACKREST TY	PE*	
DSA2110	Fixed Aluminium Hydroformed backrest in frame colour	•
DSA2140	Folding Aluminium angle adjustable backrest in frame colour	0
BACKREST UP	PHOLSTERY*	
DSA2240	Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required	0
MATRX BACKE	REST*	
DSA2300	Matrx MX2, height 150 mm with quick release mini set hardware	£715
DSA2305	Matrx MX2, height 230 mm with quick release mini set hardware	£715
DSA2310	Matrx MX2, height 305 mm with quick release mini set hardware	£715
DSA2315	Matrx MX2, height 405 mm with quick release mini set hardware	£715
MATRX BACKE	REST_WIDTH CHOICE*	
DSA2360	360mm Backrest width, to fit chest width 265mm	0
DSA2362	380mm Backrest width, to fit chest width 290mm	0
DSA2364	410mm Backrest width, to fit chest width 315mm	O
DSA2366	430mm Backrest width, to fit chest width 340mm	O
DSA2368	460mm Backrest width, to fit chest width 370mm	O
PUSH HANDLE	:S*	
DSA2400	Without Push Handles	♦
DSA2410	Push Handles Fixed Short/Mini Hand Grip	£133
DSA2420	Push Handles Fixed Long Hand Grip	£133
DSA2440	Push Handles Height Adjustable, Integrated in backrest	£219
DSA2450	Push Handles Foldable	£198

BACKRET NACE					
DSA2550	BACKREST AN	GLE*			
\$2 angle from the seat \$2 angle from the	DSA2500	74° angle from the seat		0	
DSA2590 S6" angle from the seat O DSA2590 S0" angle from the seat O DSA2590 Standard Nylon Seat Upholstery with one 5cm central band (Loop) S600 DSA2600 Ught Seat Upholstery, mesh material to reduce weight S600 DSA2600 Ught Seat Upholstery, mesh material to reduce weight S600 DSA2600 Standard Seat Cushion, 60 mm Double Foarm with (NC 2810, 2800, 2800, 2800, 2800, 2800, 2800, 2800) S600 DSA2710 F10-Tech Life Cushion - Low Risk (NC 2810, 2800, 2800, 2800, 2800, 2800, 2800, 2800) S121 DSA2710 F10-Tech Life Cushion - Low Risk (NC 2810, 2800, 2800, 2800, 2800, 2800, 2800) S121 DSA2710 F10-Tech Life Cushion - Low Risk (NC 2810, 2800, 2800, 2800, 2800, 2800) S120 DSA2710 Matrix Libra Cushion - Low Risk (NC 2810, 2800, 2800, 2800, 2800) S120 DSA2710 Viceir Active O2 lightweight cushion 6cm deep (NC 2810, 2800, 2800, 2800, 2800) S120 DSA2710 Viceir Active O2 lightweight cushion 6cm deep (NC 2810, 2800, 2800, 2800, 2800) S120 DSA2720 Viceir Active O2 lightweight cushion 6cm deep (NC 2810, 2800, 2800, 2800) S120 DSA2820 Tapered Wedge Pair S13 DSA2820 Tapered Wedge Pair S13 DSA2820 Abductor S120 DSA2820 Abductor S120 DSA2820 Abductor S120 DSA2820 Anterior Front Wedge S120 DSA2820 Anterior Front Wedge S120 DSA2820 Anterior Front Wedge S120 DSA2820 F10 S200 S200 S120 DSA2820 F10 Cortest Tube, Rigid - Aluminium Hydroformed profile. ◆	DSA2520	78° angle from the seat		O	
SPAZABO Spi' angle from the seat Spi' ang	DSA2540	82° angle from the seat		♦	
SEAT UPHOLSTERY* Standard Nylon Seat Upholstery with one 5cm central band (Loop) ♣ DSA2600 Light Seat Upholstery, mesh material to reduce weight band (Loop) 669 SEAT CUSHOW DSA2700 Standard Seat Cushion, 60 mm Double Foarn with Visco Top Layer (N° 2810, 2800, 2840, 2850) £61 DSA2710 Flo-Tech Lite Cushion - Low Risk (N° 2810, 2800, 2840, 2850) £121 DSA2710 Mark Libra Cushion, Black Smooth Cover - Very High Risk (N° 2810, 2800, 2840, 2850) £121 DSA2720 Mark Libra Cushion, Black Smooth Cover - Very High Risk (N° 2810, 2800, 2840, 2850) £181 DSA2730 Viciair Active OZ lightweight cushion 6cm deep - High Risk (N° 2810, 2850, 2840) £181 DSA2750 Viciair Active OZ lightweight cushion 6cm deep (Pair) £44 DSA2810 Fluid supplement sac (Pair) £44 DSA2820 Tapered Wedge Pair £31 DSA2880 Anductor £22 DSA2840 Lateral Side Wedge £32 DSA2800 Anterior Front Wedge £33 DSA2800 Seat Rigidiser £32 DSA3210 <td>DSA2560</td> <td>86° angle from the seat</td> <td></td> <td>O</td>	DSA2560	86° angle from the seat		O	
DSA2600 Standard Nylon Seat Upholstery with one 5cm central brid (Loop) € 689 DSA2630 Light Seat Upholstery, mesh material to reduce weight £ 689 SEAT CUSHION DSA2710 Standard Seat Cushion, 60 mm Double Foam with Visco Top Layer (NC 2810, 2800, 2800, 2800, 2800, 2800) £ 66 DSA2710 Flo-Tech Lite Cushion - Low Risk (NC 2810, 2800, 2800, 2800, 2800, 2800) £ 12 DSA2718 Confour Visco NG Cushion 120mm deep - High Risk (NC 2810, 2800, 2800, 2800, 2800, 2800) £ 51 DSA2750 Viciair Active O2 liphoweight cushion 6cm deep (NC 2810, 2800, 2800, 2800, 2800, 2800) £ 52 MATRX LIBRA CUSHION ACCESSORIES \$ 52 \$ 52 DSA2810 Fluid supplement sac (Pair) £ 44 DSA2810 Fluid supplement sac (Pair) £ 42 DSA2830 Abductor £ 23 DSA2840 Lateral Side Wedge £ 22 DSA2850 Anterior Front Wedge £ 25 SA2860 Saat Rigidiser £ 30 FOOTREST \$ 6 DSA3210 Footrest Tube, Rigid - Aluminium Hydroformed profile tube. \$ 6	DSA2580	90° angle from the seat		O	
DRA2690	SEAT UPHOLS	TERY*			
SEAT CUSHION DSA2700 Standard Seat Cushion, 60 mm Double Foam with Visco Top Layer (NC 2810, 2820, 2830, 2840, 2850) £66 DSA2710 Flo-Tech Lite Cushion - Low Risk (NC 2810, 2820, 2830, 2840, 2850) £121 DSA2720 Matrx Libra Cushion, Black Smooth Cover - Very High Risk £411 DSA2748 Contour Visco NG Cushion 120mm deep - High Risk (NC 2810, 2820, 2830, 2840, 2850) £169 DSA2750 Vicair Active O2 lightweight cushion 6cm deep (NC 2810, 2820, 2830, 2840, 2850) £621 MATRX LIBRA CUSHION ACCESSORIES Tapered Wedge Pair £31 DSA2820 Tapered Wedge Pair £31 DSA2830 Abductor £23 DSA2840 Lateral Side Wedge £20 DSA2840 Lateral Side Wedge £32 DSA2840 Anterior Front Wedge £32 SEAT RIGIDISET DSA2840 Seat Rigidiser £39 FOOTREST Tube, Rigid - Aluminium Hydroformed profile. \$4 Weight approx. 2809 Pootrest Tube, Rigid - Titanium Rounded profile tube. \$225 FOOTREST COVER	DSA2600			*	
DSA2700 Standard Seat Cushion, 60 mm Double Foam with visco Top Layer (NC 2810, 2820, 2830, 2840, 2850) £66 DSA2710 Flo-Tech Lite Cushion - Low Risk (NC 2810, 2820, 2830, 2840, 2850) £121 DSA2720 Martx Libra Cushion, Black Smooth Cover - Very High Risk (NC 2810, 2820, 2830, 2840, 2850) £161 DSA2748 C Ontour Visco NG Cushion 120mm deep - High Risk (NC 2810, 2820, 2830, 2840, 2850) £162 DSA2750 Violair Active O2 lightweight cushion 6cm deep (NC 2810, 2820, 2830, 2840, 2850, 2880) £52 MATRX LIBRA CUSHION ACCESSORIES DSA2810 Fluid supplement sac (Pair) £44 DSA2820 Tapered Wedge Pair £31 DSA2830 Abductor £23 DSA2840 Lateral Side Wedge £20 DSA2850 Anterior Front Wedge £32 SEAT RIGIOISER DSA2860 Seat Rigidiser £32 SEAT RIGIOISER DSA3210 Footrest Tube, Rigid - Aluminium Hydroformed profile tube. £18 DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) £25 <td colspa<="" td=""><td>DSA2630</td><td>Light Seat Upholstery, mesh material to reduce weight</td><td></td><td>£69</td></td>	<td>DSA2630</td> <td>Light Seat Upholstery, mesh material to reduce weight</td> <td></td> <td>£69</td>	DSA2630	Light Seat Upholstery, mesh material to reduce weight		£69
Nisco Top Layer	SEAT CUSHION	l _			
DSA2720	DSA2700		(NC 2810, 2820, 2830, 2840, 2850)	£66	
Risk	DSA2710	Flo-Tech Lite Cushion - Low Risk	(NC 2810, 2820, 2830, 2840, 2850)	£121	
DSA2750	DSA2720			£411	
MATRX LIBRA CUSHION ACCESSORIES DSA2810 Fluid supplement sac (Pair) £44 DSA2820 Tapered Wedge Pair £31 DSA2830 Abductor £23 DSA2840 Lateral Side Wedge £20 DSA2850 Anterior Front Wedge £27 SEAT RIGIDISER DSA2860 Seat Rigidiser £39 FOOTREST* DSA3200 Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g £185 DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g £185 DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) £225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop ◆ DSA3305 Calf strap Mounted on the supporter with bracket ◆ CLOTHESGUARDS/MUDGUARDS* Carbon Clothesguards, fixed between the back rest and seat rails \$ DSA3410 Carbon Mudguards, fixed between the back rest and seat rails \$ <td>DSA2748</td> <td>Contour Visco NG Cushion 120mm deep - High Risk</td> <td>(NC 2810, 2820, 2830, 2840, 2850)</td> <td>£169</td>	DSA2748	Contour Visco NG Cushion 120mm deep - High Risk	(NC 2810, 2820, 2830, 2840, 2850)	£169	
DSA2810 Fluid supplement sac (Pair) £44 DSA2820 Tapered Wedge Pair £31 DSA2830 Abductor £23 DSA2840 Lateral Side Wedge £20 DSA2850 Anterior Front Wedge £27 SEAT RIGIDISER DSA2860 Seat Rigidiser £39 FOOTREST* DSA3200 Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 280g • DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g £185 DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) £225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop • CSA3305 Calf strap Mounted on the supporter with bracket • CLOTHESGUARDS/MUDGUARDS* • DSA3410 Carbon Mudguards, fixed between the back rest and seat rails • DSA3430 Carbon Mudguards, fixed between the backrest and seat rails •	DSA2750	Vicair Active O2 lightweight cushion 6cm deep	(NC 2810, 2820, 2830, 2840, 2850, 2860)	£521	
DSA2820 Tapered Wedge Pair £31 DSA2830 Abductor £23 DSA2840 Lateral Side Wedge £20 DSA2850 Anterior Front Wedge £27 SEAT RIGIDISER DSA2860 Seat Rigidiser £39 FOOTREST* DSA3200 Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g Weight approx. 210g DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) £225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop ♣ DSA3305 Calf strap Mounted on the supporter with bracket ♠ CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255	MATRX LIBRA	CUSHION ACCESSORIES			
DSA2830 Abductor £23 DSA2840 Lateral Side Wedge £20 DSA2850 Anterior Front Wedge £27 SEAT RIGIDISER DSA2860 Seat Rigidiser £39 FOOTREST* DSA3200 Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g Weight approx. 210g DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) £225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop DSA3305 Calf strap Mounted on the supporter with bracket CCOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Mudguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and seat rails	DSA2810	Fluid supplement sac (Pair)		£44	
DSA2840 Lateral Side Wedge £20 DSA2850 Anterior Front Wedge £27 SEAT RIGIDISER DSA2860 Seat Rigidiser £33 FOOTREST* DSA3200 Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) £225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop DSA3305 Calf strap Mounted on the supporter with bracket	DSA2820	Tapered Wedge Pair		£31	
DSA2850 Anterior Front Wedge £27 SEAT RIGIDISER DSA2860 Seat Rigidiser £39 FOOTREST* DSA3200 Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) £225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop	DSA2830	Abductor		£23	
SEAT RIGIDISER DSA2860 Seat Rigidiser £39 FOOTREST* DSA3200 Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) £225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop ♣ DSA3305 Calf strap Mounted on the supporter with bracket CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255	DSA2840	Lateral Side Wedge		£20	
DSA2860 Seat Rigidiser £39 FOOTREST* DSA3200 Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g ♠ DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g £185 DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) £225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop ♠ DSA3305 Calf strap Mounted on the supporter with bracket ♀ CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails ♠ DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255	DSA2850	Anterior Front Wedge		£27	
FOOTREST* DSA3200 Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) E225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop DSA3305 Calf strap Mounted on the supporter with bracket CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255	SEAT RIGIDISE	R			
DSA3200 Footrest Tube, Rigid - Aluminium Hydroformed profile. Weight approx. 260g DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) E225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop ◆ DSA3305 Calf strap Mounted on the supporter with bracket ○ CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255	DSA2860	Seat Rigidiser		£39	
Weight approx. 260g DSA3210 Footrest Tube, Rigid - Titanium Rounded profile tube. Weight approx. 210g DSA3220 Carbon Footplate, Angle Adjustable (NC 3290) £225 FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop ◆ DSA3305 Calf strap Mounted on the supporter with bracket ○ CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255	FOOTREST*				
Weight approx. 210g	DSA3200			♦	
FOOTREST COVER DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop	DSA3210			£185	
DSA3290 Footrest Cover £37 CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop DSA3305 Calf strap Mounted on the supporter with bracket CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255	DSA3220	Carbon Footplate, Angle Adjustable	(NC 3290)	£225	
CALF STRAP* DSA3300 Calf strap Mounted on the frame with hook and loop ◆ DSA3305 Calf strap Mounted on the supporter with bracket ○ CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails ◆ DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255					
DSA3300 Calf strap Mounted on the frame with hook and loop DSA3305 Calf strap Mounted on the supporter with bracket CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255	DSA3290	Footrest Cover		£37	
DSA3305 Calf strap Mounted on the supporter with bracket CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255					
CLOTHESGUARDS/MUDGUARDS* DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255				•	
DSA3410 Carbon Clothesguards, fixed between the back rest and seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255	DSA3305	Calf strap Mounted on the supporter with bracket		O	
Seat rails DSA3430 Carbon Mudguards, fixed between the backrest and (NC 7230) £255					
25. 6. 6. 6. Fig. 1. F	DSA3410			♦	
	DSA3430	_	(NC 7230)	£255	

FRAME COLOU	R*		
DSA4000	Space Black (RAL 9005)		0
DSA4010	Anthracite Grey (RAL 7016)		0
DSA4020	Pure White (RAL 9016)	(NC 4220)	O
DSA4030	Carmine Red (RAL 3002)		O
DSA4040	Azure Blue (RAL 5017)		0
DSA4060	Flashy Yellow (RAL 1516) (Additional 15 day lead time)		£31
DSA4100	Black Glossy (RAL 9005) (Additional 15 day lead time)		£31
DSA4130	Silver Grey (RAL 9006) (Additional 15 day lead time)		£31
DSA4145	Pearl Night Blue (Additional 15 day lead time)		£31
DSA4150	Ruby Red (RAL 1503) (Additional 15 day lead time)		£31
DSA4170	Dynamite Orange (Additional 15 day lead time)		£31
DSA4180	Forest Green (RAL 6029) (Additional 15 day lead time)		£31
FRAME DECAL	TYPE*		
DSA4190	Bold Decal (Full coloured transfer on frame)	(NC 4300, 4310, 1111)	£31
DSA4195	Tag (Small Küschall brand transfer on front of frame)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 2222)	♦
DKA4197	Without Tag (Kuschall branding only)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310)	O
BOLD DECAL C	OLOUR*		
DSA4200	Black		0
DSA4210	Dark Grey		0
DSA4220	Light Grey		O
DSA4230	Red		O
DSA4240	Blue		O
DSA4250	Gold		0
DSA1111	No bold colour, select only with Option DSA4195 Tag or DSA4197 Without Tag	(NC 4190)	0
TAG COLOUR*			
DSA4300	Black		0
DSA4310	Red		O
DSA2222	No tag colour, select only with Option DSA4190 Bold Decal or DSA4197 Without Tag	(NC 4195)	O
FRONT CASTO	RS*		
DSA5000	75mm x 25mm (3" x 1") Supersport		0
DSA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre		O
DSA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre		O
DSA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre		£83
DSA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)		£93
DSA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)		£93
DSA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre		0
DSA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre		O
DSA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre		£83
DSA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)		£93
DSA5500	125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)		£93

SEAT POSITION	WELDED (Measured from centre of backpost to centre of	axle)*	
DSA6100	Position 1 = 140 mm MOST ACTIVE POSITION		O
DSA6110	Position 2 = 125 mm		O
DSA6120	Position 3 = 110 mm		O
DSA6130	Position 4 = 95 mm		•
DSA6140	Position 5 = 80 mm LEAST ACTIVE POSITION		O
CAMBER OF CA	ARBON AXLE*		
DSA6200	0° Camber		O
DSA6210	3° Camber		•
DSA6220	6° Camber		O
QUAD QUICK R	ELEASE AXLE		
DSA6300	Quad Quick Release/Tetra Clip		£86
REAR WHEEL S	SIZE*		
DSA6410	24"		•
DSA6420	25"	(NC 6510, 6600, 6630, 6700, 6710, 6720, 6760, 6770, 6900, 6910)	O
REAR WHEEL T	YPE*		
DSA6510	24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub.		•
DSA6520	24", 25" High Performance Wheel Black hub and rim		£182
DSA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black	(NC 6910)	£611
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall	(NC 6910)	£486
SWO0909	24", 25" Spinergy LX, Chrome hub and 12 spokes in Black. Coloured spokes are available via MyKüschall	(NC 6910)	£735
REAR WHEEL T	YRE*		
DSA6600	24" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection		♦
DSA6625	24" Maxxis Alpha Protect. Pneumatic and puncture resistant. Only for use with 24" High performance wheels		£100
DSA6630	24" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)		£97
HANDRIM*			
DSA6700	24" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance		£223
DSA6710	24" Steel, mounted at 3 cm distance		£62
DSA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance		£192
DSA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip		£320
DSA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands		£320
DSA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion		£284
DSA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim		£356
DSA6780	24", 25" Light Aluminium Grey, long tab with 2 holes for 3 cm or 4cm mountings, mounted at 3cm distance		♦
DSA6790	25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting		£42

SPOKEGUARD		
DSA6900	24" Transparent Spokeguard	£126
DSA6910	24" Black Spokeguard	£126
BRAKES*		
DSA7210	Standard Push to Lock Brakes, Lever Bent	•
DSA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre	£78
DSA7240	Active/Scissor Brakes	£78
DSA7250	Light/Compact Active, Aluminium Brakes	£136
SAFETY OPTIO	DNS	
DSA7500	Anti-Tipper Right	£122
DSA7510	Anti-Tipper Left	£122
DSA7520	Anti-Tipper Both sides	£244
DSA7810	Bodypoint Posture Belt Evoflex 2 points, Small, Flat- Mount with Push Button. User Weight: 25-50KG	£81
DSA7820	Bodypoint Posture Belt Evoflex 2 points, Medium, Flat- Mount with Rehab Latch. User Weight: 50-75KG	£81
DSA7830	Bodypoint Posture Belt Evoflex, 2 points, Large, Flat- Mount with Rehab Latch. User Weight: 75-100KG	£81
OTHER OPTION	NS	
DSA8010	Front Frame Protectors; 2 Piece. Removable with hook and loop	£37
DSA8500	Air Pump	£13
DSA8550	Tool Kit	•
DSA8680	24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included	£320
BODYPOINT A	CCESSORIES	
DSA8800	Bodypoint Calf Strap	£57
DSA8850	Bodypoint Mobility Bag	£55

TOTAL PRICE

Non Conforming Options:		
DSA1600	Back Height prepared for Matrx. Backpost height 285mm	
DSA1820	400 mm	
DSA1825	410 mm	
DSA1830	420 mm	
DSA1840	440 mm	
DSA1845	450 mm	
DSA1850	460 mm	
DSA1855	470 mm	
DSA1860	480 mm	
DSA2300	Matrx MX2, height 150 mm with quick release mini set hardware	
DSA2305	Matrx MX2, height 230 mm with quick release mini set hardware	
DSA2310	Matrx MX2, height 305 mm with quick release mini set hardware	
DSA2315	Matrx MX2, height 405 mm with quick release mini set hardware	
DSA2360	360mm Backrest width, to fit chest width 265mm	
DSA2362	380mm Backrest width, to fit chest width 290mm	
DSA2364	410mm Backrest width, to fit chest width 315mm	
DSA2366	430mm Backrest width, to fit chest width 340mm	
DSA2368	460mm Backrest width, to fit chest width 370mm	
DSA2710	Flo-Tech Lite Cushion - Low Risk	
DSA2720	Matrx Libra Cushion, Black Smooth Cover - Very High Risk	
DSA2748	Contour Visco NG Cushion 120mm deep - High Risk	
DSA2750	Vicair Active O2 lightweight cushion 6cm deep	
DSA2810	Fluid supplement sac (Pair)	
DSA2820	Tapered Wedge Pair	
DSA2830	Abductor	
DSA2840	Lateral Side Wedge	
DSA2850	Anterior Front Wedge	
DSA2860	Seat Rigidiser	
DSA3290	Footrest Cover	
DSA4190	Bold Decal (Full coloured transfer on frame)	
DSA4195	Tag (Small Küschall brand transfer on front of frame)	
DSA4200	Black	
DSA4210	Dark Grey	
DSA4220	Light Grey	
DSA4230	Red	
DSA4240	Blue	
DSA4250	Gold	
DSA1111	No bold colour, select only with Option DSA4195 Tag or DSA4197 Without Tag	
DSA4300	Black	
DSA4310	Red	
DSA2222	No tag colour, select only with Option DSA4190 Bold Decal or DSA4197 Without Tag	
DSA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre	
DSA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre	

DSA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre
DSA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)
DSA5500	125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)
DSA6410	24"
DSA6420	25"
DSA6510	24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub.
DSA6600	24" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection
DSA6630	24" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)
DSA6700	24" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
DSA6710	24" Steel, mounted at 3 cm distance
DSA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance
DSA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion
DSA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim
DSA6900	24" Transparent Spokeguard
DSA6910	24" Black Spokeguard
DSA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre
DSA7810	Bodypoint Posture Belt Evoflex 2 points, Small, Flat-Mount with Push Button. User Weight: 25-50KG
DSA7820	Bodypoint Posture Belt Evoflex 2 points, Medium, Flat-Mount with Rehab Latch. User Weight: 50-75KG
DSA7830	Bodypoint Posture Belt Evoflex, 2 points, Large, Flat-Mount with Rehab Latch. User Weight: 75-100KG



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:	
Name:	Email:
Phone:	Fax:
Description of special request (please include relavent option code or part	number):